



CONTRACTOR EQUIPMENT PRODUCT GUIDE

Australia & New Zealand



PROVEN QUALITY. LEADING TECHNOLOGY.

CONTENTS

DIY

DIY › SPECIFICATIONS

DIY › ACCESSORIES

TRADE PAINT

HANDHELD › SPECIFICATIONS

HANDHELD › ACCESSORIES

AIRLESS [SMALL ELECTRICS](#) › SPECIFICATIONS

AIRLESS [MIDSIZE ELECTRICS](#) › SPECIFICATIONS

AIRLESS [LARGE ELECTRICS](#) › SPECIFICATIONS

GUNS › SPECIFICATIONS AIRLESS › ACCESSORIES

AIRLESS SPRAYERS › QUICK REFERENCE

FINE FINISH

FINISHPRO HVLP › SPECIFICATIONS

FINISHPRO HVLP › ACCESSORIES

FINE FINISH & FINISHPRO AIR-ASSISTED › SPECIFICATIONS

FINISHPRO AIR-ASSISTED AIRLESS › ACCESSORIES

FINISHPRO AIR-ASSISTED SPRAYERS › QUICK REFERENCE

TEXTURE

MARK V › SPECIFICATIONS

TEXSPRAY › SPECIFICATIONS

COMPRESSOR-HOPPER › SPECIFICATIONS

TEXSPRAY RTX › SPECIFICATIONS

TEXTURE › ACCESSORIES

POWERFILL › SPECIFICATIONS

TEXTURE › QUICK REFERENCE

PETROL

GMAX II › SPECIFICATIONS

HEAVY DUTY PETROL HYDRAULIC › SPECIFICATIONS

PETROL › QUICK REFERENCE

PRESSURE WASHERS

G-FORCE II › SPECIFICATIONS

PRESSURE WASHERS › ACCESSORIES

LINEMARKING

LINELAZER [STANDARD SERIES](#) › SPECIFICATIONS

LINELAZER [AUTO MODELS](#) › SPECIFICATIONS

LINELAZER [E-POWER SERIES](#) › LINEDRIVER › SPECIFICATIONS

LINELAZER › ACCESSORIES

FIELDLAZER › SPECIFICATIONS › ACCESSORIES

LINESTRIPERS › LINEDRIVERS › QUICK REFERENCE

FINISHING & PROTECTIVE COATINGS

SPRAY TECHNOLOGIES

PROTECTIVE COATINGS › SPECIFICATIONS

HOSES & TIPS

TIPS

WARRANTY

TERMS & CONDITIONS

SERVICE AGENTS

GLOSSARY



DIY



DIY > SPECIFICATIONS



**TRUECOAT 360
DUAL SPEED**

**TRUECOAT 360
VARIABLE SPEED**

SPECIFICATIONS

	TRUECOAT 360 DUAL SPEED	TRUECOAT 360 VARIABLE SPEED
Part No.	26D522	26D528
Max. tip size	0.015"	0.015"
Max. Flow L/min	0.7	0.7
Max. pressure - psi	2000	2000
Motor	AC	AC
Weight - kg	1.6	1.6

FEATURES

	TRUECOAT 360 DUAL SPEED	TRUECOAT 360 VARIABLE SPEED
Dial Speed Pressure Control	●	●
Variable Pressure Control	—	●
Gun Filter	●	●
Material and solvent compatibility	Water-based	Water-based

COMPOSITION

	TRUECOAT 360 DUAL SPEED	TRUECOAT 360 VARIABLE SPEED
Piston Pump	Stainless Steel	Stainless Steel
Tips	2 Paint tips (Wide & Narrow) 2 Stain tips (Wide & Narrow)	2 Paint tips (Wide & Narrow) 2 Stain tips (Wide & Narrow)
Guard	Fixed	Fixed
Hose	—	—
Pump Armor	●	●
Power Source	Electric 45cm power cord	Electric 45cm power cord
Filter	1 Paint filter 1 Stain filter	1 Paint filter 1 Stain filter
FlexLiner Paint Bags	(32oz) - 7	(32oz) - 4
Seal Lube	●	●
Storage bag	●	●

DIY > SPECIFICATIONS



	MAGNUM X5	MAGNUM X7	MAGNUM PROX17	MAGNUM PROX19
SPECIFICATIONS				
Part No.	16W120	16W121	17H203	17H210
Max. tip size	0.015"	0.017"	0.017"	0.019"
Max. Flow - L/min	1.0	1.2	1.3	1.4
Max. pressure - psi	3000	3000	3000	3000
Motor	1/2 hp	5/8 hp	3/4 hp	7/8 hp
Weight - kg	7.5	12	12.4	18.7
FEATURES				
Pulls directly from 4-15L containers	●	●	●	●
Variable Pressure Control	●	●	●	●
PushPrime™	●	●	●	●
Gun Filter	●	●	●	●
Material and solvent compatibility	Water-based	Water-based	Water-based	Water-based
InstaClean Pump Filter	—	—	●	●
ProConnect Pump Repair	—	—	●	●
Power Flush	●	●	●	●
COMPOSITION				
Piston Pump	Hardened Stainless Steel	Hardened Stainless Steel	ProX Power	ProX Power
Gun	Metal SG2	Metal SG2	Metal SG3	Metal SG3
Tips	TRU515	TRU515	TRU515	TRU515
Guard	RAC 5 - 243161	RAC 5 - 243161	RAC 5 - 243161	RAC 5 - 243161
Hose	7.5m x 1/4in	7.5m x 1/4in	15m x 1/4in	15m x 1/4in
Pump Armor	●	●	●	●
Power Source	Electric	Electric	Electric	Electric

DIY > ACCESSORIES

PART No.	DESCRIPTION
TRUECOAT 360	
17A226	0.95L FlexLiner Paint Bags - 3 pack
17F005	1.24L FlexLiner Paint Bags - 3 pack
17F518	1.24L Large Cup Kit
18F519	Stain tips & filter kit
18F520	Paint tips & filter kit
18B057	Funnel Strainer Kit
25T467	Petrolatum Lubricant Stick – applied to seals to improve performance
MAGNUM	
247338	1.2m x 3/16 in DuraFlex Whip Hose
247340	15m x 1/4 in DuraFlex Hose
243025	1/4 in x 1/4 in Connector, required when connecting additional hose
243040	25cm Tip Extension
243041	38cm Tip Extension
243042	50cm Tip Extension
243043	75cm Tip Extension
288488	Ftx Gun Repair Kit
288817	SG2™/SG3™ Gun Repair Kit
243052	100cm Heavy-Duty Extension
243104	Pump Armor™ Minimum order quantity is 6
243103	Pump Armor™ Single Bottle
206994	TSL™ Throat Seal Liquid
246506	SG3™ Metal Spray Gun includes RAC 5 Guard and TRU515 Tip
288749	50-mesh Gun Filter
288750	100-mesh Gun Filter
288747	40-mesh InstaClean Filter
288716	Inlet Strainer, fits all Magnum models
286xxx	RAC 5 Spray Tip, refer to page 60 for sizes available
LPxxx	Low Pressure Spray Tip Requires RAC X Guard, refer to page 61 for sizes available
FFLPxxx	Fine Finish Low Pressure Spray Tip, requires RAC X Guard, refer to page 59 for sizes available
243161	RAC 5 Guard
246215	RAC X Guard
243281	OneSeal™ Gasket, RAC 5 - 5 pack
244512	Pressure Roller Kit - includes 230mm Roller Frame, 50cm Ext, 45o Swivel Adapter and 13mm (1/2") Nap Roller Cover
24U668	1/2 in Pressure Roller Cover, perforated for use with Pressure Roller Kit. Minimum order quantity is 4
24U669	3/4 in Pressure Roller Cover, perforated for use with Pressure Roller Kit. Minimum order quantity is 4



TRADE PAINT



HANDHELD

› SPECIFICATIONS



FOR TOUCH-UP APPLICATIONS

SPECIFICATIONS	ULTRA® AIRLESS HANDHELD	ULTRA® AIRLESS HANDHELD	ULTRAMAX AIRLESS HANDHELD	QUICKSHOT
Part No.	17M362	17N221	17N225	20B479
Max. tip size	0.016"	0.016"	0.016"	0.016"
Motor	AC	DC	DC Brushless	DC Brushless
Max. pressure – psi	2000	2000	2000	2000
Weight – kg	2.1	2.4	2.4	2.9
FEATURES				
Material and solvent compatibility	Water-based	Water-based	Water – Oil	Water – Oil
Pump Type	Triax II Piston (2023)	Triax II Piston (2023)	Triax II Piston (2023)	Triax II Piston
SmartControl™	●	●	●	—
Speed selector	ProControl™ II	ProControl™ II	ProControl™ II	●
Pressure Adjustment - psi	500-2000	500-2000	500-2000	100-2000
Suction system	Vacuum	Vacuum	Vacuum	Gravity
Cup system	FlexLiner Bags	FlexLiner Bags	FlexLiner Bags	Rigid
COMPOSITION				
Tips	FFLP514	FFLP514	FFLP210 & FFLP514	FFLP210 & FFLP514
Guard	RAC X™ – 246215	RAC X™ – 246215	RAC X™ – 17P573	RAC X™ – 246215
Inlet filter	60 mesh	60 mesh	60 mesh + 100 mesh	60 mesh + 100 mesh
Power supply	45cm power cord	2 x 18V 2AH DeWALT® battery	2 x 18V2AH DeWALT® battery	2 x 18V 2AH Li Ion DeWALT® battery
Battery charger	—	●	●	●
Cup + lid	0.95L (1 cup,1 lid)	0.95L (1 cup,1 lid)	0.95L (1 cup,1 lid)	0.95L (1 cup,1 lid)
Cup liners	0.95L Bag	0.95L Bag	0.95L Bag	—
Belt & Holster	—	—	—	●
Storage bag/case	Bag	Bag	Bag	Bag

HANDHELD ACCESSORIES

PART No.	DESCRIPTION
17A226	0.95L FlexLiner Paint Bags – 3 pack
17P212	0.95L FlexLiner Paint Bags – 25 pack
17F005	1.24L FlexLiner Paint Bags – 3 pack
17P549	1.24L FlexLiner Paint Bags – 25 pack
17P550	0.95L FlexLiner cup assembly – water. Includes 1 x 0.95L FlexLiner bag
17P551	0.95L FlexLiner cup assembly – solvent. Includes 1 x 0.95L FlexLiner bag
17P552	1.24L FlexLiner cup assembly – water. Includes 1 x 1.24L FlexLiner bag
17P553	1.24L FlexLiner cup assembly – solvent. Includes 1 x 1.24L FlexLiner bag
17N392	0.95L Cup support
17D850	Cup support 1.24L
17N515	Lid assembly – water
17N517	Lid assembly – solvent
17M879	FlexLiner lid plug – water
17R611	FlexLiner lid plug – solvent
17P712	VacuValve™ cap 3 pack
17P554	60 mesh tip filter – 3 pack
17P555	100 mesh tip filter – 3 pack
17P187	Triax II replacement pump for UltraMax hand held cordless
17P186	Triax II replacement pump for Ultra hand held cordless
17P185	Triax II replacement pump for Ultra hand held corded
17P183	Triax II outlet valve repair kit
17M883	Tool bag
17P098	Prime valve
17P174	Front valve kit – water (for UltraCorded & Cordless)
17P175	Front valve kit – solvent (for UltraMax)
17P573	UltraMax Tip Guard
246215	Ultra and QuickShot Tip Guard
18B057	Funnel Strainer Kit
25T467	Petrolatum Lubricant Stick – applied to seals to improve performance

QUICKSHOT ACCESSORIES

PART No.	DESCRIPTION
19F639	1.8m Replacement Hose
18F891	QuickShot Belt
18H073	60 mesh filter – 3 pack
18H074	100 mesh filter – 3 pack
18H058	QuickShot Gun Applicator Kit
18F977	QuickShot Holster
18H079	QuickShot Cup & Lid
18H059	QuickShot Spray Gun
18H072	QuickShot Piston Pump

AIRLESS SMALL ELECTRICS

> SPECIFICATIONS



	190 PC EXPRESS	390 PC	390 PC CORDLESS	395 PC PRO
SPECIFICATIONS				
Part No.	Stand 17C384	Stand 17C386 Lo-Boy 17C387 Hi-Boy 17C388	Stand 25T882	Stand 17E881
Max. tip size	0.021"	0.021"	0.021"	0.023"
Max. flow - L/min	1.8	1.8	1.8	2.0
Max. pressure - psi	3000	3300	3300	3300
Motor - HP	5/8 DC	5/8 DC	5/8 Brushless DC	7/8 TEFC DC
Weight - kg	14	15.4	15	20
FEATURES				
Hydraulic pressure gauge	—	—	—	●
Easy Out Pump Filter	—	●	●	●
Pump	Endurance Piston	Endurance Piston	Endurance Piston	Endurance Piston
ProConnect™	●	●	●	●
Control	Electronic	Electronic	Electronic	SmartControl
COMPOSITION				
Tips	RAC X LP 517	RAC X LP 517	RAC X LP 517	RAC X LP 517 - LP 315
Guard	RAC X™ - 246215	RAC X™ - 246215	RAC X™ - 246215	RAC X™ - 246215
Gun filter	60 mesh - 287032	60 mesh - 287032	60 mesh - 287032	60 mesh - 287032
Gun	Contractor FTx™	Contractor PC	Contractor PC	Contractor PC
Power Supply	240V	240V	DEWALT 20V/60V MAX FlexVolt 6ah Battery - 20A164 Charger - 20A167	240V
Pump filter	60 mesh - 246384	60 mesh - 246384	60 mesh - 246384	60 mesh - 246384
Hose	BlueMax II Airless 6.4mm x 15m (1/4" x 50ft)	BlueMax II Airless 6.4mm x 15m (1/4" x 50ft)	BlueMax II Airless 6.4mm x 15m (1/4" x 50ft)	BlueMax II Airless 6.4mm x 15m (1/4" x 50ft)

AIRLESS MIDSIZE ELECTRICS

› SPECIFICATIONS



	ULTRA MAX II 490 PC PRO	ULTRA 490 XT	ULTRA MAX II 495 PC PRO	ULTRA 495 XT
SPECIFICATIONS				
Part No.	Stand 17E887	Stand 19D531	Stand 17E889 Lo-Boy 17E891 Hi-Boy 17E892	Stand 19D532 Lo-Boy 19D534 Hi-Boy 19D533
Max. tip size	0.023	0.025	0.025	0.027
Max. flow - L/min	2.0	2.6	2.3	3.0
Max. pressure - psi	3300	3300	3300	3300
Motor - HP	1.0	1.3	1.2	1.7
Weight - kg	15 Stand	14 Stand	23 Stand	14 Stand
FEATURES				
Pump	Endurance Piston	Endurance Vortex	Endurance Piston	Endurance Vortex
ProConnect™	●	●	●	●
Display	Digital	LED	Digital	LED
Control	SmartControl 3.0	—	SmartControl 3.0	—
Motor Type	MaxPower Brushless	Xtreme Torque	MaxPower Brushless	Xtreme Torque
COMPOSITION				
Tips	RAC X LP 517 LP 315	RAC X LP 517	RAC X LP 517 LP 315	RAC X LP 517
Guard	RAC X™ - 246215	RAC X™ - 246215	RAC X™ - 246215	RAC X™ - 246215
Gun filter	60 mesh - 287032	60 mesh - 287032	60 mesh - 287032	60 mesh - 287032
Gun	Contractor PC	Contractor PC	Contractor PC	Contractor PC
Pump filter	60 mesh - 246384	60 mesh - 246384	60 mesh - 246384	60 mesh - 246384
Hose	BlueMax II Airless 6.4mm x 15m	BlueMax II Airless 6.4mm x 15m	BlueMax II Airless 6.4mm x 15m	BlueMax II Airless 6.4mm x 15m

AIRLESS MIDSIZE ELECTRICS

› SPECIFICATIONS



**ULTRA MAX II
595 PC PRO**

**ULTRA MAX II
650 PC PRO**

**ULTRA
650 XT**

SPECIFICATIONS

Part No.	Lo-Boy 17E897 Hi-Boy 17E896	Lo-Boy 26C979 Hi-Boy 19Y424	Lo-Boy 20B327 Hi-Boy 20B328
Max. tip size	0.027	0.029	0.029
Max. flow - L/min	2.6	3.0	3.4
Max. pressure - psi	3300	3300	3300
Motor - HP	1.6	1.8	1.9
Weight - kg	33 Hi-Boy	34 Hi-Boy	31 Hi-Boy

FEATURES

Pump	Endurance Piston	Endurance Piston	Endurance Vortex
ProConnect™	◆	◆	◆
Display	Digital	Digital	LED
Control	SmartControl 3.0	SmartControl 3.0	SmartControl 3.0
Motor Type	MaxPower Brushless	MaxPower Brushless	MaxPower Brushless

COMPOSITION

Tips	RAC X LP 517 LP 315	RAC X LP 517 LP 315	RAC X LP 517
Guard	RAC X™ - 246215	RAC X™ - 246215	RAC X™ - 246215
Gun filter	60 mesh - 287032	60 mesh - 287032	60 mesh - 287032
Gun	Contractor PC	Contractor PC	Contractor PC
Pump filter	60 mesh - 246384	60 mesh - 246384	60 mesh - 246384
Hose	BlueMax II Airless 6.4mm x 15m	BlueMax II Airless 6.4mm x 15m	BlueMax II Airless 6.4mm x 15m

AIRLESS LARGE ELECTRICS

> SPECIFICATIONS



SPECIFICATIONS	ULTRA 695 XT STANDARD	ULTRA 695 XT PRO	ULTRA 795 XT STANDARD	ULTRA 795 XT PRO
----------------	-----------------------	------------------	-----------------------	------------------

Part No.	Hi-Boy 19F712	Hi-Boy 19F714	Hi-Boy 19F715	Hi-Boy 19F717
Max. tip size	0.031	0.031	0.033	0.033
Max. flow-L/min	4.0	4.0	4.5	4.5
Max. pres. - psi	3300	3300	3300	3300
Motor - HP	2.1	2.1	2.3	2.3
Weight - kg	42	42	43	43

FEATURES	ULTRA 695 XT STANDARD	ULTRA 695 XT PRO	ULTRA 795 XT STANDARD	ULTRA 795 XT PRO
----------	-----------------------	------------------	-----------------------	------------------

BlueLink™	●	●	●	●
SmartControl™ with ProGuard™	4.0	4.0	4.0	4.0
LED Display	●	●	●	●
FastFlush 2™	●	●	●	●
WatchDog™	●	●	●	●
Endurance™ Pump	Endurance Vortex	Endurance Vortex	Endurance Vortex	Endurance Vortex
ProConnect 2™	●	●	●	●
Piston Rod	Chromex	MaxLife	Chromex	MaxLife
Sleeve	Hardened SST	MaxLife	Hardened SST	MaxLife
Rock Catcher	CrushProof	CrushProof	CrushProof	CrushProof
TiltBack™	●	●	●	●
QuickReel™	Optional	●	Optional	●
Flat-Proof Tires	Optional	●	Optional	●

COMPOSITION	ULTRA 695 XT STANDARD	ULTRA 695 XT PRO	ULTRA 795 XT STANDARD	ULTRA 795 XT PRO
-------------	-----------------------	------------------	-----------------------	------------------

Tips	RAC X LP 517	RAC X LP 517	RAC X LP 517	RAC X LP 517
Gun filter	60 mesh - 287032	60 mesh - 287032	60 mesh - 287032	60 mesh - 287032
Gun	Contractor PC	Contractor PC	Contractor PC	Contractor PC
Pump filter	244067-60	244067-60	244067-60	244067-60
Hose	BlueMax II 6.4mm x 15m	BlueMax II 6.4mm x 15m	BlueMax II 16.4mm x 5m	BlueMax II 6.4mm x 15m

AIRLESS LARGE ELECTRICS

> SPECIFICATIONS



**ULTRA 1095
XT STANDARD**

**ULTRA 1095
XT PRO**

SPECIFICATIONS

Part No.	Hi-Boy 19F720	Hi-Boy 19F721
Max. tip size	0.035	0.035
Max. flow-L/min	4.9	4.9
Max. pres. - psi	3300	3300
Motor - HP	2.7	2.7
Weight - kg	51	51

FEATURES

BlueLink™	●	●
SmartControl™ with ProGuard™	4.0	4.0
LED Display	●	●
FastFlush 2™	●	●
WatchDog™	●	●
Endurance™ Pump	Endurance Vortex	Endurance Vortex
ProConnect 2™	●	●
Piston Rod	Chromex	MaxLife Extreme
Sleeve	Hardened SST	MaxLife
Rock Catcher	CrushProof	CrushProof
TiltBack™	●	●
QuickReel™	Optional	●
Flat-Proof Tires	Optional	●

COMPOSITION

Tips	RAC X LP 517 LP 315	RAC X LP 517 LP 315
Gun filter	60 mesh - 287032	60 mesh - 287032
Gun	Contractor PC	Contractor
Pump filter	244067-60	244067-60
Hose	BlueMax II 6.4 x 15m	BlueMax II 6.4 x 15m

GUNS > SPECIFICATIONS



SPECIFICATIONS	POWERSHOT STANDARD	POWERSHOT XT
Part No.	18H310	18H311
Tip	RAC X	RAC X
Max. pres. - psi	3300	3300
Gun Weight - kg	0.5	0.5
Trigger	Electric	Electric

AIRLESS > ACCESSORIES

AIRLESS GUNS

PART No.	DESCRIPTION
17Y043	Contractor PC gun, RAC X, LP517
19Y349	Contractor PC compact gun, RAC X LTX517
19Y446	Contractor PC compact gun, RAC X, FFLP210 - with whip hose
246506	SG3 gun, 515 RAC 5
288430	FTX gun, RAC X, LTX515
288420	Contractor gun, RAC X, LTX515
246240	Silver gun, 2f with RAC X (LTX517) tip and RAC X guard
241705	HD blue texture gun with RAC X guard and 531 tip
244161	Inline gun

GUN REPAIR KITS & PARTS

PART No.	DESCRIPTION
17Y297	Contractor PC/compact PC ProConnect repair kit
288488	Contractor/FTX repair kit
288817	SG3 gun repair kit
218070	In line valve repair kit
235474	Silver Plus/FlexPlus gun repair kit
237260	HD blue texture gun repair kit
17Y466	Contractor PC Standard trigger assembly
19Y440	Compact PC Compact trigger assembly

BLUEMAX II HOSES

PART No.	DESCRIPTION
214981	BlueMax II hose 3/16" x 4.5m (FBE), 1/4"18NPSM FXF, 3300psi
214698	BlueMax II hose 3/16" x 7.6m (FBE), 1/4"18NPSM FXF, 3300psi
240793	BlueMax II hose 1/4" x 7.6m (FBE), 1/4"18NPSM FXF, 3300psi
240794	BlueMax II hose 1/4" x 15m (FBE), 1/4"18NPSM FXF, 3300psi
223771	BlueMax II hose 1/4" x 30m (FBE), 1/4"18NPSM FXF, 3300psi
240796	BlueMax II hose 3/8" x 7.6m (FBE), 1/4"18NPSM FXF, 3300psi
240797	BlueMax II hose 3/8" x 15m (FBE), 1/4"18NPSM FXF, 3300psi
241275	BlueMax II hose 3/8" x 30m (FBE), 1/4"18NPSM FXF, 3300psi
241735	BlueMax II whip 1/4" x 0.9m, 1/4"(f) x 3/8"(m) 18NPSM, 3300psi
277251	BlueMax II hose 3/8" x 15m (FBE), 3/8"18NPSM FXF, 4000psi
277250	BlueMax II hose 1/4" x 15m (FBE), 1/4"18NPSM FXF, 4000psi
25C827	BlueMax II whip 1/8" x 0.9m, with couplings
238358	BlueMax II whip 3/16" x 0.9m, 1/4"18NPSM MXF, 3300psi
238959	BlueMax II whip 3/16" x 1.4m, 1/4"18NPSM MXF, 3300psi
238359	BlueMax II whip 3/16" x 1.8m, 1/4"18NPSM MXF, 3300psi
277249	BlueMax II whip 1/4" x 0.9m, 1/4"(f) x 3/8"(m) 18NPSM, 4000psi
277351	BlueMax II whip 3/8" x 0.9m, 3/8"(f) 18NPSM x 1/2"(m) 14NPT, 4000psi

AIRLESS GUN, TIP & HOSE KITS

PART No.	DESCRIPTION
210500	Gun filter housing in line
181085	Gun adapter convert 11/16" thread to 7/8"
224457	Swivel 1/4" (204940 in blister)
17Y051	Contractor PC gun, RAC X LP517, 1/4" x 15m hose + 3/16" x 1.5m whip hose
17Y046	Contractor PC gun/hose kit, 1/4" x 15m, LTX 517
17Y048	Contractor PC gun/hose kit, 3/8" x 15m, LTX 517
19Y446	Contractor PC Compact gun/whip hose kit, RAC X FFLP210
288493	FTX gun, 4F, RAC X 517, 1/4" x 15m + 3/16" x 0.9m
288490	Contractor gun, RAC X (621), 3/8" x 15m + whip hose 3/16" x 0.9m
288489	GB kit contractor gun/hose RAC X 517
277241	GB kit contractor gun/hose 1/4 x 50'

RAC X guard is compatible with RAC X tips.

AIRLESS GUARDS

PART No.	DESCRIPTION
246215	Guard RAC X 7/8" thread - 3600psi - Standard
246437	Guard RAC X 11/16" thread - 3600psi
243161	Guard RAC 5, 7/8" thread - 3600psi
243263	Guard RAC 5, 11/16" thread - 3600psi
220247	Guard FF flat tip, 7/8" thread - 3600psi
220249	Guard FF flat tip, 11/16" thread - 3600psi
220251	Guard flat tip, 7/8" thread - 5000psi
220255	Guard flat tip, 11/16" thread - 5000psi
224454	Tip filter, 60 mesh (5x)
224453	Tip filter, 100 mesh (5x)
220254	Kit (60 mesh + 100 mesh + guard)
XHD001	XHD tip guard (grey)

AIRLESS POLE GUNS, CLEANSHOT & TIP EXTENSIONS

PART No.	DESCRIPTION
287019	25cm tip extension with RAC X guard
287020	40cm tip extension with RAC X guard
287021	50cm tip extension with RAC X guard
287022	75cm tip extension with RAC X guard
232121	Fixed extension, HD, 25cm
232122	Fixed extension, HD, 50cm
232123	Fixed extension, HD, 100cm
232124	Fixed extension, HD, 150cm
232125	Fixed extension, HD, 200cm
287023	3ft pole gun, 90cm with RAC X (517)
287024	6ft pole gun, 180cm with RAC X (517)
244163	Pole gun extension, 90cm
244164	Pole gun extension, 180cm
287030	Cleanshot shut-off valve, RAC X (517) (swivels)
15H622	Extension gasket
235486	180 Degree spray nozzle

AIRLESS FINISHING PROPACK KIT

PART No.	DESCRIPTION
19B968	Airless Finishing Kit. Includes 17H171 - 5.6L hopper, RAC X FFLP210 tip, 3/16" x 7.6m BlueMax II hose, 1/8" x 0.9m whip hose and 100 mesh filter. Designed to work with all Graco 390 PC – Ultra Max II 595 PC sprayers



JETROLLER

PART No.	DESCRIPTION
24W128	Jetroller system, 50cm extension, inline valve, 450mm frame, cleanshot, RAC X guard and WR1223 tip
24U170	Jetroller system, 50cm extension, 230mm frame, 45 degree swivel and cleanshot
24U172	Jetroller system, 50cm extension, 230mm frame with inline valve and cleanshot
24X605	Jetroller system, 50cm extension, 270mm frame with inline valve and cleanshot
24V829	Frame Jetroller, 230mm
24X651	Frame Jetroller, 270mm
24W130	Frame Jetroller, 460mm
24V832	Extension Jetroller frame handle, 30cm

AIRLESS PRESSURE ROLLERS

PART No.	DESCRIPTION
244271	230mm evenflow roller frame with 22mm thread for use with heavy-duty extensions
244623	230mm evenflow roller frame with 1/8 npt thread for use with telescoping extensions
240005	230mm geospense roller frame with 22mm thread for use with heavy-duty extensions
240055	305mm geospense roller frame with 22mm thread for use with heavy-duty extensions
218935	230mm geospense roller frame for use with telescoping extensions
224268	300mm geospense roller frame for use with telescoping extensions
218775	Telescopic roller extension (45-90cm)
218776	Telescopic roller extension (90-180cm)
218777	Telescopic roller extension (180-360cm)
244279	230mm evenflow roller assembly with 45 degree adaptor, 50cm heavy duty extension
244281	230mm evenflow telescopic roller extension (45-90cm)
245397	230mm evenflow in-line valve roller heavy duty extension (45-90cm)

PRESSURE ROLLERS ADAPTERS

244825	Adapter 1/4" to 7/8" for telescopic roller extension
224399	Adapter 45deg swivel 7/8" (f x m)
224398	Adapter 1/8" to 7/8" for HD extensions

PRESSURE ROLLERS COVERS

107589	230mm roller cover, 9.5mm nap
107590	230mm roller cover, 13mm nap
107591	230mm roller cover, 19mm nap
186944	305mm roller cover, 13mm nap
186945	305mm roller cover, 19mm nap

AIRLESS GASKETS & TIP SEAT KITS

PART No.	DESCRIPTION
15A981	RAC X seat
195558	RAC 5 seat
181603	RAC IV seat
246453	RAC X seat + gasket (black, x5)
248936	RAC X seat + gasket, solvent (orange, x5)
243281	RAC 5 seat + gasket (black, x5)
221176	RAC IV seat + gasket (black, x5)
17P501	Tip seat/gasket LP/FFLP (black x5)
17P502	Tip seat/gasket LP/FFLP (orange x5)
183616	Seal in AAM tips or removing blue filter

GENERAL PARTS

PART No.	DESCRIPTION
REDUCING JOINERS: M X M	
THREAD, MAX . W. PRESS .-BAR, SWIVEL MAT -L	
191872	1/8" NPT x 1/4" NPSM, 345, CS
165274	1/4" NPT x 11/16"-27 UNS, 345, CS
164856	3/8" NPT x 1/4" NPT, 550, SS
164672	3/8" NPT x 1/4" NPSM, 413, CS
196177	3/8" NPT x 1/4" NPSM, 415, CS with e-nickel
161800	3/4" NPT x 3/8" NPSM, 275, CS
196142	3/4" NPT x 1/2" NPT, 345, CS
158979	1/2" NPT x 3/8" npt , 375, CS
159239	1/2" NPT x 3/8" NPT, 510 , CS
ADAPTERS: M X F	
THREAD, MAX . W. PRESS .-BAR, SWIVEL MAT -L	
244825	1/4" NPT, 7/8"-14 UNP, 230, CS
104969	1/2" NPT, 3/4" NPT, 275, CS
181085	7/8"-14 UNF, 11/16"- 16 UNEF, 345, CS, metric gun to Grago guard
164120	11/16"- 16 UNEF, 7/8"-14 UNF-2b, 345, CS: Grago gun to metric guard
159841	Adapter, 1/4 NPT(F) x 3/8 NPT(M)
PIPE TEES: F X F X M	
THREAD, MAX . W. PRESS .-BAR, SWIVEL MAT -L	
106228	2 X 1/4" NPT(F) x 1/4" NPT(M), 210, brass
108673	2 X 3/8" NPT(F) x 3/8" NPT(M), 275, SS
111337	2 X 3/4" NPT(F) x 3/4" NPT(M), 275, CS
BALL VALVES	
THREAD, MAX . W. PRESS .-BAR, SWIVEL MAT -L	
239280	1/4" NPT (MBE), 350, fluoroelastomer
238694	3/8" NPT (MBE), 350, PTFE/SS
223522	1/4" NPT(M) x drilled plug, 350, fluoroelastomer
224441	3/8" NPT(M) x drilled plug, 350, fluoroelastomer
238967	3/8"M NPT (MBE), 350, PTFE with peek seat

AIRLESS INLET STRAINERS, GUN & PUMP FILTERS

PART No.	DESCRIPTION
AIRLESS INLET STRAINERS	
181072	Inlet strainer, 1" mesh, double screen fine mesh, 650, 695, 795, 1095
181073	Inlet strainer, 1/2",ultra(+), max/em5000/GMAX
183770	Inlet strainer 3/4" 8 mesh, 190es
189920	Inlet strainer 1" 8 mesh, Mark V.Hd,GMAX 5900hd, GMAX 7900, single screen 650, 695, 795, 1095
235004	Inlet strainer 3/4-16UNF, 390st /490st/395st/ 495st
246385	Inlet strainer 7/8", 395/495, GX19, 190, 390, 595
288472	Inlet strainer 10 mesh, gh, crush-proof, 395, 495
257033	Q kit strainer crush proof
195697	Strainer magnum x5 & x7
15V573	Inlet strainer Crushproof to suit ProContractor - Ironman
288716	Inlet strainer GX19
AIRLESS GUN FILTERS	
218131	Gun filter, 50 mesh contr. + (blue) inline gun. For use with OLD Contractor Gun.
218133	Gun filter,100 mesh contr. + (red). For use with OLD Contractor Gun.
257129	Easy-out filter, 30 mesh (grey). Contractor PC & Ftx Guns
287032	Easy-out gun filter, 60 mesh (black). Contractor PC & Ftx Guns
287033	Easy-out gun filter 100 mesh (blue). Contractor PC & Ftx Guns
257130	Easy-out filter 200 mesh (red). Contractor PC & Ftx Guns
287034	Easy-out gun filter 60 mesh+ 100 mesh
224455	Contractor gun filter 50 mesh, FTx-e (x2)
224456	Contractor gun filter 100 mesh, FTx-e (x2)
19Y355	Contractor PC compact gun filter 60 mesh (black)
19Y356	Contractor PC compact gun filter 100 mesh (blue)
19Y358	Contractor PC compact gun filter 60/100 mesh combo, 200 mesh gun filter
288749	SG2-SG3 gun filter 50 mesh
288750	SG2-SG3 gun filter 100 mesh
AIRLESS PUMP FILTERS	
246425	Filter, 30 mesh, short, grey, suits 390 to 650
246384	Filter, 60 mesh, short, black, suits 390 to 650
246382	Filter, 100 mesh, short, blue, suits 390 to 650
246383	Filter, 200 mesh, short, red, suits 390 to 650
243080	Filter, easy out, 60 mesh, short, black, horizontal
243081	Filter, easy out, 100 mesh, short, blue, horizontal
243226	Filter, easy out, 200 mesh, short, red, horizontal
244071	Filter, easy out, 30 mesh, long , grey, suits 695 to 1095
244067	Filter, easy out, 60 mesh, long , black, suits 695 to 1095
244068	Filter, easy out, 100 mesh, long , blue, suits 695 to 1095
244069	Filter, easy out, 200 mesh, long , red, suits 695 to 1095
288747	Magnum filter, 60 mesh, black

SWIVELS, ADAPTERS & JOINERS

PART No.	DESCRIPTION
GUN SWIVELS	
244515	1/4" NPT(M) x 1/4" NPSM(F), 210, leather , CS
223341	1/4" NPT (M) x 1/4" NPSM(F), 250, PTFE, CS
239663	1/4" NPT(M) x 1/4" NPSM(F), 250, leather , CS
207947	1/2" NPT(M) x 1/2" NPT(F), 410, CS zinc plated
119783	Fitting tee swivel
115523	Hydraulic gauge
SWIVEL UNIONS	
156823	1/4" NPT(M) x 1/4" NPT(F), 690, CS
157705	1/4"NPT(M) x 3/8" NPSM(F), 515, CS
190451	1/2" NPT(M) x 1/2" NPSM(F), 206, CS
159153	1/4" NPT(F) x 3/8" NPT(F), 515, CS
156173	3/8" NPSM(F) x 3/8" NPT(F), 510, CS
161077	1/2"NPT(F) x 3/8" NPSM(F), 240, CS
155865	1/2" NPSM(F) x 1/2" NPT(F), 500, CS
HEX JOINER	
162453	1/4" NPSM x 1/4" NPT NPSM, 515, CS
156971	1/4" NPT x 1/4" NPT, 515, CS
156849	3/8" NPT x 3/8" NPT, 500, CS
196178	3/8" NPSM x 3/8" NPT, 350, CS with e-nickel
157350	3/8" NPT x 1/4" NPT, 413, CS
158491	1/2" NPT x 1/2" NPT, 510, CS

MISCELLANEOUS ACCESSORIES

PART No.	DESCRIPTION
17H171	Hopper, 5.7L, include with hopper kit. For use with 390-595
240296	Hose strap (x4)
15F446	Gun tool
24W755	Proguard 230V, IEC320, multi-cord
289535	Moisture seperator kit
119799	Cleaning brush
242005	Cord set adapter ANZ

AIRLESS MOTOR KITS

PART No.	DESCRIPTION
248943	Honda GX160 - 160cc
248944	Honda GX200 - 200cc
248945	Honda GX270 - 270cc
248946	Electric motor- 3 hp (2.2 Kw)
24M668	DutyMax kit, electric motor, 3 hp

AIRLESS LIQUIDS

PART No.	DESCRIPTION
206994	TSL, 240ml - Must order in multiples of 6
206995	TSL, 946ml
206996	TSL, 3.8L
243103	Pump armor liquid, 946ml - must order in multiples of 6
245133	Pump armor liquid, 3.8L
207428	Hydraulic fluid, 3.8L
117784	Pump oil, 130ml, for radial axial - pumps only (G-force)
246377	Pump oil, 946ml, for triplex plunger - pumps only (G-force)

SMALL ELECTRIC AIRLESS SPRAYERS > QUICK REFERENCE

Part No.	Description	Max Tip Size	Parts Manual	Inlet Strainer	Manifold Filter	Prime Valve	Fluid Pump	Pump Manual	Pump Repair Kit	QuikPak	Rod	Cylinder	Sleeve	Intake Seat Kit	Piston Valve	Spray Gun	Gun Manual	Gun Filter	Gun Repair Kit
17C384	190 PC Express	0.019"	334567	246385	N/A	239914	17C487	334599	18B260	N/A	24W617	24W619	N/A	246429	239937	246506	312830	288749	288817
17C386	390 PC Stand	0.021"	334567	246385	246384	239914	17C487	334599	18B260	N/A	24W617	24W619	N/A	246429	239937	288430	311861	287032	288488
17C387	390 PC Lo-Boy	0.021"	334567	246385	246384	239914	17C487	334599	18B260	N/A	24W617	24W619	N/A	246429	239937	288430	311861	287032	288488
17C388	390 PC Hi-Boy	0.021"	334567	246385	246384	239914	17C487	334599	18B260	N/A	24W617	24W619	N/A	246429	239937	288430	311861	287032	288488
17E881	395 PC PRO Stand	0.23"	3A6519	246385	246384	239914	17C487	334599	18B260	N/A	24W617	24W619	N/A	246429	239937	17Y044	3A6285	287032	17Y297

MIDSIZE ELECTRIC AIRLESS SPRAYERS > QUICK REFERENCE

Part No.	Description	Max Tip Size	Parts Manual	Inlet Strainer	Manifold Filter	Prime Valve	Fluid Pump	Pump Manual	Pump Repair Kit	QuikPak	Rod	Cylinder	Sleeve	Intake Seat Kit	Piston Valve	Spray Gun	Gun Manual	Gun Filter	Gun Repair Kit
17E887	Ultra Max II 490 PC Pro Stand	0.023"	3A6491	246385	246384	239914	17C487	334599	18B260	N/A	24W617	24W619	N/A	246429	239937	17Y044	3A6285	287032	17Y297
17E889	Ultra Max II 495 PC Pro Stand	0.025"	3A6491	246385	246384	239914	17C487	334599	18B260	N/A	24W617	24W619	N/A	246429	239937	17Y044	3A6285	287032	17Y297
17E891	Ultra Max II 495PC Pro Lo-Boy	0.025"	3A6491	246385	246384	239914	17C487	334599	18B260	N/A	24W617	24W619	N/A	246429	239937	17Y044	3A6285	287032	17Y297
17E892	Ultra Max II 495 PC Pro Hi-Boy	0.025"	3A6491	246385	246384	239914	17C487	334599	18B260	N/A	24W617	24W619	N/A	246429	239937	17Y044	3A6285	287032	17Y297

PREVIOUS MODELS

17C395	Ultra Max II PC Pro 490 Stand	0.023"	334530	246385	246384	239914	17C487	334599	18B260	N/A	24W617	24W619	N/A	246429	239937	288420	311861	287032	288488
249932	Ultra Max II 490 Stand	0.023"	309707	246385	246384	239914	17C718	309250	18B260	N/A	249125	243176	N/A	246429	239937	288420	311861	287032	288488
17C398	Ultra Max II 495 PC Pro Stand	0.025"	334530	246385	246384	239914	17C487	334599	18B260	N/A	24W617	24W619	N/A	246429	239937	288420	311861	287032	288488
17C401	Ultra Max II 495 PC Pro Lo-Boy	0.025"	334530	246385	246384	239914	17C487	334599	18B260	N/A	24W617	24W619	N/A	246429	239937	288420	311861	287032	288488
17C402	Ultra Max II 495 PC Pro Hi-Boy	0.025"	334530	246385	246384	239914	17C487	334599	18B260	N/A	24W617	24W619	N/A	246429	239937	288420	311861	287032	288488
249933	Ultra Max II 495 Stand	0.025"	309707	246385	246384	239914	17C718	309250	18B260	N/A	249125	243176	N/A	246429	239937	288420	311861	287032	288488
253104	Ultra Max II 495 Lo-Boy	0.025"	309707	246385	246384	239914	17C718	309250	18B260	N/A	249125	243176	N/A	246429	239937	288420	311861	287032	288488
253105	Ultra Max II 495 Hi-Boy	0.025"	309707	246385	246384	239914	17C718	309250	18B260	N/A	249125	243176	N/A	246429	239937	288420	311861	287032	288488
17C404	Ultra Max II 595 PC Pro Lo-Boy	0.027"	334530	246385	246384	239914	17C487	334599	18B260	N/A	24W617	24W619	N/A	246429	239937	288420	311861	287032	288488
17C403	Ultra Max II 595 PC Pro Hi-Boy	0.027"	334530	246385	246384	239914	17C487	334599	18B260	N/A	24W617	24W619	N/A	246429	239937	288420	311861	287032	288488
253107	Ultra Max II 595 Lo-Boy	0.027"	309707	246385	246384	239914	17C718	309250	18B260	N/A	249125	243176	N/A	246429	239937	288420	311861	287032	288488
249934	Ultra Max II 595 Hi-Boy	0.027"	309707	246385	246384	239914	17C718	309250	18B260	N/A	249125	243176	N/A	246429	239937	288420	311861	287032	288488

LARGE ELECTRIC AIRLESS SPRAYERS > QUICK REFERENCE

Part No.	Description	Max Tip Size	Parts Manual	Inlet Strainer	Manifold Filter	Prime Valve	Fluid Pump	Pump Manual	Pump Repair Kit	QuikPak	Rod	Cylinder	Sleeve	Intake Seat Kit	Piston Valve	Spray Gun	Gun Manual	Gun Filter	Gun Repair Kit
17E610	Ultra Max II 695 STD Lo-Boy	0.031"	3A6342	189920	244067	24B156	16Y598	333028	248212	17H838	248206	17A030	248209	239922	287877	17Y044	3A6285	287032	17Y297
17E613	Ultra Max II 695 STD Hi-Boy	0.031"	3A6342	189920	244067	24B156	16Y598	333028	248212	17H838	248206	17A030	248209	239922	287877	17Y044	3A6285	287032	17Y297
17E614	Ultra Max II 695 Pro Contractor	0.031"	3A6342	15V573	244067	24B156	17H823	3A6583	248212	17H841	17H876	17H865	17H864	239922	287877	17Y044	3A6285	287032	17Y297
17E616	Ultra Max 795 STD Lo-Boy	0.033"	3A6342	189920	244067	24B156	16Y598	333028	248212	17H838	248206	17A030	248209	239922	287877	17Y044	3A6285	287032	17Y297
17E617	Ultra Max 795 STD Hi-Boy	0.033"	3A6342	189920	244067	24B156	16Y598	333028	248212	17H838	248206	17A030	248209	239922	287877	17Y044	3A6285	287032	17Y297
17E619	Ultra Max II 795 Pro Contractor	0.033"	3A6342	15V573	244067	24B156	17H823	3A6583	248212	17H841	17H876	17H865	17H864	239922	287877	17Y044	3A6285	287032	17Y297
17E620	Ultra Max II 1095 STD Hi-Boy	0.035"	3A6342	189920	244067	24B156	16Y706	333028	248213	17H839	248207	243347	248210	244199	24U993	17Y044	3A6285	287032	17Y297
17E621	Ultra Max II 1095 Pro Contractor	0.035"	3A6342	15V573	244067	24B156	17H824	3A6583	17H842	17H842	17H877	17H866	274031	244199	24U993	17Y044	3A6285	287032	17Y297
17E623	Ultra Max II 1095 Ironman	0.035"	3A6342	15V573	244067	24B156	17H826	3A6583	17H843	17H843	17H879	17H868	257031	17H882	24U993	17Y044	3A6285	287032	17Y297
17E657	Mark V STD	0.035"	3A6342	189920	244067	24B156	17H829	3A6584	17H846	17H846	249028	196754	248210	244571	24U993	241705	308491	N/A	237260
17E663	Mark V Pro Contractor	0.035"	3A6342	15V573	244067	24B156	17H833	3A6583	17H850	17H850	17H882	17H871	257031	244571	24U993	241705	308491	N/A	237260

PREVIOUS MODELS

16X812	Ultra Max II 695 STD Lo-Boy	0.031"	333281	189920	244067	24B156	16Y598	333028	248212	17H838	248206	17A030	248209	239922	287877	288420	311861	287032	288488
16X660	Ultra Max II 695 STD Hi-Boy	0.031"	333281	189920	244067	24B156	16Y598	333028	248212	17H838	248206	17A030	248209	239922	287877	288420	311861	287032	288488
16X813	Ultra Max II 795 STD Lo-Boy	0.033"	333281	189920	244067	24B156	16Y598	333028	248212	17H838	248206	17A030	248209	239922	287877	288420	311861	287032	288488
16X870	Ultra Max II 795 STD Hi-Boy	0.033"	333281	189920	244067	24B156	16Y598	333028	248212	17H838	248206	17A030	248209	239922	287877	288420	311861	287032	288488
16X881	Ultra Max II 1095 STD	0.035"	333281	189920	244067	24B156	16Y706	333028	248213	17H839	248207	243347	248210	244199	24U993	288420	311861	287032	288488
16Y639	Ultra Max II 695 Pro Contractor	0.031"	333281	189920	244067	24B156	16X414	332922	248212	17H838	16X434	16X450	248209	239922	287877	288420	311861	287032	288488
16Y895	Ultra Max II 795 Pro Contractor	0.033"	333281	189920	244067	24B156	16X414	332922	248212	17H838	16X434	16X450	248209	239922	287877	288420	311861	287032	288488
16Y832	Ultra Max II 1095 Pro Contractor	0.035"	333281	189920	244067	24B156	16X419	332922	248213	17H839	16X435	16X451	248210	239922	287877	288420	311861	287032	288488
16Y871	Ultra Max II 1095 Ironman	0.035"	333281	189920	244067	24B156	16X420	332922	248213	17H839	16X436	16X452	257031	244199	24U993	288420	311861	287032	288488
258874	Ultra Max II 695 STD Lo-Boy	0.031"	3A0158	189920	244067	24B156	248204	310643	248212	17H838	248206	243346	248209	239922	287877	288420	311861	287032	288488
258876	Ultra Max II 695 STD Hi-Boy	0.031"	3A0158	189920	244067	24B156	248204	310643	248212	17H838	248206	243346	248209	239922	287877	288420	311861	287032	288488
258879	Ultra Max II 795 STD Lo-Boy	0.033"	3A0158	189920	244067	24B156	248204	310643	248212	17H838	248206	243346	248209	239922	287877	288420	311861	287032	288488
258881	Ultra Max II 795 STD Hi-Boy	0.033"	3A0158	189920	244067	24B156	248204	310643	248212	17H838	248206	243346	248209	239922	287877	288420	311861	287032	288488

AIR ASSISTED SPRAYERS > QUICK REFERENCE

Part No.	Description	Max Tip Size	Parts Manual	Inlet Strainer	Manifold Filter	Prime Valve	Fluid Pump	Pump Manual	Pump Repair Kit	QuikPak	Rod	Cylinder	Sleeve	Intake Seat Kit	Piston Valve	Spray Gun	Gun Manual	Gun Filter	Gun Repair Kit
17C321	Finishpro II 395 PC	0.023"	334730	246385	246384	239914	17C487	334599	18B260	N/A	24W617	24W619	N/A	246429	239937	262929	333182	224453	255160
17E915	Finishpro II 595 PC Pro	0.027"	3A6564	246385	246384	239914	17C487	334599	18B260	N/A	24W617	24W619	N/A	246429	239937	262929	333182	224453	255160
17C357	Finishpro II 595 PC Pro	0.027"	334598	246385	246384	235014	17C487	309250	18B260	N/A	249125	243176	N/A	246429	239937	262929	333182	224453	255160
24U071	Finishpro II 395	0.023"	333154	246385	246384	235014	17C718	309250	18B260	N/A	249125	243176	N/A	246429	239937	262929	333182	224453	255160
24U074	Finishpro II 595	0.027"	333154	246385	246384	235014	17C718	309250	18B260	N/A	249125	243176	N/A	246429	239937	262929	333182	224453	255160



FINE FINISH



FINISHPRO HVLP

› SPECIFICATIONS



	HVLP™ STANDARD 7.0	HVLP™ STANDARD 9.0	HVLP™ PROCONTRACTOR 7.0	HVLP™ PROCONTRACTOR 9.0	HVLP™ PROCONTRACTOR 9.5	HVLP™ PROCOMP 9.5
SPECIFICATIONS						
Part No.	17R074	17R075	17R078	17R079	17R080	17R081
Turbine stages	3	5	3	5	5	5
Max. air working pressure - psi	7	9	7	9	9.5	9.5
Weight - kg	8.1	8.6	10.4	10.8	11.7	13.6
FEATURES						
TurboForce™ II technology	●	●	●	●	●	●
SmartStart	—	—	●	●	●	●
TCS System	●	●	●	●	●	●
Quick release needle	●	●	●	●	●	●
Flex Liner™ system	●	●	●	●	●	1.9L Pressure Pot
Air flow control at the gun	Preset ratio	Preset ratio	●	●	●	●
Material volume control at the gun	●	●	●	●	●	●
Spray fan size	●	●	●	●	●	●
Control at the gun	●	●	●	●	●	●
Needle nozzle storage	—	—	●	●	●	●
Air filtration	Foam	Foam	Automotive	Automotive	Automotive	Automotive
COMPOSITION						
Needle nozzle-kit	#3	#3	#3	#3, #4	#3, #4, #5	#3, #4, #5
Gun	EDGE® II	EDGE® II	EDGE® II Plus	EDGE® II Plus	EDGE® II Plus	EDGE® II Plus
Hose	Super-Flex™ Air 6m - 17R300	Super-Flex™ Air 6m - 17R300	Super-Flex™ Air 9m - 257159	Super-Flex™ Air 9m - 257159	Super-Flex™ Air 9m - 257159	Super-Flex™ Air 9m - 257159
Whip hose	—	—	—	—	Super-Flex™ Air 1.2m - 17R299	Super-Flex™ Air 1.2m - 17R299
Gun docking station	—	—	●	●	●	●

FINISHPRO HVLP

> ACCESSORIES

PART No.	DESCRIPTION
HVLP EDGE II GUN	
17P481	Edge II HVLP gun & flexliner with #3 needle/nozzle kit
17P483	Edge II HVLP gun & flexliner with #3 needle/nozzle kit and artisan air valve
17P654	Edge II HVLP pro comp gun with #3 needle/nozzle kit and artisan air valve
17S192	Edge II HVLP pro comp gun artisan air valve
QUICK- RELEASE FLUID SETS	
17P485	Needle/nozzle kit #2 (0.8mm) edge gun (ultra fine finish)
17P486	Needle/nozzle kit #3 (1.3mm) edge gun (fine finish)
17P487	Needle/nozzle kit #4 (1.8mm) edge gun (higher output enamel)
17P488	Needle/nozzle kit #5 (2.2mm) edge gun (higher output)
17P489	Needle/nozzle kit #6 (2.5mm) edge gun (higher output)
17P490	Needle/nozzle kit #7 (2.8mm) edge gun (higher output hi solid)
HVLP CUP POTS & LINERS	
17A226	Flexliner bags 946ml - 3 pack
17P212	Flexliner bags 946ml - 25 pack
17R462	Kit cup flexliner hvlp assembly (cup, lid, liner, cap)
17S115	Cup overkit edge II
17S116	Cup overkit edge II plus
244130	1L siphon metal pot with lid
287819	1.9L Complete pressure pot assembly, including lid and 1.5m air hose for use with procomp unit
SUPER-FLEX HOSES & FITTINGS	
17R299	New super-flex whip hose (1.2m)
240476	Black material pressure hose - 3/8in x 9m (use with remote gun)
17T237	Air & material hose assembly 1.5m. Remote pot to gun (ProComp only)
257159	Super-flex air hose (9m) - for ProContractor & ProComp only
17R300	Kit accessory hose air (6.1m) - for standard models only
17R301	Quick disconnect ball valve (air hose to gun)
240488	Air hose 9m clear (for use with ProComp only)
240282	Quick disconnect ball valve (air hose to sprayer)
FILTERS & STRAINERS	
17R296	Turbine air filter - Standard
17R298	Turbine air filter - ProContractor and ProComp
193218	Strainer
MAINTENANCE & REPAIR PARTS	
17P709	Edge II & Edge II Plus Guns HVLP gun air cap
256957	Quick clean check valve (full assembly)
256956	Quick clean check valve repair kit (3 pkt)
287820	Check valve kit pressure pot 3800 & 4900 ProComp units
256959	Pressure pot shoulder strap
240265	1L cup gasket
17S108	Cup air tube
17P708	HVLP Edge II gun full seal kit - for Edhe II only
256960	HVLP Edge II & Edge II Plus gun packing repair kit
256954	HVLP deluxe cleaning kit (includes brushes and picks)
256953	HVLP cleaning brush kit

FINE FINISH & FINISHPRO

› SPECIFICATIONS



	FINE FINISH FFGX19	FINE FINISH FFGX19 CORDLESS	FINISHPRO II 395 PC AIR-ASSISTED	FINISHPRO II 595 PC PRO AIR-ASSISTED
SPECIFICATIONS				
Part No.	17H223	25U855	17C321	17E915
Max. tip size: 1 gun	0.019"	0.019"	0.023"	0.027"
Max. flow - L/min	1.4	1.4	2.0	2.6
Max. pressure - psi	3000	3000	3300	3300
Motor - HP	—	—	0.875 TEFC Brush DC	1.4 Brushless DC
Turbine/compressor L/min. (cfm)	—	—	2.0 (0.47)	2.7 (0.7)
Max. air working pressure - psi	—	—	35	35
Weight - kg	12.3	12.3	50	51
FEATURES				
BlueLink™	—	—	—	●
SmartControl™	—	—	01.0	3.0
Air pressure guage	—	●	●	●
FastFlush™	—	—	—	●
Endurance™ pump	—	—	●	●
ProConnect™	—	—	●	●
ProXchange™ Pump	24Y472	●	—	—
SmartComp™	—	—	●	●
Hose rack	—	—	●	●
COMPOSITION				
Tips	FFLP210	FFLP210	FFLP210 + LTX517 + AAM309	FFLP210 + LTX517 + AAM309
Flat to RAC® conversion kit	—	—	●	●
Gun filler	EasyOut™ 100 mesh - 287033	EasyOut™ 100 mesh - 287033	100 mesh - 224453	100 mesh - 224453
Pump filter	—	19Y356	EasyOut™ 100 - 246382	EasyOut™ 100 - 246382
Gun	FTx™ - 288430	Contractor PC Compact	G40 - 262932	G40 - 262932
Hose	3/16" x 7.6m - 214698	3/16" x 7.6m - 214698	Super-Flex Fluid+ Air; hose (15m) + Whip (2m) 24U579 Hose protector 24U577	Super-Flex™ Fluid+ Air; hose (15m) + Whip (2m) 24U579 Hose protector 24U577
Whip hose	—	—	Super-Flex Fluid+ Air; hose (15m) + Whip (2m) 24U579 Hose protector 24U577	Super-Flex™ Fluid+ Air; hose (15m) + Whip (2m) 24U579 Hose protector 24U577
Toolbox	—	—	●	●
Tools	Built-In pump removal tool	Built-In pump removal tool	●	●
Battery	—	2 x DeWALT 18V - 54V FlexVolt - 6Ah	—	—

FINISHPRO AIR-ASSISTED AIRLESS

› ACCESSORIES

PART No.	DESCRIPTION
GUN & AIR HOSES	
262929	G40 air-assisted airless gun FinishPro 395 & 595
24U891	G40 air-assisted airless gun & hose kit
24U578	7.6m (25ft) fluid & air hose set FinishPro 395 & 595
24U579	15m (50ft) fluid & air hose set FinishPro 395 & 595
278751	Super flex whip hose - air (6.6mm x 1.8m)
278750	Super flex whip hose - fluid (3.2mm x 1.8m)
214698	BlueMax II hose 4.76mm x 7.6m (3/16" x 25ft)
240794	BlueMax II hose 6.4mm x 15m (1/4" x 50ft)
17Y051	Contractor PC airless gun & hose kit
24U577	15m (50ft) flex wrap hose protector
288430	FTx™ Spray Gun
TIPS FILTERS & STRAINERS	
AAMXXX	Fine finish flat tip (refer tip chart for selection p41)
FFLPXXX	Fine finish switch tip (refer tip chart for selection)
AAFXXX	Fine finish pre-orifice tip (refer tip chart for selection)
224454	G40 gun filter 60 mesh (5 pack)
224453	G40 gun filter 100 mesh (5 pack)
287032	Contractor PC, contractor and FTx 60 mesh gun filter (black)
287033	Contractor PC, contractor and FTx 100 mesh gun filter (blue)
246384	Easy out manifold filter 60 mesh (black)
246382	Easy out manifold filter 100 mesh (blue)
246385	Pump inlet strainer
127465	Inline dessicant filter
24U981	Inline dessicant filter - 5 pack
24U982	Inline dessicant filter - 25 pack
241804	Flat tip filter 150 mesh (blue) 10 pack
183616	Tip seal for larger AAM tip or when removing blue filter
G40 AIR CAPS (GUARDS)	
288839	G40 RAC X air cap (guard) assembly
249256	G40 flat tip air cap (guard) assembly
15J770	G40 RAC X air cap (guard) cylinder housing
BATTERY & CHARGER	
20A164	DEWALT 20V/60V MAX* FlexVolt 6Ah Battery
20A167	DEWALT Fan-Cooled Fast Charger
MAINTENANCE & REPAIR PARTS	
17H171	Hopper assembly 5.7L FinishPro 395 & 595
288514	Conversion kit G40 RAC X to flat tip
24U616	Conversion kit flat tip to RAC X
17C487	Replacement pump for use on FinishPro II 395 PC & 595 PC
17C718	Replacement pump for use on FinishPro II 395 & 595
24Y472	ProXChange repair kit GX19 FinishPro
18B260	Pump seal kit FinishPro 395 & 595
17V093	Cylinder O-ring

FINISHPRO AIR-ASSISTED SPRAYERS

› QUICK REFERENCE

Part No.	Description	Max Tip Size	Parts Manual	Inlet Strainer	Manifold Filter	Prime Valve	Fluid Pump	Pump Manual	Pump Repair Kit	QuikPak	Rod	Cylinder	Sleeve	Intake Seat Kit	Piston Valve	Spray Gun	Gun Manual	Gun Filter	Gun Repair Kit
----------	-------------	--------------	--------------	----------------	-----------------	-------------	------------	-------------	-----------------	---------	-----	----------	--------	-----------------	--------------	-----------	------------	------------	----------------

CURRENT MODELS

17C321	Finishpro II 395 PC	0.023"	334730	246385	246384	239914	17C487	334599	18B260	N/A	24W617	24W619	N/A	246429	239937	262929	333182	224453	255160
17E915	Finishpro II 595 PC Pro	0.027"	3A6564	246385	246384	239914	17C487	334599	18B260	N/A	24W617	24W619	N/A	246429	239937	262929	333182	224453	255160

PREVIOUS MODELS

17C357	Finishpro II 595 PC Pro	0.027"	334598	246385	246384	235014	17C487	309250	18B260	N/A	249125	243176	N/A	246429	239937	262929	333182	224453	255160
24U071	Finishpro II 395	0.023"	333154	246385	246384	235014	17C718	309250	18B260	N/A	249125	243176	N/A	246429	239937	262929	333182	224453	255160
24U074	Finishpro II 595	0.027"	333154	246385	246384	235014	17C718	309250	18B260	N/A	249125	243176	N/A	246429	239937	262929	333182	224453	255160



TEXTURE



MARK V

› SPECIFICATIONS



	MARK V XT STANDARD	MARK V XT PRO
SPECIFICATIONS		
Part No.	Hi-Boy 19F550	Hi-Boy 19F552
Max. tip size	Paint 0.035"	Paint 0.035"
Max. flow - L/min	4.5	4.5
Max. pressure - psi	3300	3300
Motor - HP	2.9	2.9
Weight - kg	57	64
FEATURES		
BlueLink™	●	●
SmartControl™ with ProGuard™	4.0	4.0
Hydraulic Pressure Gauge	●	●
LED Display	●	●
FastFlush 2™	●	●
WatchDog™	●	●
Endurance™ Pump	●	●
ProConnect™	●	●
Piston Rod	MaxLife Extreme w/Vortex	MaxLife Extreme w/Vortex
Sleeve	MaxLife	MaxLife
MaxFlo 2	●	●
Rock Catcher	CrushProof	CrushProof
TiltBack™	●	●
QuickReel™	●	●
Flat-Proof Tires	●	●
COMPOSITION		
Tips	RAC X LTX 427 + LTX 531	RAC X LTX 427 + LTX 531
Guard	RAC X™ - 246215	RAC X™ - 246215
Gun	HD Blue Texture - 241705	HD Blue Texture - 241705
Hose	BlueMax™ II 3/8"x15m	BlueMax™ II 3/8"x15m
Whip hose	BlueMax™ II 1/4"x0.9	BlueMax™ II 1/4"x0.9
Tools	●	●

TEXSPRAY

› SPECIFICATIONS



	TEXSPRAY 5900 HD STANDARD	TEXSPRAY 7900 HD STANDARD	TEXSPRAY 5900 HD PRO	TEXSPRAY 7900 HD PRO	TEXSPRAY 7900 HD IRONMAN
SPECIFICATIONS					
Part No.	17E839	17E841	17E840	17E842	17E843
Max. tip size	0.043"	0.047"	0.042"	0.048"	0.047"
Max. flow - L/min	6.0	8.3	6.0	6.0	8.3
Max. pressure - psi	3300	3300	3300	3300	3300
Motor - HP	6.5 HP Honda	6.5 HP Honda	6.5 HP Honda	6.5 HP Honda	6.5 HP Honda
Weight - kg	64	67	70	74	67
FEATURES					
SmartControl™ with ProGuard™	3.0	3.0	3.0	3.0	3.0
Hydraulic Pressure Gauge	●	●	●	●	●
LED Display	—	—	●	●	●
FastFlush 2™	—	—	—	—	—
WatchDog™	—	—	●	●	●
Endurance™ Pump	●	●	●	●	●
ProConnect™	●	●	●	●	●
Piston Rod	Chromex	MaxLife	MaxLife w/Vortex	MaxLife w/Vortex	MaxLife Extreme w/Vortex
Sleeve	—	—	MaxLife	MaxLife	MaxLife
MaxFlo 2	●	●	●	●	●
Rock Catcher	Standard	Standard	Crush proof	Crush proof	Crush proof
TiltBack™	●	●	●	●	—
QuickReel™	—	—	●	●	—
Flat-Proof Tires	—	—	—	—	●
COMPOSITION					
Tips	LTX 517	LTX 517	RAC X LTX 517	RAC X LTX 517	RAC X LTX 517
Guard	RAC X™ - 246215	RAC X™ - 246215	RAC X™ - 246215	RAC X™ - 246215	RAC X™ - 246215
Gun	HD Blue Texture - 289605	HD Blue Texture - 289605	HD Blue Texture - 289605	HD Blue Texture - 289605	HD Blue Texture - 289605
Hose	BlueMax™ II 1/4" x 15m - 240794	BlueMax™ II 1/4" x 15m - 240794	BlueMax™ II 3/8" x 15m - 240797	BlueMax™ II 3/8" x 15m - 240797	BlueMax™ II 3/8" x 15m - 240797
Whip hose	BlueMax™ II 1/4" x 0.9m - 241735	BlueMax™ II 1/4" x 0.9m - 241735	BlueMax™ II 1/4" x 0.9m - 241735	BlueMax™ II 1/4" x 0.9m - 241735	BlueMax™ II 1/4" x 0.9m - 241735
Tools	●	●	●	●	●

COMPRESSOR-HOPPER

> SPECIFICATIONS



	COMPRESSOR	FASTFINISH STANDARD (PRO)	HOPPER GUN	G-TEX HOPPER GUN
SPECIFICATIONS				
Part No.	25D491	25D495 (Standard version) 25D493 (Pro version)	25D496	25D497 (7.5L Capacity) 245924 (5.5L Capacity)
Compressor L/min	255	255	—	—
Max. air working pressure - psi	60	60	150	5
Weight - kg	33.5	35.18	2.18	1.85
FEATURES				
Pressure Boosted Hopper Gun	—	Pro version	●	—
Hopper	—	7.5 L (Standard version) 5.5L (Pro version)	5.5L	7.5L (Part No. 25D497) 5.5L (Part No. 245924)
Pressure/Flow dial	—	Pro version	●	—
Flat-Proof Tires	●	●	—	—
COMPOSITION				
Nozzles	—	4mm, 6mm, 8mm	4mm, 6mm, 8mm	4mm, 6mm, 8mm
Air orifice	—	2mm, 2.5mm, 3mm	2mm, 2.5mm, 3mm	2mm, 2.5mm, 3mm
Gun	—	G-TEX Gravity-Fed - 25D497 (Standard version) FastFinish Pressure-Boosted - 25D496 (Pro version)	FastFinish Pressure-Boosted - 25D496	G-TEX Gravity-Fed - 25D497
Hose Kit	Air 3/8" x 15m - 17U302	Air 3/8" x 15m - 17U302	Air 3/8" x 15m - 17U302	Air 3/8" x 15m - 17U302

TEXSPRAY RTX™

› SPECIFICATIONS



	TEXSPRAY RTX™ 2500 PI	TEXSPRAY RTX™ 5500 PX
SPECIFICATIONS		
Part No.	17V582	17K680
Compressor L/min	9.5	21
Max. air working pressure - psi	100	100
Weight - kg	32.6	78.9
FEATURES		
Pressure Boosted Hopper Gun	—	—
Hopper	57L	57L
Pressure/Flow dial	●	●
Flat-Proof Tires	—	—
COMPOSITION		
Nozzles	3mm, 4mm, 8mm, 10mm, 12mm	3mm, 4mm, 8mm, 10mm, 12mm
Air orifice	—	—
Gun	Air Spray Trigger gun - 24S155	Air Spray Trigger gun - 24S135
Hose Kit	Air & Fluid 25.4mm x 7.6m - 17J420	Air & Fluid 32mm x 7.6m - 17L005

TEXTURE

> ACCESSORIES

PART No.	DESCRIPTION
GUNS	
241338	HD blue texture gun with RAC X guard and LTX 531 tip
245820	HD inline texture gun
24S135	RTX2500 & RTX5500 air spray trigger gun
24S142	WideTex kit RTX & GTX gun
24S143	WideTex kit, hardened, RTX & GTX gun
25D497	G-Tex gravity-fed gun kit - includes 7.5L hopper, 4mm, 6mm and 8mm nozzles
25D496	FastFinish pressure-boosted gun kit - includes 5.5L Pressure hopper, 4mm, 6mm and 8mm nozzles
NOZZLES	
234153	Texspray air nozzles kit (white 6mm/gray 8mm, black 12mm)
234538	Texspray nozzle-fine-beige
234277	Texspray nozzle-small-white
234278	Texspray nozzle-medium-gray
234279	Texspray nozzle-large-black
15C883	3mm RTX & GTX round air nozzle
15C884	4mm RTX & GTX round air nozzle
15C885	6mm RTX & GTX round air nozzle
15C886	8mm RTX & GTX round air nozzle
15C887	10mm RTX & GTX round air nozzle
15C888	12mm RTX & GTX round air nozzle
17V694	Nozzle kit (4mm, 6mm, 8mm) retaining cap for FastFinish gun
17Z185	Air assisted nozzles and hose kit for lance
HOSES	
17J420	Translucent hose kit 1" x 7.6m
17J421	Translucent hose kit 1" x 15m
17J454	Translucent hose kit 3/4" x 7.6m
17L000	HD hose kit 1" x 7.6m
17L003	HD hose kit 1" x 15m
17L005	HD hose kit 1-1/4" x 7.6m
17L009	HD hose kit 1-1/4" x 15m
17L010	HD whip hose 1" x 3m
26A563	Air hose 3/8" x 15m
17L004	Hose std RTX 5500 px
17L005	Hose HD RTX 5500 px
287314	Rotoflex pump hose RTX 1500
OTHER	
25D491	FastFinish compressor, 230V
248515	Cleaning sponge balls 1' x 5
17V692	WideTex Kit (w/ adapter, 4 mm, 6 mm, 8 mm W tips)
276873	5.5L Replacement Gravity Hopper for 25D497
17V946	Replacement Pressurized hopper for 25D496

POWERFILL

› SPECIFICATIONS



SPECIFICATIONS	POWERFILL 3.5 STANDARD SERIES	POWERFILL 3.5 PRO SERIES	POWERFILL 3.5 XL PRO SERIES
Part No.	26B417	26B418	26B419
Max GPM (lpm)	3.5 (13.2)	3.5 (13.2)	3.5 (13.2)
Weight Lbs (Kg)	15 (6.8)	17 (7.7)	20 (9.1)
Pump	PowerStroke	PowerStroke	PowerStroke
Power/Battery	(1) DeWALT 20V MAX COMPACT 2.0 ah Lithium-Ion Batteries and (1) Charger	(1) DeWALT 20V MAX COMPACT 2.0 ah Lithium-Ion Batteries and (1) Charger	(1) DeWALT 20V MAX COMPACT 2.0 ah Lithium-Ion Batteries and (1) Charger
Pump Outlet	Fixed Horizontal w/Box Filler	Hi-Rise Fill Tube w/Box Filler	Hi-Rise Fill Tube w/Box Filler
Precision Fill	No	Yes	Yes
Inlet Filter	Tool-less, 10 Mesh (1)	Tool-less, 10 Mesh (1)	Tool-less, 10 Mesh (1)
Adjustable Flow	Yes	Yes	Yes
Fits Container	Adjustable up to 5 Gallon (7-15" Bucket Height Range)	Adjustable up to 5 Gallon (7-15" Bucket Height Range)	Adjustable up to 5 thru 30 Gallon (7-28" Bucket Range)

ACCESSORIES

PART No.	DESCRIPTION
18D159	14" Hi-Rise Fill Tube Kit (Contains: Hi-Rise Fill Tube w/Box Filler, Outlet Elbow)
18D160	23" Hi-Rise Fill Tube Kit (Contains: Hi-Rise Fill Tube w/Box Filler, Outlet Elbow)
18D086	Taper Gooseneck Fill Tube (5 Gallon) (Requires Outlet Elbow)
18D103	XL Taper Gooseneck (30 Gal) (Requires Outlet Elbow)
18D163	Outlet Elbow (For use with Hi-Rise Fill Tubes and Gooseneck)
18D164	14" Hi-Rise Fill Tube (Requires Outlet Elbow) (Contains: Hi-Rise Fill Tube w/Box Filler)
18D165	23" Hi-Rise Fill Tube (Requires Outlet Elbow) (Contains: Hi-Rise Fill Tube w/Box Filler)
18D166	30 Gallon XL Conversion Kit (Converts Pump to 30 Gallon XL) (Contains: Pump Rod with Upper Piston, XL Pump Cylinder Body, XL Adjustable Foot)
18D167	Cleaning Hose Flush Kit (Contains: Outlet Fitting, Hose, (2) Cleaning Balls)
18D168	Horizontal Fill Outlet (Contains: Horizontal Fill Outlet, Box Filler)
18D169	Box Filler (Fits Horizontal Fill Outlet or Hi-Rise Fill Tube)
248515	Sponge Ball Clean Out Kit (QTY 5-1")
18D170	Inlet Filter, 10 Mesh
17P475	DeWALT 20V MAX XR Lithium Ion Charger
17P474	DeWALT 20V MAX XR Lithium Ion Battery

PROSURFACE™ SMOOTHING BLADES

PART No.	DESCRIPTION
COMPLETE KITS	
18C677	ProSurface™ Smoothing Tool Kit (Contains 10", 14", 18", 24", 32" & 40" Blades; 80" Extension Pole; Carry Case)
18C676	ProSurface™ Drywall Tool Kit (Contains 10", 14", 18", & 24" Blades; 4" & 6" Joint Knives; 40" Extension Pole; Carry Case)
BLADES	
18C682	6" Smoothing Blade (perfect for small areas or wipe-down after taping)
18C683	10" Smoothing Blade (perfect for small areas or wipe-down after taping)
18C684	14" Smoothing Blade (perfect for following finishing boxes)
18C685	18" Smoothing Blade (Perfect for finishing wide joints or large wall surfaces)
18C686	24" Smoothing Blade (Perfect for finishing wide joints or large wall surfaces)
18C687	32" Smoothing Blade (Perfect for finishing wide joints or large wall surfaces)
18C688	40" Smoothing Blade (Perfect for large wall and ceiling surfaces)
KNIVES	
18C680	4" Joint Knife
18C681	6" Joint Knife
EXTENSION POLES	
18C678	20-40" Extendable Extension Pole (fits all blades)
18C679	40-80" Extendable Extension Pole (fits all blades)

GENERAL PARTS

PART No.	DESCRIPTION
REDUCING JOINERS: M X M	
THREAD, MAX . W. PRESS .-BAR, SWIVEL MAT -L	
191872	1/8" NPT x 1/4" NPSM, 345, CS
165274	1/4" NPT x 11/16"-27 UNS, 345, CS
164856	3/8" NPT x 1/4" NPT, 550, SS
164672	3/8" NPT x 1/4" NPSM, 413, CS
196177	3/8" NPT x 1/4" NPSM, 415, CS with e-nickel
161800	3/4" NPT x 3/8" NPSM, 275, CS
196142	3/4" NPT x 1/2" NPT, 345, CS
158979	1/2" NPT x 3/8" npt , 375, CS
159239	1/2" NPT x 3/8" NPT, 510 , CS
ADAPTERS: M X F	
THREAD, MAX . W. PRESS .-BAR, SWIVEL MAT -L	
244825	1/4" NPT, 7/8"-14 UNP, 230, CS
104969	1/2" NPT, 3/4" NPT, 275, CS
181085	7/8"-14 UNF, 11/16"- 16 UNEF, 345, CS, metric gun to Grago guard
164120	11/16"- 16 UNEF, 7/8"-14 UNF-2b, 345, CS: Grago gun to metric guard
159841	Adapter, 1/4 NPT(F) x 3/8 NPT(M)
PIPE TEES: F X F X M	
THREAD, MAX . W. PRESS .-BAR, SWIVEL MAT -L	
106228	2 X 1/4" NPT(F) x 1/4" NPT(M), 210, brass
108673	2 X 3/8" NPT(F) x 3/8" NPT(M), 275, SS
111337	2 X 3/4" NPT(F) x 3/4" NPT(M), 275, CS
BALL VALVES	
THREAD, MAX . W. PRESS .-BAR, SWIVEL MAT -L	
239280	1/4" NPT (MBE), 350, fluoroelastomer
238694	3/8" NPT (MBE), 350, PTFE/SS
223522	1/4" NPT(M) x drilled plug, 350, fluoroelastomer
224441	3/8" NPT(M) x drilled plug, 350, fluoroelastomer
238967	3/8" M NPT (MBE), 350, PTFE with peek seat

AIRLESS INLET STRAINERS, GUN & PUMP FILTERS

PART No.	DESCRIPTION
----------	-------------

AIRLESS INLET STRAINERS

181072	Inlet strainer, 1" mesh, double screen fine mesh, 650, 695, 795, 1095
181073	Inlet strainer, 1/2", ultra(+), max/em5000/GMAX
183770	Inlet strainer 3/4" 8 mesh, 190es, pro 395/495
189920	Inlet strainer 1" 8 mesh, Mark V.Hd,GMAX 5900hd, GMAX 7900
235004	Inlet strainer 3/4-16UNF, 390st /490st/395st/ 495st
246385	Inlet strainer 7/8", 395/495, GX19, 190, 390, 595
288472	Inlet strainer 10 mesh, gh, crush-proof
257033	Q kit strainer crush proof
195697	Strainer magnum x5 & x7
15V573	Crush proof suit ProContractor - Ironman
288716	Inlet strainer 0GX21

AIRLESS GUN FILTERS

218131	Gun filter, 50 mesh contr. + (blue) inline gun
218133	Gun filter, 100 mesh contr. + (red)
257129	Easy-out filter, 30 mesh
287032	Easy-out gun filter, 60 mesh (black)
287033	Easy-out gun filter 100 mesh (blue)
257130	Easy-out filter 200 mesh
287034	Easy-out gun filter 60 mesh+ 100 mesh
224455	Contractor gun filter 50 mesh, FTx-e (x2)
224456	Contractor gun filter 100 mesh, FTx-e (x2)
19Y355	Contractor PC compact gun filter 60 mesh
19Y356	Contractor PC compact gun filter 100 mesh
19Y358	Contractor PC compact gun filter 60/100 mesh combo
288749	SG2-SG3 gun filter 50 mesh
288750	SG2-SG3 gun filter 100 mesh

AIRLESS PUMP FILTERS

246425	Filter, 30 mesh, grey
246384	Filter, 60 mesh, black
246382	Filter, 100 mesh, blue
246383	Filter, 200 mesh, red
243080	Filter, easy out, 60 mesh, short, black
243081	Filter, easy out, 100 mesh, short, blue
243226	Filter, easy out, 200 mesh, short, red
244071	Filter, easy out, 30 mesh, long , grey
244067	Filter, easy out, 60 mesh, long , black
244068	Filter, easy out, 100 mesh, long , blue
244069	Filter, easy out, 200 mesh, long , red
288747	Magnum filter, 60 mesh, black

SWIVELS, ADAPTERS & JOINERS

PART No.	DESCRIPTION
GUN SWIVELS	
244515	1/4" NPT(M) x 1/4" NPSM(F), 210, leather , CS
223341	1/4" NPT (M) x 1/4" NPSM(F), 250, PTFE, CS
239663	1/4" NPT(M) x 1/4" NPSM(F), 250, leather , CS
207947	1/2" NPT(M) x 1/2" NPT(F), 410, CS zinc plated
119783	Fitting tee swivel
115523	Hydraulic gauge
SWIVEL UNIONS	
156823	1/4" NPT(M) x 1/4" NPT(F), 690, CS
157705	1/4"NPT(M) x 3/8" NPSM(F), 515, CS
190451	1/2" NPT(M) x 1/2" NPSM(F), 206, CS
159153	1/4" NPT(F) x 3/8" NPT(F), 515, CS
156173	3/8" NPSM(F) x 3/8" NPT(F), 510, CS
161077	1/2"NPT(F) x 3/8" NPSM(F), 240, CS
155865	1/2" NPSM(F) x 1/2" NPT(F), 500, CS
HEX JOINER	
162453	1/4" NPSM x 1/4" NPT NPSM, 515, CS
156971	1/4" NPT x 1/4" NPT, 515, CS
156849	3/8" NPT x 3/8" NPT, 500, CS
196178	3/8" NPSM x 3/8" NPT, 350, CS with e-nickel
157350	3/8" NPT x 1/4" NPT, 413, CS
158491	1/2" NPT x 1 /2" NPT, 510, CS

TEXTURE > QUICK REFERENCE

Part No.	Description	Max Tip Size	Parts Manual	Inlet Strainer	Manifold Filter	Prime Valve	Fluid Pump	Pump Manual	Pump Repair Kit	QuikPak	Rod	Cylinder	Sleeve	Intake Seat Kit	Piston Valve	Spray Gun	Gun Manual	Gun Filter
17E657	Mark V STD	0.035	3A6342	189920	244067	24B156	17H829	3A6584	17H846	17H846	249028	196754	248210	244571	24U993	241705	308491	N/A
17E663	Mark V PRO	0.035	3A6342	15V573	244067	24B156	17H833	3A6583	17K475	17H850	17H882	17H871	257031	244571	24U993	241705	308491	N/A
17E629	Mark V Ironman	0.035	3A6342	15V573	244067	24B156	17H836	3A6583	17K475	17H850	17H884	17H874	257031	244571	24U993	241705	308491	N/A
17E825	GMAX II 3400	0.027	3A6417	246385	244067	235014	246428	309250	18B260	N/A	249125	17D481	N/A	246429	239937	17Y043	3A6285	287032
17E826	GMAX II 3900 STD LB	0.036	3A6417	189920	244067	257352	16Y598	333028	248212	17H838	248206	17A030	248209	239922	287877	17Y043	3A6285	287032
17E827	GMAX II 3900 STD HB	0.036	3A6417	189920	244067	257352	16Y598	333028	248212	17H838	248206	17A030	248209	239922	287877	17Y043	3A6285	287032
17E829 17E831	GMAX II 5900 STD	0.043	3A6417	189920	244067	257352	16Y598	333028	248213	17H839	248207	243347	248210	244199	24U993	17Y043	3A6285	287032
17E836	GMAX II 7900	0.048	3A6417	189920	244067	257352	16X423	333028	249123	17H840	249119	16X454	249121	240918	24U993	17Y043	3A6285	287032
17E828	GMAX II 3900 PRO	0.036	3A6417	15V573	244067	257352	17H823	3A6583	17H841	17H841	17H876	17H865	17H864	239922	249177	17Y043	3A6285	287032
17E832	GMAX II 5900 PRO	0.043	3A6417	15V573	244067	257352	17H824	3A6583	17K162	17H842	17H877	17H866	257031	244199	24U993	17Y043	3A6285	287032
17E837	GMAX II 7900 PRO	0.048	3A6417	15V573	244067	257352	17H825	3A6583	17H840	17H840	17H878	17H867	249121	240918	249177	17Y043	3A6285	287032
17E833	GMAX II 5900 Ironman	0.043	3A6417	15V573	244067	257352	17H826	3A6583	17K162	17H843	17H879	17H868	257031	17H888	24U993	17Y043	3A6285	287032
17E838	GMAX II 7900 Ironman	0.048	3A6417	15V573	244067	257352	17H827	3A6583	17H844	17H844	17H880	17H869	249121	193395	249177	17Y043	3A6285	287032
17E839	TEXSPRAY 5900 HD STD	0.043	3A6417	189920	244067	257352	17H829	3A6584	17H846	17H846	249028	196754	248210	244571	24U993	241705	308491	287032
17E841	TEXSPRAY 7900 HD STD	0.048	3A6417	189920	244067	257352	25E689	3A6584	17A578	17H852	17Z315	17Z421	249121	24N013	249177	241705	308491	287032
17E840	TEXSPRAY 5900 HD PRO	0.043	3A6417	15V573	244067	257352	17H833	3A6583	17H850	N/A	17H882	17H871	257031	197470	24U993	241705	308491	N/A
17E842	TEXSPRAY 7900 HD STD	0.048	3A6417	15V573	244067	257352	17H835	3A6583	17A578	17H852	17H883	17H873	249121	24N013	249177	241705	308491	N/A
17E843	TEXSPRAY 7900 HD Ironman	0.048	3A6417	15V573	244067	257352	17H837	3A6583	17A578	17H852	17H885	17H875	249121	24N013	249177	241705	308491	N/A
17V582	RTX 2500 PI	N/A	3A3258	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	24S134	3A3373	N/A
17K680	RTX 5500 PX	N/A	3A3265	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	24S135	3A3373	N/A



PETROL



GMAX™ II

> SPECIFICATIONS



	GMAX™ II STANDARD 3400	GMAX™ II STANDARD 3900	GMAX™ II STANDARD 5900	GMAX™ II STANDARD 7900
SPECIFICATIONS				
Part No.	17E825	Lo-Boy 17E826 Hi-Boy 17E827	Lo-Boy 17E829 Hi Boy 17E831	17E836
Max. tip size: 1 gun	0.027"	0.036"	0.043"	0.047"
Max. tip size: 2 guns	—	0.023"	0.029"	0.035"
Max. flow - L/min	2.8	4.7	6.0	8.3
Max. pressure - psi	3300	3300	3300	3300
Engine displacement cm ³	120	120	200	200
Weight - kg	41	50	64	67
FEATURES				
SmartControl™	3.0	3.0	3.0	3.0
LED display	—	—	—	—
Hydraulic Pressure Gauge	●	●	●	●
Endurance™ Pump	●	●	●	●
Pump type	Paint	Paint	Paint	Paint
ProConnect 2	—	—	—	—
Piston rod	Chromex	Chromex	Chromex	MaxLife™
Sleeve	Hard Chrome	Hard Chrome	Hard Chrome	MaxLife™
MaxFlo 2	—	—	—	—
Rock Catcher	Standard	Standard	Standard	Standard
TiltBack™	—	●	●	●
COMPOSITION				
Tips	LP 517	LP 517	LP 517	LP 517
Guard	RAC X™ - 246215	RAC X™ - 246215	RAC X™ - 246215	RAC X™ - 246215
Gun	Contractor™ PC - 17Y043	Contractor™ PC - 17Y043	Contractor™ PC - 17Y043	Contractor™ PC - 17Y043
Gun Filter	—	EasyOut™ 60 mesh - 287032	EasyOut™ 60 mesh - 287032	EasyOut™ 60 mesh - 287032
Hose	BlueMax™ II 1/4" x 15m - 240794	BlueMax™ II 1/4" x 15m - 240794	BlueMax™ II 1/4" x 15m - 240794	BlueMax™ II 1/4" x 15m - 240794
Whip hose	BlueMax™ II 1/4" x 0.9m - 241735	BlueMax™ II 1/4" x 0.9m - 241735	BlueMax™ II 1/4" x 0.9m - 241735	BlueMax™ II 1/4" x 0.9m - 241735
Tools	●	●	●	●



	GMAX™ II PROCONTRACTOR 3900	GMAX™ II PROCONTRACTOR 5900	GMAX™ II PROCONTRACTOR 7900	GMAX™ II IRONMAN 5900	GMAX™ II IRONMAN 7900
SPECIFICATIONS					
Part No.	17E828	17E832	17E837	17E833	17E838
Max. tip size: 1 gun	0.036"	0.043"	0.048"	0.043"	0.047"
Max. tip size: 2 guns	0.023"	0.029"	0.035"	0.029"	0.035"
Max. flow - L/min	4.7	6.0	8.3	6.0	8.3
Max. pressure - psi	3300	3300	3300	3300	3300
Engine displacement cm ³	120	200	200	200	200
Weight - kg	57	70	74	64	67
FEATURES					
SmartControl™	3.0	3.0	3.0	3.0	3.0
LED display	●	●	●	●	●
Hydraulic Pressure Gauge	—	●	●	—	—
Endurance™ Pump	Vortex MaxLife	Vortex MaxLife	Vortex MaxLife	Vortex MaxLife Extreme	Vortex MaxLife Extreme
Pump type	Paint	Paint (HD Texture)	Paint (HD Texture)	Paint	Paint (HD Texture)
ProConnect 2	●	●	●	●	●
Piston rod	MaxLife™	MaxLife™	MaxLife™	MaxLife Extreme™	MaxLife Extreme™
Sleeve	MaxLife™	MaxLife™	MaxLife™	MaxLife™	MaxLife™
MaxFlo 2	—	—	—	●	—
Rock Catcher	CrushProof	CrushProof	CrushProof	CrushProof	CrushProof
TiltBack™	●	●	●	—	—
QuickReel™	●	●	●	●	●
Flat-Proof Tires	—	—	—	●	●
COMPOSITION					
Tips	LP 517	LP 517	LP 517	LP 517	LP 517
Guard	RAC X™ - 246215	RAC X™ - 246215	RAC X™ - 246215	RAC X™ - 246215	RAC X™ - 246215
Gun	Contractor™ PC - 17Y043	Contractor™ PC - 17Y043	Contractor™ PC - 17Y043	Contractor™ PC - 17Y043	Contractor™ PC - 17Y043
Gun Filter	EasyOut™ 60 mesh - 287032	EasyOut™ 60 mesh - 287032	EasyOut™ 60 mesh - 287032	EasyOut™ 60 mesh - 287032	EasyOut™ 60 mesh - 287032
Hose	BlueMax™ II 1/4" x 15m - 240794	BlueMax™ II 1/4" x 15m - 240794	BlueMax™ II 1/4" x 15m - 240794	BlueMax™ II 1/4" x 15m - 240794	BlueMax™ II 1/4" x 15m - 240794
Whip hose	BlueMax™ II 1/4" x 0.9m - 241735	BlueMax™ II 1/4" x 0.9m - 241735	BlueMax™ II 1/4" x 0.9m - 241735	BlueMax™ II 1/4" x 0.9m - 241735	BlueMax™ II 1/4" x 0.9m - 241735
Tools	●	●	●	●	●

HEAVY DUTY PETROL HYDRAULIC

› SPECIFICATIONS



	GH130	GH200 STANDARD	GH200 PROCONTRACTOR	GH230 STANDARD	GH230 PROCONTRACTOR	GH300 STANDARD	GH300 PROCONTRACTOR
SPECIFICATIONS							
Part No.	24W923	24W925	24W927	24W929	24W932	24W935	24W936
Max. flow - L/min	4.9	8.1	8.1	8.9	8.9	11.3	11.3
Max. Pressure - psi	3300	3300	3300	3300	3300	3300	3300
Motor	Petrol	Petrol	Petrol	Petrol	Petrol	Petrol	Petrol
Motor - HP	4.0	5.5	5.5	6.5	6.5	9.0	9.0
Weight - kg	70	85	83	76	88	88	101
FEATURES							
Endurance Pump	●	●	●	●	●	●	●
Hydraulic Driven Pump	●	●	●	●	●	●	●
Hose Rack	●	●	●	●	●	●	●
Convertible (electric-petrol)	●	●	●	●	●	●	●
ProConnect	—	—	●	—	●	—	●
COMPOSITION							
Tips	LP 517 WRLP 1231	LP 517 WRLP 1231	LP 517 WRLP 1231	LP 517 WRLP 1231	LP 517 WRLP 1231	LP 517 WRLP 1231	LP 517 WRLP 1231
Gun filter	EasyOut™ 60 mesh - 287032	EasyOut™ 60 mesh - 287032	—	—	—	—	—
Gun	Contractor PC	Contractor PC	Contractor PC	Contractor PC	Contractor PC	Contractor PC	Contractor PC
Hose	BlueMax™ II 1/4 x 15m - 240794	BlueMax™ II 1/4 x 15m - 240794	BlueMax™ II 1/4 x 15m - 240794	BlueMax™ II 3/8 x 15m - 240797	BlueMax™ II 3/8 x 15m - 240797	BlueMax™ II 3/8 x 15m - 240797	BlueMax™ II 3/8 x 15m - 240797
Tools	●	●	●	●	●	●	●

PETROL > QUICK REFERENCE

Part No.	Description	Max Tip Size	Parts Manual	Inlet Strainer	Manifold Filter	Prime Valve	Fluid Pump	Pump Manual	Pump Repair Kit	Quikpak	Rod	Cylinder	Sleeve	Intake Seat Kit	Piston Valve	Spray Gun	Gun Manual	Gun Filter	Gun Repair Kit
CURRENT MODELS																			
17E825	GMAX 3400	0.027"	3A6417	246385	244067	235014	17C718	309250	18B260	N/A	24W617	24W619	N/A	246429	239937	17Y044	3A6285	287032	17Y297
17E826	GMAX 3900 II STD Lo-Boy	0.036"	3A6417	189920	244067	257352	16X414	332922	248212	17H838	16X434	16X450	248209	239922	287877	17Y044	3A6285	287032	17Y297
17E827	GMAX 3900 II STD Hi-Boy	0.036"	3A6417	189920	244067	257352	16Y598	333028	248212	17H838	248206	17A030	248209	239922	287877	17Y044	3A6285	287032	17Y297
17E828	GMAX 3900 II Pro Contractor	0.036"	3A6417	15V573	244067	257352	17H823	3A6583	248212	17H841	17H876	17H865	17H864	239922	287877	17Y044	3A6285	287032	17Y297
17E829	GMAX II 5900 STD Lo-Boy	0.043"	3A6417	189920	244067	257352	16X419	332922	248213	17H839	16X435	16X451	248210	239922	287877	17Y044	3A6285	287032	17Y297
17E831	GMAX II 5900 STD Hi-Boy	0.043"	3A6417	189920	244067	257352	16Y706	333028	248213	17H839	248207	243347	248210	244199	24U993	17Y044	3A6285	287032	17Y297
17E832	GMAX II 5900 Pro Contractor	0.043"	3A6417	15V573	244067	257352	17H824	3A6583	17K162	17H843	17H877	17H866	257031	244199	24U993	17Y044	3A6285	287032	17Y297
17E833	GMAX II 5900 Ironman	0.043"	3A6417	15V573	244067	257352	17H826	3A6583	17K162	17H843	17H879	17H866	257031	244199	24U993	17Y044	3A6285	287032	17Y297
17E834	GMAX II 7900 STD Lo-Boy	0.048"	3A6417	189920	244067	257352	17H825	3A6583	249123	17H840	17H878	17H867	249121	240918	249177	17Y044	3A6285	287032	17Y297
17E836	GMAX II 7900 STD Hi-Boy	0.048"	3A6417	189920	244067	257352	16X423	3A6584	249123	17H840	249119	16X454	249121	240918	249177	17Y044	3A6285	287032	17Y297
17E837	GMAX II 7900 Pro Contractor	0.048"	3A6417	15V573	244067	257352	17H825	3A6583	249123	17H840	17H878	17H867	249121	240918	249177	17Y044	3A6285	287032	17Y297
17E838	GMAX II 7900 Ironman	0.048"	3A6417	15V573	244067	257352	17H827	3A6583	249123	17H844	17H880	17H869	249121	17H889	249177	17Y044	3A6285	287032	17Y297
24W923	GH 130	0.037"	334558	189920	244067	235014	24B748	311845	288471	N/A	288479	288727	248210	244199	24U993	288420	311861	287032	288488
24W925	GH 200 STD	0.047"	334558	189920	244067	245103	24W995	334654	17D601	N/A	249000	245413	248979	240918	249177	288420	311861	287032	288488
24W927	GH 200 Pro Contractor	0.047"	334558	189920	244067	245103	24W996	334654	287813	N/A	288469	17D122	249121	240918	249177	246240	311254	N/A	235474
24W929	GH 230 STD	0.053"	334558	189920	244067	245103	24W997	334654	17D601	N/A	249001	249532	248980	240918	249177	246240	311254	N/A	235474
24W932	GH 230 Pro Contractor	0.053"	334558	189920	244067	245103	24W998	334654	287813	N/A	288470	17D123	287817	240918	249177	246240	311254	N/A	235474
24W935	GH 300 STD	0.057"	334558	189920	244067	245103	24W997	334654	17D601	N/A	249001	249532	248980	240918	249177	246240	311254	N/A	235474
24W936	GH 300 Pro Contractor	0.057"	334558	189920	244067	245103	24W998	334654	287813	N/A	288470	17D123	287817	240918	249177	246240	311254	N/A	235474
PREVIOUS MODELS																			
16W863	GMAX 3400	0.027"	332921	246385	244067	235014	17C718	309250	18B260	N/A	24W617	24W619	N/A	246429	239937	288420	311861	287032	288488
16W865	GMAX II 3900 STD Hi-Boy	0.036"	332921	189920	244067	257352	16Y598	333028	248212	17H838	248206	17A030	248209	239922	287877	288420	311861	287032	288488
16W866	GMAX II 3900 STD Lo-Boy	0.036"	332921	189920	244067	257352	16X414	332922	248212	17H838	16X434	16X450	248209	239922	287877	288420	311861	287032	288488
16W867	GMAX II 3900 Pro Contractor	0.036"	332921	189920	244067	257352	16X414	332922	248212	17H838	16X434	16X450	248209	239922	287877	288420	311861	287032	288488
16W869	GMAX II 5900 STD Hi-Boy	0.043"	332921	189920	244067	257352	16Y706	333028	248213	17H839	248207	243347	248210	244199	24U993	288420	311861	287032	288488
16W870	GMAX II 5900 STD Lo-Boy	0.043"	332921	189920	244067	257352	16X419	332922	248213	17H839	16X435	16X451	248210	239922	287877	288420	311861	287032	288488
16W871	GMAX II 5900 Pro Contractor	0.043"	332921	189920	244067	257352	16X419	332922	248213	17H839	16X435	16X451	248210	239922	287877	288420	311861	287032	288488
16W881	GMAX II 5900 Ironman	0.043"	332921	15V573	244067	257352	16X420	332922	17K162	17H843	16X436	16X452	257031	244199	24U993	246240	311254	N/A	235474
16W883	GMAX II 7900 STD Hi-Boy	0.048"	332921	189920	244067	257352	16X423	3A6584	249123	17H840	249119	16X454	249121	240918	249177	288420	311861	287032	288488
16W884	GMAX II 7900 STD Lo-Boy	0.048"	332921	189920	244067	257352	16X426	332922	249123	17H840	16X439	16X455	249121	240918	249177	288420	311861	287032	288488
16W885	GMAX II 7900 Pro Contractor	0.048"	332921	189920	244067	257352	16X426	332922	249123	17H840	16X439	16X455	249121	240918	249177	288420	311861	287032	288488
16W887	GMAX II 7900 Ironman	0.048"	332921	15V573	244067	257352	16X426	332922	249123	17H840	16X439	16X455	249121	240918	249177	246240	311254	N/A	235474
253957	GH 130	0.037"	311797	288472	244067	235014	24B748	311845	288471	N/A	288479	288727	248210	244199	24U993	288420	311861	287032	288488
253962	GH 200	0.047"	311797	288472	244067	245103	288467	311845	287813	N/A	288469	288482	249121	240918	249177	288420	311861	287032	288488
253965	GH 230	0.053"	311797	288472	244067	245103	288468	311845	287813	N/A	288470	288483	287817	240918	249177	246240	311254	N/A	235474
253968	GH 300	0.057"	311797	288472	244067	245103	288468	311845	287813	N/A	288470	288483	287817	240918	249177	246240	311254	N/A	235474



PRESSURE WASHERS




G-FORCE™ II

› SPECIFICATIONS



	G-FORCE™ II 3325 HA-DD	G-FORCE™ II 3230 HA-DD	G-FORCE™ II 4040 HG-DD	G-FORCE™ II 4040 HC-DD
SPECIFICATIONS				
Part No.	25N638	25N639	25N681	25N682
Max. pressure - psi	3300	3200	4000	4000
Max. flow - L/min	9.46	11.36	15.14	15.14
Engine displacement - cm ³	200	270	390	390
Pump	AR Brass Triplex	AR Brass Triplex	GP Brass Triplex	CAT Brass Triplex
Weight - kg	30.4	37.2	58.5	60.3
FEATURES				
Gardena® Connection	●	●	●	●
Chemical injector	Integrated	Integrated	●	●
Direct Driven	●	●	●	●
Belt Driven	—	—	—	—
Adjustable Unloader	Integrated	Integrated	External	External
Easy Start Pressure Relief	●	●	●	●
Light Weight Aluminium Frame	●	●	●	●
Thermo-sensor	●	●	●	●
Cold Water	●	●	●	●
COMPOSITION				
Tips	0° - 805591 15° - 805592 25° - 805593 chemical tip - 805634	0° - 805539 15° - 805540 25° - 805541 chemical tip - 805634	0° - 805543 15° - 805544 25° - 805545 40° - 805546 chemical tip - 805634	0° - 805543 15° - 805544 25° - 805545 40° - 805546 chemical tip - 805634
Gun	90cm + QDs - 244784	90cm + QDs - 244784	90cm + QDs - 244784	90cm + QDs - 244784
Filter	50 mesh	50 mesh	50 mesh	50 mesh
Hose	15m + QDs - 244783	15m + QDs - 244783	15m + QDs - 244783	15m + QDs - 244783
Engine oil	●	●	●	●



	G-FORCE™ II 4040 HG-BD	G-FORCE™ II 4040 HC-BD	G-FORCE™ II 4240 KA-DD	G-FORCE™ II 4240 HA-DD
SPECIFICATIONS				
Part No.	25N683	25N684	25N640	25N641
Max. pressure - psi	4000	4000	4200	4200
Max. flow - L/min	15.14	15.14	15	15
Engine displacement - cm ³	390	390	429	390
Pump	GP Brass Triplex	CAT Brass Triplex	AR Triplex Plunger	AR Triplex Plunger
Weight - kg	72.1	71.6	47	46
FEATURES				
Gardena® Connection	●	●	●	●
Chemical injector	●	●	●	●
Direct Driven	—	—	●	●
Belt Driven	●	●	—	—
Adjustable Unloader	External	External	Integrated	External
Easy Start Pressure Relief	●	●	●	●
Light Weight Aluminium Frame	●	●	●	●
Thermo-sensor	●	●	●	●
Cold Water	●	●	●	●
COMPOSITION				
Tips	0° - 805543 15° - 805544 25° - 805545 40° - 805546 chemical tip - 805634	0° - 805543 15° - 805544 25° - 805545 40° - 805546 chemical tip - 805634	0° - 805543 15° - 805544 25° - 805545 — chemical tip - 805634	0° - 805543 15° - 805544 25° - 805545 — chemical tip - 805634
Gun	90cm + QDs - 244784	90cm + QDs - 244784	90cm + QDs - 244784	90cm + QDs - 244784
Filter (mesh)	50	50	50	50
Hose	15m + QDs - 244783	15m + QDs - 244783	15m + QDs - 244783	15m + QDs - 244783
Engine oil	●	●	●	●

PRESSURE WASHERS

› ACCESSORIES

PART No.	DESCRIPTION
244785	G-Force gun only (345 bar)
244779	G-Force gun 50cm (345 bar)
127469	G-Force gun 90cm (thread), 3200psi
244784	G-Force gun 90cm (345 bar)
16X668	G-Force extension 180cm
116564	G-Force tele-extension 180 - 550cm
16X669	G-Force tele-extension 180 - 730cm
16X670	G-Force belt for tele-extensions
16X665	Hose reel kit, 30m capacity, 3500psi
16X664	Hose reel kit, 30m capacity, 5000psi
16E286	Hose 3/8" x 7.6m thread , 3500psi
127534	Hose 3/8" x 15m thread, 3500psi
244783	Hose 3/8" x 15m quick disconnect , 4000psi
16X667	Hose 3/8" x 30m quick disconnect , 4000psi
16X666	Horizontal surface cleaner, 45cm (18") Max pressue 4000psi
116562	Horizontal surface cleaner, 50cm (20") Max pressue 4000psi
16X680	Gutter cleaning attachment
16X679	Ball valve water shutoff
801009	Coupler for wand extensions, 1/4"
801568	QD coupler 3/8" (m) x 3/8" NPT(F) stem
801569	QD coupler 3/8" (f) x 3/8" NPT(F) coupler
16X682	G-Force parts box
287643	Gardena® water connection adapter (brass)

CLEANING TIPS - TIPS SELECTION CHART

(805XXX) QD WASHER TIPS

ORIFICE	FAN ANGLE 0°	FAN ANGLE 15°	FAN ANGLE 25°	FAN ANGLE 40°	SET OF 4 TIPS 0°, 15°, 25°, 40°
2.7	805591	805592	805593	805594	—
3.0	805535	805536	805537	805538	244768
3.5	805539	805540	805541	805542	244769
3.7	805595	805596	805597	805598	—
4.0	805543	805544	805545	805546	800708
4.5	805547	805548	805549	805550	800709
5.0	805551	805552	805553	805554	800710
5.5	805555	805556	805557	805558	—
805539	Chemical Tip				
198012	Rotating pressure washer tip max working pressure - 4000psi				
198014	Rotating pressure washer tip max working pressure - 5000psi				
198013	Oscillating pressure washer tip max working pressure- 4000psi				



LINEMARKING



STANDARD SERIES LINELAZER > SPECIFICATIONS



	LINELAZER 3400	LINELAZER 130HS	LINELAZER V 3900	LINELAZER V 5900	LINELAZER V 200HS
SPECIFICATIONS					
Part No. - 1 mech gun	25M224	17H447	17H449	17H454	—
Part No. - 2 mech guns	—	17H448	17H450	17H455	17H461
Max. Tip Size - 1 gun	0.027"	0.037"	0.035"	0.043"	0.047"
Max. Tip Size - 2 guns	—	0.029"	0.025"	0.029"	0.033"
Max. Flow - L/min. (gpm)	2.8 (0.75)	4.9 (1.3)	4.7 (1.25)	6.0 (1.6)	8.14 (2.15)
Max. Pressure - psi	3300	3300	3300	3300	3300
Motor Rating - cm ³	120	120	120	160	200
Weight - kg	72.5	119	104	113	139
FEATURES					
Endurance™ Pump	Mechanical	Hydraulic	Mechanical	Mechanical	Hydraulic
AVRS	—	●	●	●	●
Auto-Layout™ System	—	—	●	●	●
EZ Align™ System	—	●	●	●	●
EasyMark System	●	●	●	●	●
Liveloop Display	—	—	●	●	●
DualComfort™ Handle Bar System	—	●	●	●	●
Quick Select Gun Selector	—	Manual	Manual	Manual	Manual
Rear-gun mounted	—	●	●	●	●
LineDriver*	—	Optional	Optional	Optional	Optional
COMPOSITION					
Tips	LL5317, LL5319	LL5319, LL5321	LL5319, LL5321	LL5319, LL5321	LL5319, LL5321
Guard	RAC 5 (243161)	RAC 5 (243161)	RAC 5 (243161)	RAC 5 (243161)	RAC 5 (243161)
Gun	FlexPlus gun (248157)	FlexPlus gun (248157)	FlexPlus gun (248157)	FlexPlus gun (248157)	FlexPlus gun (248157)
Hose	1/4" x 15m (249080)	3/8" x 6.7m (124884)	3/8" x 15m (245225)	3/8" x 15m (245225)	3/8" x 6.7m (124884)
Pump Filter	60 mesh (243984)	50 mesh (24V455)	50 mesh (24V455)	50 mesh (24V455)	50 mesh (24V455)
TSL	118ml (238049)	118ml (238049)	118ml (238049)	118ml (238049)	118ml (238049)

For a full comprehensive Graco LineLazer product offering visit us at graco.com or contact Customer Service at csaustralia@graco.com

AUTO MODELS

LINELAZER › SPECIFICATIONS



	LINELAZER V 3900	LINELAZER V 5900	LINELAZER 2000HS
SPECIFICATIONS			
Part No. - 1 Automatic, 1 Manual	17H452 17U804	17H457 17U802	
Part No. - 2 Automatic	17H453 17U805	17H458 17U803	
Part No. - 1 Automatic, 1 Manual			17H463
Part No. - 2 Manual			17H464
Max. Tip Size	0.036"	0.043"	0.047"
Max. Flow - L/min. (gpm)	4.7 (1.25)	6.0 (1.60)	8.1 (2.15)
Max. Pressure - psi	3300	3300	3300
Battery Power	12 V	12 V	12 V
Weight - kg	109	121	146
FEATURES			
Tracking System	SmartControl™	SmartControl™	SmartControl™
EZ Align™ System	●	●	●
EasyMark System	—	—	●
DualComfort™ Handle bar system	●	●	●
Pump Type	QuikChange System	QuikChange System	QuikChange System
Pump Intake	QuikAccess	QuikAccess	QuikAccess
Pump Rod	Chromex	Chromex	Chromex
Pump Cylinder	Hardened Stainless Steel	Hardened Stainless Steel	Hardened Stainless Steel
Pump Packings	V-Max Blue	V-Max Blue	V-Max Blue
Fuel Capacity gal(ltrs)	0.66 (2.5)	0.95 (3.6)	0.95 (3.6)
COMPOSITION			
SwitchTip	LineLazer RAC 5	LineLazer RAC 5	LineLazer RAC 5
Gun	FlexPlus™	FlexPlus™	FlexPlus™
Hose	BlueMax™ II Airless 9.5mm x 15m	BlueMax™ II Airless 9.5mm x 15m	BlueMax™ II Airless 9.5mm x 6.7m
Laser	LazerGuide 1700 Start/Stop Laser	LazerGuide 1700 Start/Stop Laser	LazerGuide 1700 Start/Stop Laser
Easy Out Filter	50 mesh	50 mesh	50 mesh
Honda GX Engine cc (hp)	120 (4.0)	160 (5.5)	200 (6.5)
For a full comprehensive Graco LineLazer product offering visit graco.com or contact Customer Service at csaustralia@graco.com			

E-POWER SERIES LINELAZER > SPECIFICATIONS



SPECIFICATIONS	LINELAZER ES 500	LINELAZER ES 1000	LINELAZER ES 2000
Part No.	25U548		
Part No. - 1gun/ 1gun-2battery		25U675/ 25U677	25U681/—
Part No. - 2 guns		—	25U685
Max. Tip Size - 1 gun	0.021"	0.025"	0.033"
Max. Tip Size - 2 guns	—	—	0.025"
Max. Flow - L/min. (gpm)	1.8 (0.47)	2.3 (0.6)	4.1 (1.1)
Max. Pressure - psi	3300	3300	3300
Battery Power - Volt (Ah)	DEWALT 9.0 Ah FlexVolt	Lithium	Lithium
Weight - kg	55	154	195

FEATURES

Liveloop Display	—	—	◆
SmartControl™	◆	◆	◆
FastFlush™	◆	◆	◆
Endurance™ Pump	Mechanical	Mechanical	Mechanical
Hydraulic pressure gauge	◆	◆	—
EZ Align™ System	◆	◆	◆
EasyMark System	◆	◆	◆
DualComfort™ Handle bar system	◆	◆	◆
QuickSelect™ Gun Selector	Manual	Manual	Manual
Rear-gun Mounted	◆	◆	◆
LineDriver*	Optional	Optional	Optional
ProConnect	—	—	—

COMPOSITION

Tips	LL5317, LL5319	LL5317, LL5319	LL5319, LL5421
Guard	RAC 5 (243161)	RAC 5 (243161)	RAC 5 (243161)
Gun	FlexPlus™ (248157)	FlexPlus™ (248157)	FlexPlus™ (248157)
Hose	BlueMax™ II 1/4" x 15m	BlueMax™ II 1/4" x 15m	BlueMax™ II 1/4" x 15m
Pump Filter	60 mesh (243984)	60 mesh (243984)	60 mesh (243984)
Power Supply	1 x 18V - 6Ah battery	1 x 12V - 100Ah bluetooth lithium battery with 230V inverter	2 x 12V - 100Ah bluetooth lithium battery with 230V inverter
TSL	118 ml (238049)	118 ml (238049)	118 ml (238049)

LINEDRIVER > SPECIFICATIONS



SPECIFICATIONS	LINEDRIVER HD 200	LINEDRIVER ES	LINEDRIVER ES
Part No.	262005	25U671	25U474
Motor Engine - cc	200cc	3 x 24V bluetooth lithium battery	3 x 24V bluetooth lithium battery
Weight - kg	125	131.5	327
Electric Start	—	◆	◆

LINELAZER

› ACCESSORIES

PART No.	DESCRIPTION
LAZERGUIDE 2000 KITS	
17T540	LineLazer V HP Automatic Series
17T541	LineLazer V Standard Series
17T543	LineLazer ES1000 & ES2000
17T544	LineLazer IV 3900, 5900, 130HS, 200HS/DC/MMA
17U800	LineLazer 3400 (Worldwide)
17T545	LineLazer IV 3900, 5900, 130HS, 200HS/DC/MMA (Worldwide)
17W270	LineLazer 250 (Worldwide)
GRAVITY BEAD SYSTEM	
24N265	30cm E2 bead dispenser kit (LineLazer ES, IV & V)
24Z727	30cm E2 bead dispenser kit (LineLazer 3400)
277065	15cm (x1) E2 bead dispenser kit (LineLazer ES, IV, V)
242726	15cm E2 bead dispenser kit (LineLazer 3400)
277064	15cm (x2) E2 bead dispenser kit (LineLazer IV & V)
277067	15cm E2 bead dispenser with hose and wind deflector (LineLazer ES, IV & V)
245516	30cm E2 bead dispenser with hose and wind deflector (LineLazer ES, IV & V)
277066	E2 bead wind deflectors aluminum - 15 cm (x6)
245520	Wind deflector 3x/pack (30cm)
LINELAZER POINTERS	
277062	Short pointer guide 60cm
277063	Long pointer guide 100cm
25A620	Retractable pointer 100cm (LineLazer V 130/3900/5900/200, ES)
24Y511	5-pack hose replacement for 25A620 retractable pointer
17P782	LaserGuide 1700, green dot, without battery kit (LineLazer ES)
LINELAZER BATTERY	
254601 & 19F971	Second Bluetooth Lithium Battery Kit (LineLazer ES 1000)
PAINT HOPPERS	
17P444	Hopper L (LineLazer ES 3400)
241104	Hopper 55 L (LineLazer IV 130/3900/5900/200)
25N710	Hopper 55 L (LineLazer V ES 2000)
GUN & HOSE KITS	
248157	FlexPlus striping gun with LL5319 tip
240797	Hose, coupled, 3/8" x 15m, 3300psi
245798	LineLazer hose with e-nickel fittings. 1/4" X 2m 3300psi (2nd gun hose)
240794	Hose, coupled, 1/4" x 15m, 3300psi (LineLazer ES, 3400)
124884	LineLazer hose with e-nickel fittings, 3/8" x 6.7m - 3300psi (LineLazer IV & V 130HS, 200HS)
PAINT GUNS KITS	
25A676	Complete kit for adding 2nd mechanical gun (LineLazer 130HS)
25A491	Complete kit for adding 2nd mechanical gun (LineLazer V 3900/5900/200, ES)
LINEDRIVER ACCESSORIES	
249083	Turf wheel kit LineDriver
245343	Battery kit for LineDriver (auxiliary)
118913	Ball hitch

For a full comprehensive Graco LineLazer product offering visit us at graco.com or contact Customer Service at cсаustralia@graco.com

FIELD MARKING EQUIPMENT

FIELDLAZER > SPECIFICATIONS



	FIELDLAZER ES100	FIELDLAZER S100
SPECIFICATIONS		
Part No.	25U544	248942
Power	2 DeWALT 6.0 Ah FlexVolt Batteries	Honda GX35
Paint Pumping System	Graco High Pressure Airless Pump	Graco High Pressure Airless Pump
Tires	(3) Graco Tall-Wheels	(3) Graco Tall-Wheels
Paint Hopper Capacity - L	19 litre bucket	19 litre bucket (not included)
Clean-up Features	Sealed system for reduced flushing between use Quick system flush Tilt-N-Pour Removable Hopper N/A	Sealed system for reduced flushing between use Quick system flush Siphon from disposable paint bucket
Fuel Capacity - mL	N/A	640
Line Width - cm	5-30	5-30
Weight - kg	26	36
Max Pressure - psi	900	900
Max Tip Size	0.021	0.021
Adjustable Handle Height	Standard	Standard
Fold-Down Handle	Standard	Standard

COMPOSITION		
Gun	SG2	SG2
Tip	LL5421	LL5421
Hose	1/4" x 7.6m	3/16" x 7.6m
Spray Shield	Included 2	Included 2

For a full comprehensive Graco FieldLazer product offering visit graco.com or contact Customer Service at csaustralia@graco.com

FIELDLAZER > ACCESSORIES

PART No.	DESCRIPTION
24R236	S90 Stencil Kit includes 10ft hose and 10ft cable with spray button
243296	15in tip extension
243297	20in tip extension
243298	30in tip extension
235486	180 Degrees swivel for tip extension
287591	Gun arm extension (for FieldLazer S100 only)

LINE STRIPERS > QUICK REFERENCE

1 Gun Part No.	2 Gun Part No.	Description	Max Tip Size	Parts Manual	Inlet Strainer	Manifold Filter	Prime Valve	Fluid Pump	Pump Manual	Pump Repair Kit	QuikPak	Rod	Cylinder	Sleeve	Intake Seat Kit	Piston Valve	Spray Gun	Gun Manual	Gun Repair Kit
----------------	----------------	-------------	--------------	--------------	----------------	-----------------	-------------	------------	-------------	-----------------	---------	-----	----------	--------	-----------------	--------------	-----------	------------	----------------

CURRENT MODELS

25M224	N/A	LineLazer 3400	0.027"	3A4587	246385	243984	239914	17C718	309250	18B260	N/A	249125	243176	N/A	246429	239937	248157	311254	235474
17H447	17H448	LineLazer 130HS	0.037	3A3391	181072	25A465	245103	24B748	311845	288471	N/A	288479	288727	248210	244199	24U993	248157	311254	235474
17H449	17H450	LineLazer V 3900 STD	0.035"	3A3389	181072	25A465	245103	277069	310643	248212	17H838	248206	243346	248209	239922	287877	248157	311254	235474
17H454	17H455	LineLazer V 5900 STD	0.043"	3A3389	181072	25A465	245103	277070	310643	248213	17H839	248207	243347	248210	244199	24U993	248157	311254	235474
17H459	17H461	LineLazer 200 HS STD	0.047"	3A3390	187147	25A465	245103	277068	309277	246341	N/A	249000	245413	248979	240918	249177	248157	311254	235474
25M228	N/A	LineLazer ES 1000	0.025"	3A4603	187651	244067	245103	17C487	334599	18B260	N/A	24W617	24W619	N/A	246429	239937	248157	311254	235474
N/A	25N561	LineLazer ES 2000	0.033"	3A4603	187147	25A465	245103	277069	310643	248212	17H838	248206	243346	248209	239922	239932	248157	311254	235474

NB – REPLACEMENT AUSTRALIAN PLUG ADAPTOR TO SUIT ES1000 & ES2000 PART 17R033

PREVIOUS MODELS

248861	N/A	LineLazer 3400	0.027"	311019	246385	244067	239914	17C718	309250	18B260	N/A	249125	243176	N/A	246429	239937	248157	311254	235474
N/A	287025	LineLazer 130 HS STD	0.029"	313776	181072	25A465	245103	24B748	311845	288471	N/A	288479	288727	248210	244199	24U993	248157	311254	235474
N/A	248863	LineLazer V 3900 STD	0.035"	3A3389	181072	25A465	245103	277069	310643	248212	17H838	248206	243346	248209	239922	239932	248157	311254	235474
N/A	248867	LineLazer V 5900 STD	0.043"	3A3389	181072	25A465	245103	277070	310643	248213	17H839	248207	243347	248210	244199	24U993	248157	311254	235474
N/A	248871	LineLazer V 200 HS STD	0.047"	3A3390	181072	25A465	245103	277068	309277	246341	N/A	249000	245413	248979	240918	249177	248157	311254	235474
248862	248863	LineLazer IV 3900	0.035"	311020	181072	244067	245103	277069	310643	248212	17H838	248206	243346	248209	239922	287877	248157	311254	235474
248866	248867	LineLazer IV 5900	0.043"	311020	181072	244067	245103	277070	310643	248213	17H839	248207	243347	248210	244199	24U993	248157	311254	235474
248870	248871	LineLazer IV 200 HS	0.047"	311021	181072	244067	245103	277068	309277	246341	N/A	249000	245413	248979	240918	249177	248157	311254	235474

LINE DRIVERS > QUICK REFERENCE

Part No.	Description	Engine Size	Parts Manual	Weight	Operating Speeds	Light Kit	Seat	Battery Kit	Hitch Kit	Wheel Kit
----------	-------------	-------------	--------------	--------	------------------	-----------	------	-------------	-----------	-----------

CURRENT MODELS

262005	Line Driver HD	200cc	312540	125Kg	F=16kph/ R=10kph	247896	245341	245343	25N787	249083
25N556	Line Driver ES	3×24V Lithium Batteries	3A6623	281Kg	F=16kph/ R=10kph	25N778	245341	N/A	25N787	N/A
25U474	Line Driver ES	3×24V Lithium Batteries	3A6623	281Kg	F=16kph/ R=10kph	25N778	245341	N/A	25N787	N/A

NB – WHEN ATTACHING A LINEDRIVER TO LINELAZER UNITS BUILT BEFORE 01/2020, ADDITIONAL PARTS ARE REQUIRED

PART – 287681 LINEDRIVER HITCH BAR X 1


PART – 111194 CAP FLANGE SCREW HD X 1



FINISHING & PROTECTIVE COATINGS




SPRAY TECHNOLOGIES



AIR SPRAY / CONVENTIONAL

The most widely used finishing method, often referred to as an automotive finish, or Class A finish. Easy to use, flexible and provides the finest finish quality and the lowest transfer efficiency.




COMPLIANT

A controlled air spray technology that reduces bounce-back and overspray. The finish quality is comparable to air spray, however, air consumption is lower than HVLP and the spray rates higher.


HVLP

A controlled, compliant air spray technology that reduces bounce-back and overspray. Finish quality is comparable to air spray, however, atomisation is generally coarser and spray rates are lower.



AIR ASSIST

Combines the hydraulic atomisation of airless with the atomisation of air spray. Ideal for many finishing and coating applications, air assist offers high production levels and a relatively smooth finish – perfect for wood furniture topcoats or fabricated metal parts.



AIRLESS

Airless technology directs fluid under high pressure through a controlled orifice to accomplish airless atomisation. Ideal for quickly applying high volumes of coatings to large surfaces. Most often used to apply protective, rather than decorative coatings.

FINISHING > SPECIFICATIONS



	TRITON AIR SPRAY PACKAGE	TRITON AIR SPRAY PACKAGE	TRITON AIR SPRAY PACKAGE
SPECIFICATIONS			
Part No.	233482	26B364	26B365
Pump Ratio	1:1	1:1	1:1
Max. tip size	1.4mm Orifice	1.8mm Orifice	2.2mm Orifice
Max. pressure - psi	100	100	100
Max. flow rate - lpm	32	32	32
Weight - kg	13.6	13.6	13.6
Gun	AirPro	AirPro	AirPro

ACCESSORIES	
PART No.	DESCRIPTION
289011	AirPro Spray Gun, 1.4 mm nozzle, gravity
289012	AirPro Spray Gun, 1.8 mm nozzle, gravity


FINISHING > SPECIFICATIONS



	MERKUR AIRLESS	MERKUR AIR-ASSISTED	MERKUR AIRLESS	MERKUR AA
SPECIFICATIONS				
Part No.	24F155	24F157	G30C55	G30C73
Pump Ratio	30:1	30:1	30:1	30:1
Max. tip size	0.019	0.019	0.033	
Max. pressure - psi	3000	3000	3000	3000
Max. flow rate - lpm	1.5	1.5	4.5	4.5
Weight - kg	11	11	49	49
Gun	Perform AA Airless 50	Perform AA 50	XTR5+	XTR5+

ACCESSORIES	
PART No.	DESCRIPTION
289254	Finex Spray Gun, 1.4 mm nozzle pressure
289255	Finex Spray Gun, 1.8 mm nozzle pressure
289244	Finex Spray Gun, 1.4 mm nozzle, gravity feed
289246	Finex Spray Gun, 1.8 mm nozzle, gravity feed

PROTECTIVE COATINGS › SPECIFICATIONS



SPECIFICATIONS	MERKUR X AIRLESS PUMP	KING AIRLESS PUMP	E60 HIGH PRESSURE ELECTRIC PUMP	E70 HIGH PRESSURE ELECTRIC PUMP	E-XTREME HIGH PRESSURE ELECTRIC PUMP	CONTRACTOR KING
Part No.	16U920 16U918	K45FH1 K60FH1 K70FH1	273752	273746	273246	279006 - 45:1 279011 - 60:1 279014 - 70:1
Pump Ratio	48:1 72:1	45:1 60:1 70:1	60:1	70:1	60:1	45:1 60:1 70:1
Max. tip size	0.025 0.021	0.056 0.056 0.025	0.584	0.533		
Max. pressure - psi	4800 7200	4500 6000 7250	6000	7250	6000	4500 6000 7250
Max. flow rate - lpm	4.5 3	— 12.8 11	3.4	2.6	2.6	5.0
Weight - kg	45	97	134	134	134	295
Gun	XTR5+ XTR7+	XTR5+ XTR7+ XTR7+	XTR7+	XTR7+	XTR+	Silver Plus HP

ACCESSORIES

PART No.	DESCRIPTION
288931	Pressure AirPro Spray Gun, 1.4 mm nozzle, conventional
288932	Pressure AirPro Spray Gun, 1.8 mm nozzle, conventional
288933	Pressure AirPro Spray Gun, 2.2 mm nozzle, conventional
288938	Pressure AirPro Spray Gun, 1.4 mm nozzle, HVLP
288939	Pressure AirPro Spray Gun, 1.8 mm nozzle, HVLP
273143	XTR7 Gun Hose Tip Kit
XTR524	XTR5 Gun, 5000psi
XTR724	XTR7 Gun, 7250psi
273142	XTR5 Gun Hose Tip Kit
24F155	Perform AA Airless 50
24F157	Perform AA 50
214698	Airless hose 3/16 x 7.6 m
287034	Gun filter 60/100 mesh
24X570	38 L SS hopper
206994	TSL Throat seal liquid 8oz bottle
24F272	Inline filter
256410	Hopper 5 L polyethylene
223833	9.5 L Pressure Pot
233499	Air fluid hose required for pressure pot

HOSES

GRACO HIGH PRESSURE HOSES

Graco High Pressure hoses have a safety factor of 4:1 – the highest in the industry and are Color Coded for ease of identification.

EXTREME-DUTY™ HIGH PRESSURE HOSES BUILT TO TAKE A BEATING

Graco Xtreme-Duty high-pressure hoses are flexible and durable, yet extremely easy to use. Because hoses take a beating on the jobsite, Graco puts its hoses through a unique safety testing regimen in our state-of-the-art manufacturing facility. Each hose design undergoes impulse, burst, flexibility and cold bend testing to give you top quality, durability and reliable performance. Xtreme-Duty hoses are available in different lengths, diameters and three different pressure ratings.

The length and diameter of hose you use affects the pressure drop of fluid to the spray gun. A longer hose has a greater pressure drop. A smaller hose diameter has greater pressure drip. If using two different diameter hoses coupled together, attach the larger diameter hose to the pump and the smaller hose to the gun to minimise pressure drop.

ORDERING INFORMATION

XTREME DUTY 310bar (4500psi) Hose colour – Blue			
Part No.	Length	Hose Diameter	Female NPSM
H42503	0.9 mtr (3ft)	6.4 mm (1/4")	1/4"
H42506	1.8 mtr (6ft)	6.4 mm (1/4")	1/4"
H42510	3.0 mtr (10ft)	6.4 mm (1/4")	1/4"
H42525	7.6 mtr (25ft)	6.4 mm (1/4")	1/4"
H42550	15.2 mtr (50ft)	6.4 mm (1/4")	1/4"
H4251x	30.5 mtr (100ft)	6.4 mm (1/4")	1/4"
H43803	0.9 mtr (3ft)	9.5 mm (3/8")	3/8"
H43806	1.8 mtr (6ft)	9.5 mm (3/8")	3/8"
H43810	3.0 mtr (10ft)	9.5 mm (3/8")	3/8"
H43825	7.6 mtr (25ft)	9.5 mm (3/8")	3/8"
H43850	15.2 mtr (50ft)	9.5 mm (3/8")	3/8"
H4381x	30.5 mtr (100ft)	9.5 mm (3/8")	3/8"
H45010	3.0 mtr (10ft)	12.7 mm (1/2")	1/2"
H45025	7.6 mtr (25ft)	12.7 mm (1/2")	1/2"
H45050	15.2 mtr (50ft)	12.7 mm (1/2")	1/2"
H4501x	30.5 mtr (100ft)	12.7 mm (1/2")	1/2"

XTREME DUTY 386bar (5600psi) Hose colour – Grey			
Part No.	Length	Hose Diameter	Female NPSM
H52503	0.9 mtr (3ft)	6.4 mm (1/4")	1/4"
H52506	1.8 mtr (6ft)	6.4 mm (1/4")	1/4"
H52510	3.0 mtr (10ft)	6.4 mm (1/4")	1/4"
H52525	7.6 mtr (25ft)	6.4 mm (1/4")	1/4"
H52550	15.2 mtr (50ft)	6.4 mm (1/4")	1/4"
H5251x	30.5 mtr (100ft)	6.4 mm (1/4")	1/4"
H53803	0.9 mtr (3ft)	9.5 mm (3/8")	3/8"
H53806	1.8 mtr (6ft)	9.5 mm (3/8")	3/8"
H53810	3.0 mtr (10ft)	9.5 mm (3/8")	3/8"
H53825	7.6 mtr (25ft)	9.5 mm (3/8")	3/8"
H53850	15.2 mtr (50ft)	9.5 mm (3/8")	3/8"
H5381x	30.5 mtr (100ft)	9.5 mm (3/8")	3/8"
H55010	3.0 mtr (10ft)	12.7 mm (1/2")	1/2"
H55025	7.6 mtr (25ft)	12.7 mm (1/2")	1/2"
H55050	15.2 mtr (50ft)	12.7 mm (1/2")	1/2"
H5501x	30.5 mtr (100ft)	12.7 mm (1/2")	1/2"

XTREME DUTY 500bar (7250psi) Hose colour – Black			
Part No.	Length	Hose Diameter	Female NPSM
H72503	0.9 mtr (3ft)	6.4 mm (1/4")	1/4"
H72506	1.8 mtr (6ft)	6.4 mm (1/4")	1/4"
H72510	3.0 mtr (10ft)	6.4 mm (1/4")	1/4"
H72525	7.6 mtr (25ft)	6.4 mm (1/4")	1/4"
H72550	15.2 mtr (50ft)	6.4 mm (1/4")	1/4"
H7251x	30.5 mtr (100ft)	6.4 mm (1/4")	1/4"
H73803	0.9 mtr (3ft)	9.5 mm (3/8")	3/8"
H73806	1.8 mtr (6ft)	9.5 mm (3/8")	3/8"
H73810	3.0 mtr (10ft)	9.5 mm (3/8")	3/8"
H73825	7.6 mtr (25ft)	9.5 mm (3/8")	3/8"
H73850	15.2 mtr (50ft)	9.5 mm (3/8")	3/8"
H7381x	30.5 mtr (100ft)	9.5 mm (3/8")	3/8"
H75003	0.9 mtr (3ft)	12.7 mm (1/2")	1/2"
H75010	3.0 mtr (10ft)	12.7 mm (1/2")	1/2"
H75025	7.6 mtr (25ft)	12.7 mm (1/2")	1/2"
H75050	15.2 mtr (50ft)	12.7 mm (1/2")	1/2"
H75501x	30.5 mtr (100ft)	12.7 mm (1/2")	1/2"

3/4" HOSES

Part No. H67550 ¾" x 50ft (15.2 mtr), 6500 psi (448 bar, 44.8 MPa)

Part No. H77560 ¾" x 50ft (15.2 mtr), 6500 psi (448 bar, 44.8 MPa)

HEX REDUCING NIPPLES (FOR ADAPTING HOSES TOGETHER)

Part No. 164672 7250 psi (500 bar, 50 MPa), 3/8 npt (m), 1/4 npsm, 1 3/8" (9.5 mm)

Part No. 156849 7250 psi (500 bar, 50 MPa), 3/8 npt (m), 3/8 npt (m), 1 1/2" (12.7 mm)

Part No. 162449 7400 psi (510 bar, 51 MPa), 1/2 npt (m), 1/4 npt (m), 1 5/8" (15.9 mm)

Part No. 158491 7400 psi (510 bar, 51 MPa), 1/2 npt (m), 1/2 npt (m), 1 5/8" (15.9 mm)


Part No. 159239 7400 psi (510 bar, 51 MPa), 1/2 npt (m), 3/8 npt (m), 1 5/8" (15.9 mm)

Part No. 162453 7500 psi (517 bar, 51.7 MPa), 1/4 npt (m), 1/4 npt (m), 1 1/5" (51 mm)

LOW PRESSURE HOSES

7.6MTR AIR & PAINT SS COUPLINGS

Part No. 233499



AIRLESS HOSES HIGH PRESSURE COMMON SIZES

4,500psi PURPLE HOSE

1.8 mtr x ¼" – Part No. H42506

7.6 mtr x ¼" – Part No. H42525

15 mtr x ¼" – Part No. H42550

7,250psi BLACK HOSE

1.8 mtr x ¼" – Part No. H72506

15 mtr x ¼" – Part No. H72550

15 mtr x 3/8" – Part No. H73850

5,600psi GREY HOSE

1.8 mtr x ¼" – Part No. H52506

7.6 mtr x ¼" – Part No. H52525

15 mtr x 3/8" – Part No. H53850







TIPS

CHOOSE THE MOST PRODUCTIVE SPRAY TIP FOR YOUR JOB

GRACO SPRAY TIPS ARE BUILT TO THE HIGHEST STANDARDS AND ENSURE THE BEST FINISH IN THE INDUSTRY

Choosing the right tip for the job will determine the quality of your finish and help you save time and money.

Each Graco spray tip is 100% tested for flow rate to meet the tough standards of painting contractors and ensure the quality you've come to expect from Graco.

	GOOD	BETTER		BEST		
	RAC® 5	RAC X™		RAC X LOW PRESSURE		
						
	RAC 5	LTX	WIDERAC™	FINE FINISH LOW PRESSURE	LOW PRESSURE	WIDERAC LOW PRESSURE
PART NUMBER	286***	LTX***	WR***	FFLP***	LP***	WRLP***
SIZES	.007" – .065"	.007" – .071"	.021" – .039"	.006" – .016"	.013" – .031"	.021" – .033"
APPLICATION	Precision spray tip provides excellent fan pattern life and high quality finish Residential, commercial, interior and exterior applications	Next generation with 50% longer fan pattern life over RAC 5 Residential, commercial, interior and exterior applications	Produces a 24 in. (610 mm) fan pattern to finish the job in half the time New construction and high production with large surfaces	Atomize fine finish materials at half the pressure for an HVLP like finish Trim, molding, cabinets, woodwork, metal	Dial down the pressure for less overspray, 2X longer tip life over LTX, and a perfect airless finish Residential, commercial, interior and exterior applications	All the benefits of RAC X Low Pressure Tips, now in a 24 in. fan pattern New construction and high production with large surfaces
	Latex, oil-based paints, elastomeric, block filler	Latex, oil-based paints, elastomeric, block filler		Lacquer, varnish, stain, enamel paint	Latex, oil-based paints, elastomeric, block filler	
GUARD	Orange - 243161	Blue - 246215		Blue - 246215		
ONESEAL™	Latex - 243281 Solvent - 224081	Latex - 246453 Solvent - 248936		Latex - 17P501 Solvent - 17P502		
MAX PRESSURE	4,050 psi	4,050 psi		4,050 psi		
FLOW RATE	.05 – 4.35	.05 – 5.41	0.47 – 1.63	.05 – 0.31	0.18 – 1.03	0.47 – 1.17

TIP SELECTION: UNDERSTAND THE NUMBERS

EXAMPLE: RAC X LP517

The letters (LP) represent the Graco tip style

- LP = Low Pressure
- FF LP = Fine Finish Low Pressure
- WR LP = Wide RAC Low Pressure
- LTX = Latex
- WR = Wide RAC
- XHD = Xtreme Heavy Duty



The three digits (517) represent tip size (fan and orifice) and indicate the amount of paint that flows through the tip.

The first digit is half of the fan width (#5 x 2 = 10 inch fan width)

↓
517
↑
The last two digits are the size of the tip orifice in thousandths of an inch

Your actual flow rate will depend on your spraying pressure and the material you are using (high pressure equals more flow; heavier paints equals less flow).

TIP/FILTER SIZE REFERENCE GUIDE

MESH SIZE	200 (Red)	100 (Blue)	60 (Black)	30 (Gray)
COMMON MATERIALS	Stains, Varnish, Polyurethane, Solvent Based Dyes	Lacquers, Enamels, Solvent Based Paints	Latex, Enamels	Heavy Latex, Block Filler
USE WITH TIP SIZES	.006"-.013"	.013"-.015"	.015"-.029"	.029"+

- 1 MAXIMIZE YOUR RESULTS AND IMPROVE THE QUALITY OF YOUR WORK
- 2 100% TESTED FOR FLOW RATE
- 3 AVAILABLE IN A WIDE RANGE OF SIZES FOR DIFFERENT MATERIALS
- 4 SPECIFIC COLOUR CODING FOR EACH APPLICATION SPRAYING ALL DAY

RAC SWITCHTIPS

The quality of your work is only as good as the quality of your finish. Graco's superior RAC SwitchTips are built to the highest standards and designed to consistently produce the best finish in the industry, every time.



LOW PRESSURE SWITCHTIPS (LP)

- Less prep and cleanup time
- Less mess with less overspray
- Easiest pattern overlap
- Reduced maintenance-up to 2X life
- 46 different sizes for large surface and fine finish applications
- For walls, ceilings, and floors



LOW PRESSURE WIDERAC RAC X SWITCHTIPS (WRLP)

- Largest industry spray pattern
- More productivity
- Less prep & cleanup time
- Easiest pattern overlap
- Extended life
- SmartTip technology
- Easy to identify tip size
- Superior tip design



FINE FINISH LOW PRESSURE (FFLP) RAC X SWITCHTIPS

- Less prep and cleanup time
- Less mess with less overspray
- Easiest pattern overlap
- Reduced maintenance-up to 2X life
- 46 different sizes for large surface and fine finish applications
- For fine finish applications



RAC X SWITCHTIPS (LTX)

- For indoor and outdoor residential painting jobs and commercial or industrial jobs
- 107 RAC X SwitchTip sizes for every application
- Longest lasting fan pattern for the highest quality finish
- Available in the most common tip sizes



WIDERAC RAC X SWITCHTIPS (WR)

- Spray 2X the area in half the time
- Ideal for high production and new construction
- Ensures proper mil build
- Covers the same area in 3 passes and in half the time!



RAC 5 SWITCHTIPS (286)

- For residential and commercial applications
- Standard, proven tip technology
- Economical tip choice



LINELAZER RAC 5 SWITCHTIPS (LL5)

- Creates clean, laser-sharp lines with no fuzzy edges or thin spots
- Designed specifically for parking lots, roads, warehouse floors, crosswalks, and athletic fields
- Sprays heavy water-based to thin alkyd traffic paints
- Ensures consistent thickness from edge to edge, less overspray, and long-lasting lines



XHD RAC SWITCHTIPS (XHD)

- Recommended for King® and Xtreme™ sprayers
- Compatible with XTR-7 and XTR-5 airless spray guns
- Interchangeable with HD guards and tips

LOW PRESSURE RAC X SWITCHTIPS (LPXXX)

FAN WIDTH in (mm)	.013	.015	.017	.019	.021	.023	.025	.027	.029	.031
6-8 (152-203)	313	315	—	—	—	—	—	—	—	—
8-10 (203- 254)	—	415	417	419	421	423	425	—	—	—
10-12 (254-305)	—	515	517	519	521	523	525	527	—	—
12-14 (305-356)	—	—	617	619	621	623	625	627	629	631
14-16 (356-406)	—	—	—	—	—	723	725	—	729	731

LOW PRESSURE WIDERAC RAC X SWITCHTIPS (WRLPXXX)

FAN WIDTH in (mm)	.021	.023	.025	.027	.029	.031	.033
24 (610)	1221	1223	1225	1227	1229	1231	1233
Flow Rate (gpm)*	.47	.57	.67	.77	.90	1.03	1.17
Flow Rate (lpm)*	1.79	2.15	2.54	2.96	3.42	3.90	4.42
Recommended Filter Size	60	60	60	60	60	30	30

* Water @ 2000 psi, 138 bar, 13.8 MPa – paints with a higher viscosity will decrease the flow rate.

FINE FINISH LOW PRESSURE RAC X SWITCHTIPS (FFLPXXX)

FAN WIDTH in (mm)	.008	.010	.012	.014	.016
2-4 (102-152)	108	110	112	—	—
4-6 (102-152)	208	210	212	214	—
6-8 (152-203)	308	310	312	314	—
8-10 (203-254)	—	410	412	414	—
10-12 (254-305)	—	510	512	514	516
12-14 (305-355)	—	—	—	—	616

Lowering spray pressure can reduce flow in some materials. Increase tip orifice size to maintain speed and material flow if needed.

PREMIUM QUALITY RAC X SWITCHTIPS (LTXXXX)

FAN WIDTH in (mm)	.007	.009	.011	.013	.015	.017	.019	.021	.023	.025	.027	.029	.031	.033	.035	.037	.039	.041	.043	.045	.051	.055	.061	.065	.071
2-4 (51-1)	—	109	111	—	115	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4-6 (102-1)	207	209	211	213	215	217	219	221	—	225	227	—	231	—	235	—	—	—	—	—	—	—	—	—	—
6-8 (152-2)	—	309	311	313	315	317	319	321	323	325	327	329	331	—	335	—	—	—	—	—	—	—	—	—	—
8-10 (203-254)	—	409	411	413	415	417	419	421	423	425	427	429	431	433	435	—	439	441	443	445	451	455	—	—	—
10-12 (254-305)	—	509	511	513	515	517	519	521	523	525	527	529	531	533	535	537	539	541	543	545	551	555	561	—	—
12-14 (305-356)	—	—	611	613	615	617	619	621	623	625	627	629	631	633	635	637	639	641	643	645	651	655	661	665	671
14-16 (356-406)	—	—	—	—	—	—	—	721	723	—	—	729	—	—	735	—	—	—	—	—	—	—	—	—	—
16-18 (406-XXX)	—	—	—	—	—	—	—	821	—	—	—	—	831	833	835	—	—	—	—	—	—	—	—	—	—
Flow Rate (gpm)	.05	.09	.12	.18	.24	.31	.38	.47	.57	.67	.77	.90	1.03	1.17	1.31	1.47	1.63	1.8	1.98	2.17	2.79	3.25	4.0	4.53	5.41
Flow Rate (lpm)	.20	.33	.49	.69	.91	1.17	1.47	1.79	2.15	2.54	2.96	3.42	3.90	4.42	4.98	5.56	6.18	6.83	7.51	8.23	10.57	12.29	15.12	17.17	20.48

WIDERAC RAC X SWITCHTIPS (WRXXXX)

FAN WIDTH in (mm)	.021	.023	.025	.027	.029	.031	.033	.035	.037	.039
24 (610)	1221	1223	1225	1227	1229	1231	1233	1235	1237	1239
Flow Rate (gpm)	.47	.57	.67	.77	.90	1.03	1.17	1.31	1.47	1.63
Flow Rate (lpm)	1.79	2.15	2.54	2.96	3.42	3.90	4.42	4.98	5.56	6.18

RAC 5 SWITCHTIPS (286XXX)

FAN WIDTH in (mm)	.007	.009	.011	.013	.015	.017	.019	.021	.023	.025	.027	.029	.031	.033	.035	.039	.043	.045	.051	.055	.063	.065
2-4 (51-102)	—	109	111	—	115	—	119	121	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4-6 (102-152)	207	209	211	213	215	217	219	221	223	225	—	—	—	—	235	—	—	—	—	—	—	—
6-8 (152-203)	307	309	311	313	315	317	319	321	323	325	327	—	331	—	—	—	—	—	—	—	—	—
8-10 (203-254)	—	409	411	413	415	417	419	421	423	425	427	429	—	433	435	439	443	—	451	455	—	—
10-12 (254-305)	—	509	511	513	515	517	519	521	523	525	527	529	531	533	535	—	543	—	551	555	563	—
12-14 (305-356)	—	609	611	613	615	617	619	621	623	625	627	629	631	633	635	—	—	645	—	655	—	665
14-16 (356-406)	—	—	—	—	—	—	—	721	723	725	—	729	—	—	735	—	—	—	—	—	—	—
16-18 (406-XXX)	—	—	—	—	815	817	819	821	—	—	827	—	831	833	835	—	—	—	—	—	—	—
18-20 (457-508)	—	—	—	—	—	917	—	—	—	—	—	—	—	—	935	—	—	—	—	—	—	—
Flow rate (GPM)	.05	.09	.12	.18	.24	.31	.38	.47	.57	.67	.77	.90	1.03	1.17	1.31	1.63	1.98	2.17	2.79	3.25	4.26	5.31
Flow rate (LPM)	.20	.33	.49	.69	.91	1.17	1.47	1.79	2.15	2.54	2.96	3.42	3.90	4.42	4.98	6.18	7.51	8.23	10.57	12.29	16.13	17.17

LINELAZER RAC 5 SWITCHTIPS (LL5XXX)

FAN WIDTH in (mm)	.013	.015	.017	.019	.021	.023	.025	.027	.029	.031	.033	.035	.039	.055	
2 (51)	213	215	217	219	—	—	—	—	—	—	—	—	—	—	
4 (102)	—	315	317	319	321	323	325	327	329	331	333	335	—	355	
4-8 (102-204)	—	—	417	419	421	423	425	427	429	431	—	435	—	—	
8-12 (204-305)++	—	—	—	—	—	621	623	625	627	629	631	—	635	639	—
Flow rate (GPM)	.18	.24	.31	.38	.47	.57	.67	.77	.90	1.03	1.17	1.31	1.63	3.25	
Flow rate (LPM)	.69	.91	1.17	1.47	1.79	2.15	2.54	2.96	3.42	3.90	4.42	4.98	6.18	12.29	

XHD RAC SWITCHTIPS (XHDXXX) MAXIMUM WORKING PRESSURE 7250PSI

FAN WIDTH in (mm)	.007	.009	.011	.013	.015	.017	.019	.021	.023	.025	.027	.029	.031	.033	.035	.037	.039	.041	.043	.045	.047	.049	.051	.053	.055	.057	.059	.061	.063	.065	.067	.069	.071	.075	.081
2-4 (51-102)	107	109	111	113	115	117	119	121	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4-6 (102-152)	—	209	211	213	215	217	219	221	—	225	227	229	231	—	235	—	239	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6-8 (152-203)	307	309	311	313	315	317	319	321	323	325	327	329	331	333	335	337	339	341	343	345	347	—	351	—	355	—	—	—	—	—	—	—	—	—	—
8-10 (203-254)	—	409	411	413	415	417	419	421	423	425	427	429	431	433	435	437	439	441	443	445	447	449	451	—	455	—	459	461	463	465	467	—	471	475	
10-12 (254-305)	—	509	511	513	515	517	519	521	523	525	527	529	531	533	535	537	539	541	543	545	547	549	551	553	555	557	—	561	—	565	567	—	571	575	
12-14 (305-356)	—	609	611	613	615	617	619	621	623	625	627	629	631	633	635	637	639	641	643	645	647	649	651	—	655	657	659	661	663	665	667	669	671	675	
14-16 (356-406)	—	—	711	713	715	717	719	721	723	725	727	729	731	733	735	737	739	741	743	745	747	749	751	753	755	—	—	761	—	—	767	—	771	—	
16-18 (406-XXX)	—	—	—	813	815	817	819	821	823	825	827	829	831	833	835	837	839	841	843	—	847	—	851	—	855	—	—	861	863	—	867	—	—	—	—
18-20 (457-508)	—	—	—	—	—	—	—	923	—	927	—	931	933	935	937	939	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Flow rate (GPM)	.05	.09	.12	.18	.24	.31	.38	.47	.57	.67	.77	.90	1.03	1.17	1.31	1.47	1.63	1.8	1.98	2.17	2.37	2.58	2.79	3.05	3.25	3.49	3.74	4.0	4.26	4.53	4.82	5.11	5.41	6.04	7.04
Flow rate (LPM)	.20	.33	.49	.69	.91	1.17	1.47	1.79	2.15	2.54	2.96	3.42	3.90	4.42	4.98	5.56	6.18	6.83	7.51	8.23	8.98	9.76	10.57	11.41	12.29	13.20	14.14	15.12	16.13	17.17	18.24	19.34	20.48	22.85	26.66

WIDERAC CONVERSION

RAC 5 OR RAC X	WIDERAC
415 or 515	1221 or 1223
417 or 517	1223 or 1225
419 or 519	1225 or 1227
421 or 621	1229 or 1231
523 or 623	1233 or 1235
525 or 625	1235 or 1237

When you use WideRAC, be sure to increase the orifice size of the tip to ensure the same mil build and rate of application (arm speed).

Also, make sure your airless sprayer can support the larger tip size.

Please Note: All Flow Rates are guides based on Water @ 2000 psi, 138 bar, 13.8 MPa - paints with a higher viscosity will decrease the flow rate.

TIP GASKETS & SEAL KITS

PART No.	DESCRIPTION	
246453	RAC X OneSeal - 5 pack	Use only with RAC X SwitchTip and Guard
243281	RAC 5 OneSeal - 5 pack	Use only with RAC 5 SwitchTip and Guard
248936	RAC X Solvent Seal Kit - 5 pack	Use with RAC X SwitchTip and Guard
17P502	RAC X FFLP Solvent Seal Kit - 5 pack	Use with RAC X FFLP SwitchTip and Guard
183616	Seal in AAM tips for removing blue filter	
XHD001	XHD Guard 7/8 in aluminum thread, compatible with Graco XTR+ and XHF guns	
Compatible with most fluids; easy installation without tools.		

AAM AIR - ASSISTED SPRAY TIP SELECTION CHART

*FLUID OUTPUT, LPM MAXIMUM PATTERN WIDTH AT 300 MM(12IN)

ORIFICE SIZE mm (in)	at 41 BAR (4.1 MPA, 600 PSI)	at 70 BAR (7.0 MPA, 1000 PSI)	100 (2 to 4)	150 (4 to 6)	200 (6 to 8)	250 (8 to 10)	300 (10 to 12)	350 (12 to 14)	400 (14 to 16)	450 (16 to 18)	500 (18 to 20)
0.178 (0.007)	0.1	0.15	107	207	307	—	—	—	—	—	—
0.229 (0.009)	0.2	0.27	109	209	309	409	509	—	—	—	—
0.279 (0.011)	0.3	0.4	111	211	311	411	511	611	—	—	—
0.330 (0.013)	0.4	0.5	—	213	313	413	513	613	713	—	—
0.381 (0.015)	0.5	0.7	—	215	315	415	515	615	—	815	—
0.432 (0.017)	0.7	0.85	—	217	317	417	517	617	—	817	917
0.483 (0.019)	0.8	1.09	—	219	319	419	519	619	—	819	919
0.533 (0.021)	1.0	1.36	—	—	321	421	521	621	—	821	921
0.584 (0.023)	1.2	1.56	—	—	—	423	523	623	—	—	923
0.635 (0.025)	1.5	1.94	—	—	—	425	—	625	—	825	—
0.686 (0.027)	1.7	2.27	—	—	—	—	527	627	—	827	—
0.737 (0.029)	1.9	2.65	—	—	—	—	—	629	—	—	—
0.787 (0.031)	2.2	3.03	—	—	—	431	—	631	—	—	—
0.838 (0.033)	2.5	3.42	—	—	—	—	—	633	—	833	—
0.889 (0.035)	2.8	3.81	—	—	—	435	—	—	—	—	—
0.940 (0.037)	3.1	4.20	—	—	—	—	—	—	737	—	—
0.991 (0.039)	3.4	4.59	—	—	—	—	539	639	—	839	—

Fine Finish Tips recommended for high finish quality at low and medium pressures Order Desired Tip (part no. AAMXXX)

WARRANTY

**WE BUILD IT.
WE BACK IT.
PERIOD.**



We stand behind every piece of equipment we manufacture with one of the industry's strongest warranties.

Spray with the confidence that you will probably never need to use Graco's warranty, but if you do... we will be there.

Use of Non-Graco Repair Parts

Graco parts are designed to very specific standards and use of non-Graco repair parts may void your warranty.

LIFETIME Electric Motor Warranty	If the motor fails from normal use, we'll replace it under warranty to the original owner for the life of the sprayer. Excludes normal brush wear. (Validation of brush wear is required on motors with brushes, contact Graco Warranty for details.)
LIFETIME Drive Train Warranty	If the drive train fails from normal use, we'll replace it under warranty to the original owner for the life of the sprayer. Excludes bearing housing, connecting rod, clutch surface.
3-YEAR Warranty	Coverage against defects in materials and workmanship on the entire sprayer to the original purchaser. Does not include wear parts.
1-YEAR Warranty	Coverage against defects in materials and workmanship on the entire sprayer to the original purchaser. Does not include wear parts.
Gas Engine and DEWALT® Warranty	Warranty and service supplied by manufacturer.
CONVENIENT Service	Graco customers can rely on a vast network of authorized distributors, go on www.graco.com to find the closest one to you.

PRODUCT	WARRANTY COVERAGE*
Accessories (tips, guns, hoses, extensions)	1-Year Warranty
Handheld Sprayers, AC (Electric)	1-Year Warranty
Handheld Sprayers, Battery, Excludes TC360's	1-Year Warranty, 3-Year Battery and Charger Warranty provided by DEWALT®
Magnum, GX Electric Sprayers	1-Year Warranty
390 PC, Ultra 395 PC, UltraMax II 490-650 PC Pro, Ultra Max II 695-1095 Electric Airless Sprayers	3-Year Warranty, 3-Year Battery and Charger Warranty provided by DEWALT®
Ultra 490XT-1095XT Standard Series, Ultra 695XT-1095XT ProContractor Series	3-Year Warranty, 3-Year Battery and Charger Warranty provided by DEWALT®, Lifetime Electric Motor Warranty, Lifetime Drive Train Warranty
GMAX™ & GMAX™ II Gas-Powered Airless Sprayers	3-Year Warranty, 3-Year Honda Engine Warranty
GH™ Gas Hydraulic Powered Airless Sprayers	3-Year Warranty, 3-Year Honda Engine Warranty
G-Force™ II Pressure Washers	1-Year Warranty, Lifetime Frame Warranty, 5-Year "General" and CAT Belt Drive pump warranty, 2-year CAT pump, 3-Year engine warranty
FinishPro II Air Assisted Airless	3-Year Warranty, Lifetime Electric Motor, Lifetime Drive Train (excludes compressor motor)
FinishPro GX19	1-Year Warranty, 3-Year Battery and Charger Warranty provided by DEWALT®
FinishPro HVLP Fine Finish Sprayers	3-Year Warranty
Mark IV/Mark V™/Mark X™/Mark X 240™, Mark IV/V/X Standard/ProContractor/IronMan Series, 5900/7900 HD, TexSpray™ HTX 2030	3-Year Warranty, Lifetime Motor and Lifetime Drive Train on the Mark IV, Mark V and Mark X 240 Volt, Lifetime Drive Train and 3-Year Honda Engine Warranty on 5900 HD/7900 HD
Mark IV XT-V XT Standard/ProContractor Series	3-Year Warranty, Lifetime Electric Motor Warranty, Lifetime Drive Train Warranty
TexSpray RTX™, GTX, FastFinish Spray System and FastFinish Pressure Boosted Gun	3-Year Warranty
LineLazer® Striping Equipment	3-Year Warranty, Lifetime Drive Train, Lifetime Electric Motor Warranty, 3-Year Honda Engine Warranty, and 3-Year Manufacturers' Warranty on Lithium batteries on ES 500, ES 1000 and ES 2000
LineDriver®	3-Year Warranty, 3-Year Honda Engine Warranty, 3-Year Vanguard Engine Warranty, 3-Year PowerSonic Warranty on battery on LineDriver ES LITHIUM
RoadPak™	1-Year Warranty, 3-Year Honda Engine Warranty, 3-Year Vanguard Engine Warranty
ThermoLazer® Striping Equipment	1-Year Warranty
FieldLazer™	1-Year Warranty, 1-Year Honda GX35 Engine Warranty, 3-Year Battery and Charger Warranty provided by DEWALT® on ES100
GrindLazer® Line Removal Equipment and LazerVac	1-Year Warranty, 3-Year Vanguard Engine Warranty
PowerFill™	1-Year Warranty, 3-Year Battery and Charger Warranty provided by DEWALT®
Contractor® King	1-Year Warranty
ToughTek	1-Year Warranty

*The information has been simplified in order to communicate the warranty coverage on all Graco product lines. Some limitations exist. DEWALT® and the DEWALT Logo are trademarks of DEWALT Industrial Tool Co. and are used under license. All trademarks are the property of their respective owners. For complete warranty information please contact an authorised Graco distributor or visit www.graco.com/contractor.

TERMS & CONDITIONS

NOTES

1. The Suggested List Prices in the AUSTRALIAN Price List are a recommendation only of a sale price to an end user customer. Relevant Distributor Terms & Conditions will apply. These may include Freight & Delivery Terms, Distributor Discounts, Terms of Payment, Credit Conditions, Title of Goods, Return Policies, etc. Please check with your Graco Contractor Equipment Distributor/Supplier for such Terms & Conditions where relevant.

2. All products shown in this Guide and all prices listed in the corresponding Graco Contractor Equipment Price List are subject to change without notice.

3. Graco warrants all equipment manufactured by Graco and bearing its name to be free from defects in material and workmanship on the date of sale by an authorised Graco distributor to the original purchaser for use. With the exception of any special, extended, or limited warranty published by Graco for sale of product in Australia, Graco will, for a period of twelve months from the date of sale, repair or replace any part of the equipment determined by Graco to be defective. FOR FULL GRACO WARRANTY DETAILS, REFER TO GRACO WARRANTY TERMS & CONDITIONS ON PRODUCT INSTRUCTION MANUALS OR REQUEST COPY/CLARIFICATION FROM YOUR GRACO REPRESENTATIVE/DISTRIBUTOR.

4. **Note that Extended Warranties (eg. Lifetime Warranties on 295, 390 & 395 3-Year Warranties, 2-Year Bumper-To-Bumper Warranty & 30 Day Satisfaction Guarantee programs as advertised in some literature published abroad) do NOT apply in Australia/New Zealand.** Please contact Graco Inc. and/or your Graco Distributor representative for clarification of any specific extended warranty programs.

5. **Warranty.** Lifetime motor warranty on models purchased prior to March 2021 - If the motor fails under normal use, we'll replace it under warranty for the original owner for the life of the unit. Applies to units purchased on or before March 2021. This also applies to drive trains. For all units purchased after March 2021, refer to Warranty Policy in Product Guide (Ref 3/21).
Convenient Service - Graco offers authorised distributor locations in Australia/New Zealand for repair and service.

6. Graco Inc. takes no responsibility for errors or omissions from this document. Note: While we strive to have all pictures & illustrations correct and accurate in some cases the supplied item may vary from the one shown.

ADDITIONAL TERMS & CONDITIONS

1. **Entire Agreement** – Except as set forth below, the sale of products in this shipment shall be governed solely and exclusively by the terms and conditions set forth or referenced on the face and reverse side hereof. Any objection to these terms and conditions must be communicated by sending a letter or other specific written communication to the attention of the Operations Manager of Graco Australia Pty Ltd at the address set forth on the face hereof. Accepting or paying for any part of this shipment, or failing to object within 14 days of receipt of any part of this shipment shall constitute conclusive evidence of acceptance.

Except as set forth below, the terms set forth on the face and reverse side hereof hereby cancel and supersede any prior or contemporaneous negotiations, and any additional or different terms set forth on any purchase order, acknowledgment from, or other written or oral communication conveyed to Graco Australia Pty Ltd by the Buyer are hereby expressly rejected.

Notwithstanding the above, in the event that the buyer is operating under a normal Graco Distributor, EDI, or systems agreement, Graco quotation or CED Policy, any conflicting or supplemental terms and conditions set forth in such formal agreement, quotation or policy shall prevail.

2. **Objection to Purchaser's Terms** – Any term or condition of purchaser's order or other document which is different from, in addition to, or inconsistent with any term or condition of this document is hereby objected to by Graco and cannot be binding or effective against Graco unless accepted in writing from the Operations Manager of Graco Australia Pty Ltd.

3. **Warranty and Disclaimer** – Graco warrants all equipment manufactured by it and bearing its name to be free from defects in material or workmanship on the date of sale by an authorised Graco distributor to the original purchaser for use. As purchaser's sole remedy for breach of this warranty, Graco will, for a period of twelve months from the date of sale, repair or replace any part of the equipment proven defective. This warranty applies only when the equipment is installed, operated and maintained in accordance with Graco's written recommendations. This warranty does not cover, and Graco shall not be liable for, any malfunction, damage or wear caused by faulty installation, misapplication, abrasion, corrosion, inadequate or improper maintenance, negligence, accident, tampering, or substitution of non-Graco component parts. Nor shall Graco be liable for malfunction, damage or wear caused by the incompatibility with Graco equipment or structures, equipment or materials not supplied by Graco, or the improper design, manufacture, installation, operation or maintenance of structures, accessories, equipment or materials not supplied by Graco.

This warranty is conditioned upon the prepaid return of the equipment claimed to be defective for examination by Graco to verify the claimed

defect. If the claimed defect is verified, Graco will repair or replace free of charge any defective parts. The equipment will be returned to the original purchaser transportation prepaid. If inspection of the equipment does not disclose any defect in material or workmanship, repairs will be made at a reasonable charge, which charges may include the costs of parts, labour and transportation.

The terms of the warranty constitute purchaser's sole and exclusive remedy and are in lieu of any other warranties (express or implied), including warranty of merchantability or warranty of fitness for a particular purpose, and of any non-contractual liabilities, including product liabilities based on negligence or strict liability. Every form of liability for direct, special or consequential damages

or loss is expressly excluded and denied. In no case shall Graco's liability exceed the amount of the purchase price. Any action for breach of warranty must be brought within two (2) years of the date of sale. Graco makes no warranty, and disclaims all implied warranties of merchantability and fitness for a particular purpose, with respect to accessories, equipment, materials or components sold but not manufactured by Graco. These items sold, but not manufactured by Graco (such as electric motors, switches, hoses, etc.), are subject to the warranty, if any, of their manufacturer. Graco will provide purchaser with reasonable assistance in making any claim for breach of these warranties.

4. Delivery – Graco shall not be liable for any delay in the production or delivery of any of the products referred to herein if such delay is due to fire, flood, accident, delay in transportation, inability to obtain material, war, embargo, demand or requirement of the Government, labour dispute, and/or any other cause whatsoever beyond the reasonable control of Graco.

5. Terms of Payment and Prices – Subject to approval and continuation of approval of credit by Graco Australia Pty Ltd, the terms of payment shall be those determined and set forth in the Graco Australia Pty Ltd Distributor Agreement. In the event Graco Australia Pty Ltd does not approve credit to the purchaser, or if at any time after approval of credit and before delivery, Graco Australia Pty Ltd in its sole judgement, decides that the extension of further credit is unjustified, terms of payment shall be those specified by Graco Australia Pty Ltd, including but not limited to C.O.D. or cash in advance. All payments shall be in legal currency as stated on the invoice. All prices are subject to exception or change without notice. Pricing errors may be corrected at any time. Graco Australia Pty Ltd reserves the right to select those qualified distributors to whom it will sell its products for resale. Distributor minimum billing is set forth in the Graco Australia Pty Ltd "Freight and Delivery Terms".

6. Patent Infringement – Graco agrees to defend purchaser or its customers in any suit brought against them so far as it is based on a claim that any product or part thereof sold by Graco Australia Pty Ltd under this document infringes a patent, but only on the condition that Graco is notified promptly in writing of such claim, is given full authority to conduct such defence including the compromise or settlement of any claim, and provided further that purchaser has not prejudiced such defence by any admissions, statements or conduct. Purchaser further agrees to give Graco at Graco's expense whatever information, cooperation, assistance and authority Graco may reasonably require for such defence. Graco will not assume the defence of purchaser or its customers if the infringement is alleged to consist either of the use of the product or part in combination with other devices, and/or of the modification or alteration of the product or part, unless Graco shall have specifically recommended such use or modification in its instruction manuals. Purchaser agrees to hold Graco harmless against any claim, which arises out of Graco's compliance with Purchaser's specifications. In no event will Graco be liable for any special, incidental or consequential damages, loss of profits, or loss of revenue resulting from any infringement or alleged infringement. The foregoing states the entire liability of Graco for patent infringement.

7. Order Cancellation Fee – There is no fee for orders cancelled prior to shipment: If a special order/custom or a modified product is cancelled before shipment from point of origin then a 25% cancellation fee is applicable; if cancelled after shipment from point of origin then a 50% cancellation fee applies. Irrespective of reason for cancellation normal inventory and RGA rules apply.

FREIGHT AND DELIVERY TERMS

1. Prices, Discount Codes, Family Group Codes and Minimum Invoice Value are subject to change without notice. Graco Australia Pty Ltd reserves this right and will endeavour to give Distributors as much notice as possible, prior to any changes.

2. Orders below AUD 400 exc GST will incur a minimum order fee of AUD 25 exc GST. The applicable transportation will also be invoiced to the Distributor. The mode of transport shall be nominated by Graco Australia Pty Ltd.

3. The use of Non-Graco appointed carriers or airfreight requested by Distributors will be invoiced to the Distributors account irrespective of the order value.

4. Back orders are not subject to any delivery charge and will be: Carriage Paid To buyer's destination within Australia.

5. Cancellation of orders are subject to a Cancellation Fee, see "Additional Terms and Conditions of Sale" in the Graco Australia Pty Ltd "Policy and Procedure Manual"

6. Title Transfer and Risk Transfer are FCA Shipping point, 448 Boundary Road, Derrimut, Victoria, 3030, Australia. (Inco Term 2000 FCA).

7. Graco strives to ship all orders within 48 hours. If you have need for an emergency shipment and your order is received before 12:00 pm Australian Eastern Standard Time, you may request same day shipment (only available for Metro Victoria) before 10:00 am subject to stock availability and credit approval.

8. The Distributor shall not be relieved by any obligation, to accept or pay for goods and services provided by Graco Australia Pty Ltd by reason of any delay in delivery, or dispatch of goods.

9. Quoted delivery times and quoted delivery charges by Graco Australia Pty Ltd are estimates only.

10. Graco Australia Pty Ltd shall not be liable for any loss or damage arising as a result or consequence of any failure to deliver or for delay in delivery.

11. Returns will not be accepted on configured or low demand products built to Distributor Order. Any goods accepted by Graco Australia Pty Ltd for return must be freight prepaid.

SERVICE AGENTS

AUSTRALIA

AUSTRALIAN CAPITAL TERRITORY

Dulux Trade Centre Fyshwick	94 Maryborough Street, FYSHWICK ACT 2609	(61) 2 6280 6298
-----------------------------	------------------------------------------	------------------

NEW SOUTH WALES

BlastOne Sydney	23 McKay Close, WETHERILL PARK, NSW, 2164	(61) 2 9193 9000
BlastOne Newcastle	8 Pippita Close, BERESFIELD, NSW, 2322	(61) 2 9193 9080
Coastal Spray (NSW)	3 Kywong Street, LAKE CATHIE, NSW, 2445	(61) 2 6585 4735
David Catt Spray Repair	66 Wigmore Drive, BATHURST, NSW, 2795	(61) 2 6332 3269
Dulux Trade Centre Lambton	Griffiths Road & Turton Road, LAMBTON, NSW, 2299	(61) 4 6086 6795
Dulux Trade Centre Rosebery	695 Botany Road, ROSEBERY, NSW, 2018	(61) 2 9699 9166
Dulux Wetherill Park	64 Elizabeth Street, WETHERILL PARK, NSW, 2164	(61) 2 8781 2013
Far North Coast Spray Solutions	27/502 Ross Lane, LENNOX HEADS, NSW, 2478	(61) 4 0288 9944
Inspirations Paint Forster	89 Boundary Street, FORSTER, NSW, 2428	(61) 2 6557 2126
Inspirations Paint Grafton	54 Pound Street, GRAFTON, NSW, 2460	(61) 2 6642 4475
Inspirations Paint Padstow	40 Fairford Road, PADSTOW, NSW, 2211	(61) 2 9790 2352
Inspirations Paint Penrith	1/95 Batt Street, JAMISONTOWN NSW, 2750	(61) 2 4732 5903
Inspirations Paint Wagga	6-20 Ashmont Avenue, WAGGA WAGGA, NSW, 2650	(61) 2 6925 6555
Paint Access Matraville	462 Bunnerong Road, MATRAVILLE, NSW, 2036	(61) 2 8064 7050
Paint Access St Leonards	Unit 14, 6-8 Herbert Street, ST LEONARDS, NSW, 2065	(61) 2 8064 7050
Roof Tyle Recyclers	20 Stoddart Road, BLACKTOWN, NSW, 2148	(61) 2 9756 3350
Supaturf Australia	974 Caroola Street, NORTH ALBURY, NSW, 2640	(61) 2 6040 4808
Wattyl Penrith	Unit 7/89-93 Batt Street, PENRITH, NSW, 2750	(61) 2 4731 1178

NORTHERN TERRITORY

Blastone	11 Tivendale Road, BERRIMAH, NT 0828	(61) 8 8989 6000
David Daly Electronics	2/46 McMinn Street, DARWIN, NT, 0800	(61) 8 8981 4400
Palmerston Paint Supplies	15 Mander Road, HOLTZE, NT, 0829	(61) 8 8932 7999
Winnellie Hydraulics	120 Reinhardt Road, WINNELLIE, NT, 0820	(61) 8 8984 4939

QUEENSLAND

Access Linemarking Equipment	1/17 Alexandra Place, MURRARIE, QLD, 4172	(61) 1300 627 537
Airblast Australia	1/272 Lavarack Avenue, PINKENBA, QLD, 4008	(61) 7 3260 2670
Airless 2 You	2/16 Kenworth Place, BRENDALE, QLD, 4500	(61) 4 0357 3998
Alljack and Paint	3 Iridium Drive, PAGET MACKAY, QLD, 4740	(61) 7 4998 5299
Bristol Bundaberg	32 Princess Street, BUNDABERG EAST, QLD, 4670	(61) 7 4151 4040
Dulux Trade Centre Aspley	1375/1383 Gympie Road, ASPLEY, QLD, 4034	(61) 4 4709 4708
Dulux Trade Centre Browns Plains	49 Grand Plaza Drive, BROWNS PLAINS, QLD, 4118	(61) 7 3806 6355
Dulux Trade Centre Burliegh Heads	72 Kortum Drive, BURLEIGH HEADS, QLD, 4220	(61) 7 5576 2200
Dulux Trade Centre Maroochydore	Corner Amaroo Street & Maroochydore Road, MAROOCHYDORE, QLD, 4558	(61) 7 5443 7255
Dulux Trade Centre Townsville	1 O'Keefe Court, GARBUTT, QLD, 4814	(61) 7 4779 9970
GO Industrial	2/11-15 Baylink Avenue, DECEPTION BAY, QLD, 4508	(61) 7 3204 2240
Haymes Paint Shop Coolool	12/2 Lomandra Place, COOLool BEACH, QLD, 4573	(61) 7 5471 7300
Haymes Paint Shop Currimundi	1 Coora Crescent, CURRIMUNDI, QLD, 4551	(61) 7 5437 6220
Haymes Paint Shop Noosa	168 Eumundi Road, NOOSAVILLE, QLD, 4567	(61) 8 5449 8288
Inspirations Paint Bundaberg	Corner Bourbong & Branyan Streets, BUNDABERG, QLD, 4670	(61) 7 4152 8244
Inspirations Paint Emerald	5 Hospital Road, EMERALD, QLD, 4720	(61) 7 4982 4466
Inspirations Paint Gladstone	54 Yarroon Street, GLADSTONE, QLD, 4680	(61) 7 4972 9651
Inspirations Paint Hervey Bay	48 Torquay Road, PIALBA, QLD, 4655	(61) 7 4124 1100
Inspirations Paint Kippa-Ring	226 Anzac Avenue, KIPPA-RING, QLD, 4021	(61) 7 3283 1233
Inspirations Paint Milton	6 Granzella Street, MILTON, QLD, 4064	(61) 7 3369 7206
Inspirations Paint North Rockhampton	61 High Street, NORTH ROCKHAMPTON, QLD, 4701	(61) 7 4924 7200
Inspirations Paint Yeppoon	2 McBean Street, YEPPON, QLD, 4703	(61) 7 4939 1144
Johnny On the Spot	Shop 4/193 Hartley Street, PORTSMITH, QLD, 4870	(61) 4 0900 4161
Paint and Pressure Cleaning Services	8/405 Bayswater Road, TOWNSVILLE, QLD, 4814	(61) 4 4777 5586
Phillro Industries Brisbane	3/15 Overlord Place, ACACIA RIDGE, QLD, 4110	(61) 7 3711 9589
Phillro Industries Gold Coast	Unit 2/14 Logistics Place, ARUNDEL, QLD, 4214	(61) 7 5636 7646
Spray Blast Inspect Toowoomba	361 Taylor Street, TOOWOOMBA WEST, QLD, 4350	(61) 7 4637 9100
Sprayfix	49 Tallai Road, TALLAI, QLD, 4213	(61) 4 3968 0686
Townsville Airless & Pressure Cleaners	10/547 Woolcock Street, MT LOUISA, QLD, 4814	(61) 7 4774 6166
Water Blaster Service & Repair	254 Hartley Street, PORTSMITH, QLD, 4870	(61) 7 4035 5449

TASMANIA

Cole Trading Pty Ltd	29 Patriarch Drive, HUNTINGFIELD, TAS, 7055	(61) 3 6229 1100
Haymes Paint Shop Hobart	210 Murray Street, HOBART, TAS, 7000	(61) 3 6231 9900
Haymes Paint Shop Devonport	122 William Street, DEVONPORT, TAS, 7310	(61) 4 5790 6206

SOUTH AUSTRALIA

Airblast	16 John Street, MANSFIELD PARK, SA, 5012	13 0024 7111
Charmans Spray & Powder	6 White Avenue, ATHOL PARK, ADELAIDE, SA, 5012	(61) 8 8447 7710
Inspirations Paint Parafield	1185 Main North Road, POORAKA, SA, 5095	(61) 8 8262 5858
Oliver Spray Equipment	4 Rosberg Road, WINGFIELD, SA, 5013	(61) 8 8262 2466
Speedie Spray	37 Richard Street, HINDMARSH, ADELAIDE, SA, 5007	(61) 8 8346 1653
Waltan Tools and Equipment	49 Hampton Road, KESWICK, SA, 5035	(61) 8 8297 9700

VICTORIA

A1 Roadlines Pty Ltd	89 Rushdale Street, KNOXFIELD, VIC, 3180	(61) 3 9765 9400
Abrasive Blasting Service & Supplies (ABSS)	18 Beckett Avenue, KEILOR EAST, VIC, 3033	1300 727 240
Airblast Kilsyth	18A Southfork Drive, KILSYTH SOUTH, VIC, 3137	(61) 3 9761 5777
Crowies Paint Bairnsdale	88B Macleod Street, BAIRNSDALE, VIC, 3875	(61) 3 5152 4148
Dulux Trade Centre Ballarat	44 Mair Street, BALLARAT CENTRAL, VIC, 3350	(61) 3 5332 1513
Dulux Trade Centre Craigieburn	311-313 Hume Hwy, CRAIGIEBURN, VIC, 3064	(61) 3 9305 7528
Dulux Trade Centre Doncaster	565 Doncaster Road, DONCASTER, VIC, 3108	(61) 3 9840 1267
Dulux Trade Centre Hoppers Crossing	228 Old Geelong Road, HOPPERS CROSSING, VIC, 3029	(61) 3 9748 6400
Geelong Colourworld	40 Cheetham Road, MOOLAP, VIC, 3224	(61) 3 5221 3817
Haymes Shepparton	177 Fryers Street, SHEPPARTON, VIC, 3630	(61) 3 5821 1899
Inspirations Paint Enchuca	Shop 6-8/101 Hare Street, ECHUCA, VIC, 3564	(61) 3 7071 1232
Paint Spot Dandenong	1/37 Princess Highway, DANDENONG SOUTH, VIC, 3175	(61) 3 9793 4599
Phillro Industries	1/265 Wickham Road, MOORABBIN, VIC, 3189	(61) 3 8645 2900
Spray Right	13 Thompson Street, CAMPBELLFIELD, VIC, 3061	(61) 3 9359 6080
Sprayworld	7 Marriott Street, OAKLEIGH, VIC, 3166	(61) 3 9041 4473
Traralgon Paints	29 Stratton Drive, TRARALGON, VIC, 3844	(61) 3 5176 1442
West Spray Airless	2/46 Buchanan Road, BROOKLYN, VIC, 3012	(61) 3 9943 2203

WESTERN AUSTRALIA

Airblast Australia	Unit 5/16 Kewdale Road, KEWDALE, WA, 6105	(61) 8 9271 2265
Allspray Equipment	1/270 Welshpool Road, WELSHPOOL, WA, 6106	(61) 8 9358 1313
Blastone	3 Forge Street, WELSHPOOL, WA, 6106	(61) 8 9350 5940
Dulux Trade Centre Osborne Park	2/392 Scarborough Beach Road, OSBORNE PARK, WA, 6017	(61) 8 9242 4700
Inspirations Paint Albany	126 Chester Pass Road, YAKAMIA, WA, 6330	(61) 8 9841 6024
Inspirations Paint Belmont	2/94 Belgravia Street, BELMONT, WA, 6104	(61) 8 6155 6951
Inspirations Paint Bunbury	5/6 Old Mill Centre Hennessy Road, BUNBURY, WA, 6230	(61) 8 9721 1698

NEW ZEALAND

NEW ZEALAND NORTH ISLAND

Complete Paints	23 Ford Street, NAPIER	(64) 6 843 1122
Dulux Trade Centre Auckland	60 George Street, Kingsland, AUCKLAND	(64) 9 379 4922
DW Services Ltd	13 Kauri Place, WHANGAREI	(64) 9 438 6956
Energy Hydraulics	19 Corbett Road, NEW PLYMOUTH	(64) 6 755 2400
Equipment Services	Unit 2/789 Te Rapa Road, Te Rapa, HAMILTON	(64) 7 850 9505
Fabrication and Repairs	94 Pukemapu Road, RD3, OROPI, TAURANGA	(64) 7 543 0401
Fincco Pneumatics Ltd	78/80 Pururu Street, ROTORUA	(64) 7 347 4446
Hogan Spray And Pump	705 Main Street, PALMERSTON NORTH	(64) 6 356 5218
Hulena Hydraulics	609 Hastings Street, NORTH HASTINGS	(64) 6 878 6646
Hydraulink Taranaki Ltd	22 Hurlstone Drive, NEW PLYMOUTH	(64) 6 757 2211
Industrial Equipment	12-14 Hawkins Street, WELLINGTON	(64) 4 973 3327
Johnsonville Mowers	30 Broderick Road, WELLINGTON	(64) 2 7480 0399
Linkup Paints	10 Barberrry Street, Judea, TAURANGA	(64) 7 571 8921
Niven Air & Hoists Ltd	12 Taonui Street, PALMERSTON NORTH	(64) 6 952 0686
Spraytech Auckland	1/149 Station Road, Penrose, AUCKLAND	(64) 9 622 2976
Spraytech Hamilton	6/671 Te Rapa Road, HAMILTON	(64) 7 849 1329
Syntech Auckland	2B Saunders Place, Avondale, AUCKLAND	(64) 800 796 8324
Syntech Tauranga	55 Whakakake Street, TAURANGA	(64) 800 796 8324
Syntech c/o Electric Air	Lake Road, Frankton, HAMILTON	(64) 7 260 1177
WA Stroud Ltd	9A Ryan Place, Manukau, AUCKLAND	(64) 9 281 5383
Wanganui Powertool Centre	Corner Ingestre & Wilson Streets, WANGANUI	(64) 6 345 4884
Welco Services Ltd	26 Pioneer Road, NEW PLYMOUTH	(64) 6 751 4990

NEW ZEALAND SOUTH ISLAND

Advanced Maintenance	39 Robinson Street, ASHBURTON	(64) 3 308 5577
Air & Power Industrial	75 Hayes Street, TIMARU	(64) 3 688 0053
Ash Air wDunedin	600 Kaikorai Valley Road, DUNEDIN	(64) 3 455 4074
Equipment Services	81 Orbell Street, Sydenham, CHRISTCHURCH	(64) 3 366 6411
Opel Industries	35 Quarantine Road, NELSON	(64) 3 547 8000
Red Electrical	52 Rob Roy Lane, WANAKA	(64) 21 862 890
Southern Floorcare	194 Clyde Street, INVERCARGILL	(64) 3 218 6931
The ToolShed Timaru	34 North Street, TIMARU	(64) 3 684 7746

GLOSSARY

ELECTRIC SPRAYERS



STANDARD SERIES

Everyday reliability for small residential and repainting contractors, ideal for painters operating multiple days of the week on smaller jobs.



PROCONTRACTOR SERIES

Reliability and capacity to tackle medium to large projects, ideal for painting everyday with features to get you to the next jobsite faster.



IRONMAN SERIES

Beyond jobsite tough, for large Commercial applications when you're painting in less-than-ideal conditions and spraying large volumes over long durations and require extreme durability and reliability.

ADVANTAGE DRIVE™

ADVANTAGE DRIVE

Hardened steel gears provide extremely quiet operation and a lifetime warranty under normal working use.



BLUELINK™

A Job & Sprayer Management System, combining the power of a mobile app with Blue-tooth-enabled Graco sprayers. Once connected, BlueLink provides the critical, real-time jobsite and sprayer information painting contractors need to help streamline their business – including real-time jobsite access, instant maintenance alerts, on-demand productivity reports and much more!

DURABLE ENDURANCE PUMP

Available on Standard Series Sprayers, it is double the life of competing pumps. It can be repacked in minutes using the QuickPak™ Cartridge System and easy to clean with QuickAccess™.

EASYGLIDE™ SWIVEL

Available on Contractor, Contractor PC and Contractor PC Micro Guns, the exclusive dual-seat swivel action reduces sealing friction under pressure, allowing for effort-less hose management.



ENDURANCE VORTEX
MAXLIFE

ENDURANCE VORTEX™ MAXLIFE™ PUMP

Available on ProContractor Series Sprayers, it allows for high velocity flow to rotate rod for even wear extending the time between repacks by 6 times. Repacking can be done in minutes using the QuickPak™ Cartridge System.



ENDURANCE VORTEX
MAXLIFE
EXTREME

ENDURANCE VORTEX™ MAXLIFE EXTREME™

Pump Available on Ironman Series Sprayers, it is built using an exclusive abrasion-resistant composite extending the rod life by 3 times and providing the most durable and longest lasting pumps built in the industry. It uses high velocity flow to rotate rod for even wear extending the time between repacks by 6 times. Repacking can be done in minutes using the QuickPak™ Cartridge System.

E-Z FIT™

Available on Contractor PC Gun, this feature provides adjustable trigger length for comfortable 2-3-4 finger control.

Fast Flush.

FAST FLUSH™ 2.0

Cleans the pump 4 times faster with half the water by increasing the pump speed up to 50% during low pressure cleaning. This creates a high turbulent flow through the pump, hose and gun helping to break loose residual paint in less time.



PROCONNECT™

The easiest and fastest way to do an on the job gun rebuild; through clever design using a single gun cartridge to replace the needle and all wear parts, your gun can feel as new again in minutes with no tools required.



PROCONNECT™ 2

Graco's exclusive ProConnect system allows quick removal or installation of your pump lower, with no tools required. The pump can easily be switched out in minutes right on the job site.

PROGUARD™

Prevents electrical damage from extreme power conditions.

QUICKACCESS™

Intake foot valve providing easy access to the inlet ball to clear debris faster.

QUICKPAK™

No more loose O-rings and packing materials, the new Pump Cartridge Repair System provides modular pre-oiled cartridges that can be readily installed in minutes.



QUICKREEL™

An easy way to manage your hose without twisting, kinking or coiling. Deploy and rewind up to 90m of hose in seconds, what you don't need remains on the reel.



SMARTCONTROL™

Is an advanced microprocessor controller that delivers a consistent spray fan at all spraying pressures. It automatically adjusts motor (pump) speed to best match the demand eliminating any pulsating (deadpan). In lower flow conditions the pump speed operates in slow stroking mode.

SMARTCONTROL 3.0

Controls the Sprayer to remove pressure fluctuations.

SMARTCONTROL 4.0

Controls the Sprayer to remove pressure fluctuations, it also includes both ProGuard™ and WatchDog™ to protect against power fluctuations and low material supply.



WATCHDOG™

Automatically shuts the sprayer off when the paint supply bucket is empty to prevent damage of running the pump dry.

LINE LAZER



STANDARD SERIES

Suits a higher production re-stripping Contractor, striping basic pattern applications using one colour, using a single or dual guns.



HP AUTOMATIC SERIES

Is ideal for high production Striping Contractors completing medium to large jobs with more complex patterns, such as parking lots and bike paths, that may require multi-gun and automatic systems. It includes the ability to automatically stripe skip lines through a quality solenoid-driven system.



HP REFLECTIVE SERIES

For High Production Reflective Striping Contractors focused on mostly larger striping jobs, including airports and city projects. Useful in applications that require a multi-gun, automatic system with pressurised beads.



EPOWER™

Electric striping solutions designed to deliver quiet, fume-free and vibration-free performance, with the power and performance for both indoor and outdoor jobs.

DUALCOMFORT HANDLEBAR SYSTEM

Allows the Handlebars to be readily adjustable to suit any operator.

EASYMARK™ GUN ADJUSTMENT

Aligns the gun every time with an easy to use guide Mark system.



EASYOUT™ PUMP FILTER

For easy maintenance and less clogging.

EZ ALIGN™ WHEEL SYSTEM

With no special tools necessary to keep your Front Wheels adjusted and tracking straight.

EZ BEAD™ SYSTEM

Ensures proper bead flow and paint penetration.

FLEXBEAM™ LED LIGHT SYSTEM

For improved brightness, longer life and less Amperage on Graco LineDrivers. Its retractable, breakaway design prevents damage to keep you striping.

LIVELOOK™ DISPLAY WITH SMARTCONTROL™

Provides consistent spraying pressure for perfect lines, whilst tracking, measuring and controlling every aspect of the job.

J-LOG™ SYSTEM

Jobsite data can be readily downloadable onto a USB allowing you to capture and save all job data.

QUICKSELECT™ GUN SELECTOR

Independently controls 2 guns with one lever for both solid and skip lines.

PROSTART

Engine starter system, Lined river HD. Up to 50% less pulling effort to start engine.



Founded in 1926, Graco is a world leader in fluid handling systems and components.

Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coatings, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

Graco Australia Pty. Ltd.
Suite 17, 2 Enterprise Drive
Bundoora, Victoria 3083
Australia
Tel: 61 3 9468 8500
Email: csaustralia@graco.com
NZ Toll Free Number: 0800 472 261

3C0005ENAP-B ©2023 Graco Australia 08/23. All other brand names or marks are used for identification purposes and are trademarks of their respective owners. All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice. For more information on Graco's intellectual property, see www.graco.com/patent or www.graco.com/trademarks