



# TRUMIX XT™

Variable-Ratio Mixing System

EUROPE, MIDDLE EAST & AFRICA



PROVEN QUALITY. LEADING TECHNOLOGY.



# MEET YOUR NEW MIX STATION

Gone are the days of manually mixing in buckets and worrying about costly mix errors. Graco's TruMix XT variable-ratio mixing system is a revolutionary solution for mixing 2-component floor coatings. This system is capable of mixing up to 450 litres per hour and can support nearly any ratio with superior accuracy and mix consistency over traditional bucket batch methods.

- ✓ **FREES UP LABOR FROM MIXING**
- ✓ **ELIMINATES MIXING ERRORS**
- ✓ **MIXES UP TO 450 LITRES PER HOUR**
- ✓ **SUPPORTS FULL RANGE OF VOLUME RATIOS FROM 1:1 TO 6:1**
- ✓ **REDUCES MATERIAL WASTE**
- ✓ **MAXIMIZES MATERIAL WORKING TIME**




## FREE UP LABOR FROM THE MIX STATION TRUMIX XT REDUCES MIXING LABOR, INCREASING PRODUCTIVITY AND PROFITABILITY



**REDUCE JOB LABOR COSTS**  
Support jobs with smaller crews

**INCREASE CREW PRODUCTIVITY**  
Re-allocate labor to increase productivity and quality

**ACCELERATE GROWTH**  
Complete more jobs and larger jobs



MODEL	PART #
TRUMIX XT Variable-Ratio Mixing System	2003103

TRUMIX XT ACCESSORIES	PART #
Replacement Mixing Hose (1 Pack)	2004623
Replacement Mixing Hoses (3 Pack)	2002743
ProConnect Pumping System	2003160
TruMix XT Ratio Cups (25 Pack)	2003161



# A PERFECT MIX EVERYTIME

WITH TRUMIX XT, YOU'LL NEVER HAVE TO WORRY ABOUT WET POURS OR MIXING ERRORS



### PRECISE RATIO CONTROL

SmartSync™ Control (PATENT PENDING)

Advanced control system constantly monitors the system's performance and makes instantaneous adjustments to ensure the best possible mix.

### Xtreme Torque™ Brushless Motor (PATENT PENDING)

4X finer resolution than traditional motors for superior ratio accuracy and control.



### SUPERIOR MIX CONSISTENCY

CrossLink™ Multi-Stage Mix Hose (PATENT PENDING)

Patent-pending multi-stage mixing process provides superior mix quality over traditional bucket-batch methods.



### PEACE OF MIND

#### RatioGuard Ratio Assurance

Multi-point monitoring system actively detects potential off-ratio conditions before they can be dispensed.

#### Integrated Ratio Check

Quick and easy ratio check procedure at start-up ensures a smooth and successful application.



**SEE WHAT CONTRACTORS ARE SAYING ABOUT TRUMIX XT**



[graco.com/TruMixXT](http://graco.com/TruMixXT)

# MIX WHAT YOU NEED, WHEN YOU NEED IT

**TRUMIX XT MIXES MATERIAL ON DEMAND, GIVING YOU THE FLEXIBILITY TO MIX MATERIAL AS YOU NEED IT.**

### REDUCE WASTED MATERIAL

TruMix XT minimizes wasted material by allowing you to mix only what you need. This is great for situations where a partial kit is desired, such as coating a small area or working with a fast-curing material.

### BATCH MODE — NO MEASURING REQUIRED

The BATCH feature allows you to choose exactly how much material is mixed every time — from 0.75 to 95 litres. No measuring is required — just specify the amount and exactly that much mixed material will be dispensed!

### MAXIMIZE MATERIAL WORKING TIME

The challenge of applying fast-curing materials just got easier. With TruMix XT, material is dispensed instantly after mixing, giving you every possible second of working time.

### INCREASE CREW PRODUCTIVITY

Mix and apply faster with fewer people at the mix station.





# MAXIMUM FLEXIBILITY

TRUMIX XT EASILY ADAPTS TO A BROAD RANGE OF JOBS AND WORKSITE CONDITIONS

## MAXIMUM FLEXIBILITY

### Mobile Dispense

- System can be used to fill buckets as well as dispense straight to the floor for maximum material working time

### High-Capacity Lithium Battery

- Battery power allows you to mix where you want, regardless of power availability
- Provides up to 950 litres per charge
- 230V plug in for high-volume jobs

### Container Flexibility PATENT PENDING

- Removable bucket holder allows system to be used with a wide variety of off-the-shelf high-capacity containers
- Ideal for situations where material is stored in drums or totes



## SIMPLE OPERATION

SmartSync™ Control guides operator through the entire setup

- Auto Prime™ primes both pumps and loads the hose with mixed material with the push of a button
- Instant Ratio Check verifies that you are on ratio before you begin your job
- Custom Batch Settings allow you to dispense the exact amount material needed — no more, no less
- Clean the entire system in less than 5 minutes

USE IT AS A STATIONARY MIX STATION



OR TAKE IT TO THE FLOOR!



## PROCONNECT™ SWAPPABLE PUMPING SYSTEM PATENTED



- Entire fluid system can be swapped in seconds — without tools!
- Avoid material compatibility issues by using dedicated pumping systems for different coatings



1) Remove retaining clamps and pressure transducer connections



2) Tilt pump assembly back



3) Remove ProConnect Pumping System



SEE TRUMIX XT IN ACTION



graco.com/TruMixXT



## OUR BRAND PROMISE TO YOU

Since 1926, **innovation**, **quality** and **A+ Service** have been at the centre of Graco.

### Experience Innovation

Our focus on innovation results in products and equipment that lead the industry with technologically-advanced features, pioneering design, high performance and unparalleled reliability. In short, innovation is how you get better products!

### Building Quality

You're investing in high-quality products built to last for years of reliable service. Moreover, we partner with our customers to better understand how you're deploying our products in the field, then use your experiences to improve performance and durability.



### A+ service, every time

You'll see A+ Service in action when you contact any of our support services options no matter where you are in the world. We'll listen to your situation and work methodically to resolve it as quickly as we can. We are guided by a mindset of integrity and a customer service view centred on collaboration and relationships, not transactions.



We're here to answer questions and help address your needs:

[www.graco.com/contact](http://www.graco.com/contact)

Graco is certified ISO 9001.

©2024 Graco Distribution BV 3J0570ENEU-A 06/24. Printed in Europe.

All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice.

All other brand names or marks are used for identification purposes and are trademarks of their respective owners. For more information on Graco's intellectual property, see [www.graco.com/patent](http://www.graco.com/patent) or [www.graco.com/trademarks](http://www.graco.com/trademarks).