

MARK ∑</

Introducing Graco's NEW Xtreme Torque[™] Lineup of Professional Mark HD Sprayers



PROVEN QUALITY. LEADING TECHNOLOGY.



INTRODUCING

Xtreme

Mark V XT™ tandard Series 9F550

TORQUE



UP TO **10X** QUIETER WITH THE **NEW SOUND OF QUALITY**TM

UNRIVALED FINISH OUALITY WITH THE WORLD'S STEADIEST RUNNING PRESSURE

SELECTABLE PERFORMANCE MODESTM

LONGEST LIFE BEFORE SERVICE

FASTEST SERVICE ON JOBSITE

PUMP WEAR PREVENTION

FASTEST CLEANING USING LESS FLUID

LOWEST COST OF OWNERSHIP

EXPERIENCE AIRLESS LIKE NEVER BEFORE

XTREME TOROUE MOTOR

Experience a new level of performance with the first motor ever designed specifically for airless spray and made by Graco.

THE SOUND OF QUALITY

Advanced design eliminates multistage gear trains and reduces motor speed by 90% and noise by up to 10X.

RAPID-RESPONSE™ CONTROL

Delivers the world's steadiest running pressure. Dial-in 10 psi increments with the widest performance range in the industry (50-3,300 psi).

SELECTABLE PERFORMANCE WITH THE PUSH OF A BUTTON

Low Pressure Mode: Optimized performance range to eliminate overspray and improve finish.

High Pressure Mode: Offers maximum performance for extended hose lengths and difficult to atomize materials.

NEW FOR 2024



ENDURANCE VORTEX® PISTON PUMPS WITH PROCONNECT[®]

Auto-rotating vortex rod balances load and prolongs pump life—proven ProConnect replacement system eliminates downtime.

LED DIGITAL DISPLAY

Features a bright, easy-to-read LED display. See the performance from across the room!

TURBOCLEAN[™]

Efficiently cleans 3X faster using half the fluid, significantly reducing recycling costs.

WATCHDOG[™] PUMP PROTECTION

Intelligent auto-shutoff feature activates when the sprayer runs out of paint, safeguarding the pump and maintaining consistent performance.

OPTIMIZED FOR THICKER MATERIALS

Direct Immersion Vortex Pump puts the pump inlet right in the material eliminated the suction tube.

Oversized fluid passages and hoses allow for more fluid flow area and less pressure loss when spraying thick coatings.





FEATURING BREAKTHROUGH XTREME TORQUE MOTOR PATENT PENDING

1ST MOTOR EVER DESIGNED BY GRACO SPECIFICALLY FOR AIRLESS SPRAY

15X MORE TORQUE THAN TRADITIONAL MOTORS

BX MORE MAGNETS DELIVERS RAPID ACCELERATION AND SMOOTH PERFORMANCE

90% LOWER RUNNING SPEEDS

MONITORS PRESSURE **60X** PER MOTOR REVOLUTION

UP TO **10X** QUIETER OPERATION DELIVERS THE NEW SOUND OF QUALITYTM



DESIGNED, ENGINEERED & MANUFACTURED



FEATURING

THE WORLD'S WIDEST & STEADIEST **RUNNING PRESSURE**

EXPERIENCE **NEXT-GENERATION** PERFORMANCE

SPRAY MORE JOBS WITH THE WORLD'S STEADIEST PRESSURE CONTROL

- Rapid-Response[™] Control eliminates pressure fluctuations by continuously monitoring pressure — 60X per motor revolution
- Instantly adjusts motor speed to eliminate 75% of pressure fluctuations for a Perfect Airless Finish™

WIDEST PERFORMANCE RANGE — FROM 50 TO 3,300 PSI

- Offers the largest operating pressure range providing full control and maximum productivity
- Flexible for more applications coatings, hose lengths and tip sizes to meet every application

PUSH-BUTTON PERFORMANCE

- Two selectable performance modes offer unique performance levels to boost efficiency on every job
- Features a bright easy-to-read LED Display see performance from across the room

MAXIMIZE UPTIME

- TurboClean[™] cleans the pump 3X faster with 1/2 the fluid
- WatchDog[™] Pump Protection automatically shuts down the sprayer when out of material, preventing premature wear





BRING ON SAVINGS WITH SELECTABLE PERFORMANCE

(L) LOW PRESSURE PERFORMANCE MODE 50 - 2,000 PSI

 Optimized performance range to eliminate overspray and improve finish with RAC X[™] LP SwitchTips[™]

 Adjustable in 10 psi increments achieve extreme control down to 50 psi













- Ideal for difficult to atomize materials, extended hose lengths or during cold running conditions
- Use this mode for the best finish with any RAC[®] SwitchTip



FEATURING

UNRIVALED PUMP DURABILITY **& PERFORMANCE**

SPRAYS 3X MORE GALLONS THAN THE NEAREST COMPETITOR

- Endurance piston pumps are made using the highest grade materials to deliver the industry's longest life
- Proven proprietary V-MAX Blue[™] packings individually supported on chrome piston rod to deliver reliability you can count on

ENDURANCE VORTEX TECHNOLOGY ON ALL MODELS

- · Delivers the longest pump life by automatically rotating piston rod to extend pump life
- · Virtually eliminates side loading

MORE COATING APPLIED PER PISTON STROKE

- Up to 80% longer piston stroke than competitive models enhances flow and boosts performance
- · Extended piston stroke design increases wear surface and improves hard part life


ELIMINATE DOWNTIME WITH PROCONNECT JOBSITE SERVICEABILITY





Open Door & Remove Pump





PRD __ CONNECT

Eliminate Downtime with ProConnect On-the-Job Pump Replacement —now included on ALL XT Models



360° WEAR SURFACE

• Even loading delivers the longest pump life

HELICAL PISTON ROD DESIGN

- Delivers high-velocity flow to rotate pump rod as you spray
- · The piston rod slowly turns — balancing wear and extending life

OVERSIZED MAXFLOW 2 INLET

• Offers 4X more flow than typical pumps and pack-out resistance.



UPGRADE TO PROCONTRACTOR™ FOR 6X LONGER PUMP LIFE

- Proprietary piston and sleeve delivers 6X more gallons pumped between repacks
- · Included on all ProContractor Series models





EVERDAY RELIABILITY FOR LARGER JOBS

Larger coating jobs demand the proven quality and performance of Graco's Standard Series large electric sprayers to deliver a job well done, every time.



MARK XT STANDARD SERIES MODELS:

NEW UP TO 10X QUIETER OPERATION

Xtreme Torque Motor Technology

 Experience a new level of performance with the first motor ever designed specifically for airless spray

NEW WORLDS STEADIEST RUNNING PRESSURE

RapidResponse Control

• Dial in 10 psi increments with the widest performance range (50-3,300 psi)

NEW PUSH BUTTON PERFORMANCE

Selectable Performance Modes

- Low Pressure Mode: Optimized performance range to eliminate overspray and improve finish
- High Pressure Mode: Offers maximum performance for extended hose lengths and difficult to atomize materialsr

NEW SEE PERFORMANCE FROM ACROSS THE ROOM

 Easy-to-Read LED Digital Display Maintain peak performance in any condition with a clear and visible display

THE LONGEST Lasting Drive

Advantage Drive[™]

Hardened steel gears provide extremely quiet operation and a lifetime warranty

FASTEST JOBSITE SERVICEABILITY

ProConnect Replacement System

- Eliminate Costly Downtime
- Quickly Exchange pump in minutes on jobsite

NEW INDUSTRIES FASTEST CLEANING

TurboClean Cleaning System

• High-Velocity Fluid Flow Cleans The Pump 3x Faster Using ½ The Fluid

NEW PUMP WEAR PREVENTION

WatchDog Pump Protection

 Prevents Pump Damage If The Material Supply Is Too Low By Shutting Off The Pump Automatically

EASY OUT PUMP FILTER

 Large Inside out filtration process ensures a quality finish



Mark IV XT

Standard Series



MARK IV XT INCLUDES: Flex Plus Gun RAC X 425 SwitchTip and Guard BlueMax™ II 3/8 x 50 ft Airless hose

NEW INCREASED PERFORMANCE

LARGE ELECTRICS	MAX TIP SIZE	MAX GPM	PART #	PISTON PUMP TECHNOLOGY
Mark IV XT	.033	1.2	19F549	Endurance Vortex
Mark V XT	.039	1.5	19F550	Endurance Vortex





THE WORLD'S WIDEST OPERATING AND STEADIEST PRESSURE RANGE

- **RAPID-RESPONSE SYSTEM** features the most expansive pressure range (50-3,300 psi) for unmatched control
- Instantly responds for the steadiest pressure and Perfect Airless Finish[™] by ensuring seamless motor transitions during pump changeovers



ONE SPRAYER, MANY APPLICATIONS

- **Paint:** sprays the full range of paints and primers
- **Heavy Coatings:** fireproofing, waterproofing, vapor-barrier, and more
- **Texture:** Level 5, Skim Coat, Orange Peel*, Splatter* and Knock-Down* (*with air atomizer kit)

FAST CLEANING NOW EVEN FASTER!

• **TURBOCLEAN™** Turbo Clean efficiently cleans 3X faster using half the fluid

MARK 2 **PROCONTRACTOR SERIES**



INCLUDES ALL STANDARD SERIES FEATURES

PLUS:

NEW SUPERIOR PUMP LIFE

- Endurance Vortex MaxLife and MaxLife Extreme Piston Pumps
- Innovative MaxLife Technology last 6x longer between repacks -included on Mark IV XT ProContractor models
- · MaxLife Extreme Technology extends rod life 3X longer delivering the industry's lowest cost of ownership — included on Mark V XT ProContractor models

NEW EASY HOSE MANAGEMENT

QuikReel[™] Hose Management System

- Deploy and rewind up to 300 feet of hose in seconds without twisting, kinking or coiling
- Use only the hose you need the rest stays on the reel

NEW BLUELINK[™] JOBSITE MANAGEMENT SYSTEM BLUE+LINK

· Know your job's progress, locate your sprayers and maximize uptime with this innovative technology that is free to use

NEW NEVER HAVE A FLAT AGAIN!

Flat Proof Tires

• Tires can't be punctured by nails, screws or other sharp debris

DURABLE FILTRATION IEW I

Crushproof Inlet Strainer

· Stands up to harsh impacts to maintain flow through filter



XT ACCESSORIES:

Upgrade your sprayer to maximize your productivity!

PART #	
25V145	Modular QuikReel Kit for
287987	25 Gallon Texture Hopper
17E687	Flat Proof Tires for Mark
15V573	Crushproof Inlet Strainer
20B432	SmartDisplay XT • Upgrade any XT Spraye

ACCESSORIES TO HELP YOU WORK FASTER AND MORE PRODUCTIVELY





NEW AIR ATOMIZER KIT WITH WIDETEX[™]

- Match or create a wide variety of spray patterns with easy to change fluid nozzles.
- Delivers round or fan spray pattern with WideTex spray tips.
- · Eliminates fatigues associated with circular gun movement.

NEW INCREASED PERFORMANCE

PROCONTRACTOR LARGE ELECTRICS	MAX TIP SIZE	MAX GPM	PART #	PISTON PUMP TECHNOLOGY
Mark IV XT ProContractor	.033"	1.2	19F551	Endurance Vortex MaxLife
Mark V XT ProContractor	.039"	1.5	19F552	Endurance Vortex MaxLife Extreme

READY TO SPRAY WITH:

Heavy-Duyty Blue Texture Gun RAC X 427 and 531 SwitchTip and Guard BlueMax II 3/8 x 50 ft (6.4mm x 15m) Airless Hose

DESCRIPTION	

Mark IV and Mark V XT

V XT - order 2

for Mark IV and Mark V XT

er with Bluelink job-site management system



Ideal for knockdown, orangepeel, splatter coats, and deocrative finishes.





INTRODUCING THE 2024 BRUSHLESS MARK XT HD 3-IN-1 LINEUP

	NEW	NEW		
THE	Mark IVXT-V XT Standard Series	Mark IV XT-V XT ProContractor Series		
XT Motor with Reduced Drive Train	✓	✓		
Up To 10X Quieter	\checkmark	✓		
Rapid-Response Pressure Control	✓	✓		
Selectable Performance Modes with LED Display	\checkmark	✓		
Endurance Vortex [®] Pump	\checkmark	\checkmark		
Piston and Sleeve Construction	Chromex [™] / Hardened SST	MaxLife® (Mark IV XT) MaxLife Extreme (Mark V XT)		
ProConnect®	✓	✓		
TurboClean™	✓	✓		
WatchDog™	✓	✓		
QuikReel [™] Hose Management System		✓		
SmartDisplay XT [™] with BlueLink [™]		✓		
CrushProof Inlet Strainer		✓		
Flat Proof Tires		✓		

	Mark IV 🔭	Mark V XT	
MAXIMUM TIP SIZE	0.033"	0.039"	
MAXIMUM PSI (BAR)	3,300 (227)	3,300 (227)	
MAXIMUM GPM (LPM)	MAXIMUM GPM (LPM) INCREASED FLOW 1.20 (4.5)		
XTREME TORQUE MOTOR (HP)	2.3	2.7	
WEIGHT LB (KG)	88 (40) Standard	101 (46) Stand	
GUN SUPPORT: 1 GUNS 2 GUNS 3 GUNS	0.033" 0.025" 0.019"	0.039" 0.029" 0.023"	



	MODEL	19F549 - Standard Hi-Boy	19F551 - ProContractor	19F550- Standard Hi-Boy	19F552- ProContractor
PUMP	ТҮРЕ	Endurance [™] Vortex	Endurance Vortex	Endurance Vortex	Endurance Vortex
	ROD	Chromex™	MaxLife™	Chromex	MaxLife Extreme
	SLEEVE	Hardened SST	MaxLife	Hardened SST	MaxLife
	REMOVAL	ProConnect	ProConnect	ProConnect	ProConnect
	XTREME TORQUE [™] MOTOR	\checkmark	\checkmark	\checkmark	\checkmark
FEATURES	RAPID-RESPONSE [™] PRESSURE CONTROL	\checkmark	\checkmark	\checkmark	\checkmark
	TURBOCLEAN™	\checkmark	\checkmark	\checkmark	\checkmark
	WATCHDOG TM PUMP PROTECTION	\checkmark	\checkmark	\checkmark	\checkmark
	BLUELINK [™] MANAGEMENT	Modular Accessory	\checkmark	\checkmark	\checkmark
	EASYOUT FILTER™ (60 MESH)	\checkmark	\checkmark	\checkmark	\checkmark
	QUIKREEL [™] HOSE MANAGEMENT	Modular Accessory	\checkmark	Modular Accessory	\checkmark
	FLATPROOF TIRES	Modular Accessory	\checkmark	Modular Accessory	\checkmark
	CRUSHPROOF INLET STRAINER	Modular Accessory	\checkmark	Modular Accessory	\checkmark
	GUN	Flex Plus	Flex Plus	Heavy-Duty Blue Texture	Heavy-Duty Blue Texture
INCLUDES	HOSE	3/8 in x 50 ft (9.5 mm x 15m) BlueMax II Airless Hose	3/8 in x 50 ft (9.5 mm x 15m) BlueMax II Airless Hose	3/8 in x 50 ft (9.5 mm x 15m) BlueMax II Airless Hose	3/8 in x 50 ft (9.5 mm x 15m) BlueMax II Airless Hose
INC	TIPS	RAC X LTX 425	RAC X LTX 425	RAC X LTX 427 and 531	RAC X LTX 427 and 531
	FILTER	60 Mesh Easy Out			
UAL	OPERATION AND PARTS	3B0070	3B0070	3B0070	3B0070
MANUAL	PUMP	3A9391	3A9391	3A9391	3A9391













SPRAY WITH CONFIDENCE

Industry-Leading Warranty Protection

Every Graco electric sprayer is backed by the industry's best warranty coverage.

LIFETIME ELECTRIC MOTOR WARRANTY*

If the motor fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

LIFETIME DRIVETRAIN WARRANTY*

If the drivetrain fails from normal use, we'll replace it under warranty for the original owner for the life of the sprayer.

30-DAY "JUST ADD PAINT" REPLACEMENT GUARANTEE*

Dissatisfied? Simply return the sprayer to the place you bought it within 30 days. They'll either exchange it for an identical sprayer or you can trade up to a larger sprayer at an additional cost.

3-YEAR WARRANTY*

Coverage against defects in materials and workmanship on the entire sprayer.

DOWNTIME ELIMINATOR PROGRAM*

Part needed for a warranty repair not in stock at your distributor? Get FREE next business day air freight delivery when distributor orders the part by 2 p.m. CT.

CONVENIENT SERVICE

Graco offers more than 5,500 authorized distributor locations in North America and over 700 locations to administer warranty repair.

*NORTH AMERICA ONLY. See your local Graco Distributors for country specifics.



FINISH EVERY JOB, EVERY TIME

Downtime is costly. With the Endurance Advantage Program, you'll never need to worry about it again. Depending on the sprayer you purchase:

Receive up to 70% OFF the list price of an Endurance Pump OR — Receive a FREE Repair Kit if you'd rather repack your own pump.



Every Graco purchase comes with A+ Customer Service.

Questions? Call (844) 241-9499

For more information visit graco.com/contractor

©2024 Graco Inc. 3J0626A 4/24 All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice. Trademarks are referenced herein for identification purposes only. All trademarks are the property of their respective owners. Product covered by issued and pending patents, see graco.com/patents.