



ROD LIFT

Stuffing Box Lubrication Solutions



PROVEN QUALITY. LEADING TECHNOLOGY.


PUMP-TO-POINT LUBRICATION DESIGNED FOR ROD LIFT

PROFITABLE BY DESIGN

Estimated to **save \$5,000+ yearly*** per rod lift installation by reducing maintenance costs and regulating lubricant usage.

STUFFING BOX

Precisely metered lubrication extends packing life and reduces waste to save both supply costs and time at the well site.



G3 AUTOMATIC LUBRICATION PUMP

Graco G3 automatic lubrication pumps ensure consistent equipment performance, even in extreme seasonal climates, and offer the flexibility to lubricate only while the system is pumping.

**Estimate reflects savings reported by customers in testimonials and feedback.*

G3[®] AUTOMATIC LUBRICATION PUMPS

VERSATILE, POWERFUL AND AFFORDABLE

- For various rod pumping units, 2, 4, 8, 12, or 16 liter reservoirs are available, with or without follower plates
- Options for both DC (12 or 24V) and AC (90-240V) power sources for simple on-site installation
- Available with an internal controller or without; all models capable of sending a low level signal whether to the pump internal controller, external controller or PLC
- IP69K rated for outdoor use in harsh environments and superior protection against water ingress, including high-pressure equipment washdown




WHY AUTOMATIC LUBRICATION FOR ROD PUMPING SYSTEMS

Automatic lubrication ensures that your equipment receives the perfect amount of lubricant precisely when needed, avoiding under-lubrication that can lead to premature wear and over-lubrication that can cause messy and costly spills.

Choosing automatic lubrication:

- Provides consistent lubrication to minimize wear and maintenance costs
- Saves time and labor by eliminating manual lubrication tasks
- Minimizes environmental impact by preventing excessive lubricant usage common with manual or beam actuated methods



SUSTAINABILITY YOU CAN SEE

Comply with Environmental, Safety and Health (ESH) standards with a solution that keeps the ground clear and maintenance away from the stuffing box assembly.



Stuffing box appearance after conventional application of lubricant



Stuffing box appearance after introduction of automatic lubrication



Every Graco purchase comes
with A+ Customer Service.

Questions?
Call (800) 533-9655

For more information visit graco.com